₩+N	Windows
N+Ж+∑	Windows
₩+W	Windows
<b>ሰ+</b> 器+W	Windows
₩+S	Windows
<u></u>	Windows
F2	Windows
F5	Windows
<b></b> #+P	Windows
₩+1	Windows
₩+Z	Dialogs, Windows
<b>⊹</b> +₩+Ζ	Dialogs, Windows
₩+X	Dialogs, Windows
₩+C	Dialogs, Windows
<b>%</b> +∨	Dialogs, Windows
$\boxtimes$	Windows
<b>%</b> +A	Dialogs, Windows
₩+F	Windows
₩+K	Editing Text
	Editing Text
₩+J	Editing Text
<u></u>	Editing Text
	Editing Text
	Editing Text
. –	Dialogs, Windows
	Dialogs, Windows
	Editing Text
	Dialogs, Windows
	Editing Text
	Editing Text
	Windows
	Windows
- · · · · · · · · · · · · · · · · · · ·	WilliaoWo
A	AAC a al acce
= =	Windows
	Windows
	Windows
	Windows
①+ <b>器+</b> U	Windows
tion	
<b>մ+</b> ₩+←	Editing Text
<b>☆+</b> ↘	Editing Text
 \_+☆+←	Editing Text
<u> </u>	Luiting Toxt
	T ## + H

Text Editing – Naviga	ation	
Cursor to Text Start Cursor to Text End Cursor to Line Start Cursor to Line End Cursor to Previous Word Cursor to Next Word Go to Line Toggle Folding Collapse Collapse Collapse All Expand Expand Expand All Show Ruler Context Menu Toggle Word Wrap Zoom In Zoom Out	<pre>%+\ %+← %+→ %+← \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</pre>	Editing Text
Text Editing – Modifi	ication	•
Insert Line Above Insert Line Below Duplicate Lines Copy Lines Down Move Lines Up Move Lines Down Delete Line Delete Previous Word Delete Next Word Delete to End of Line Convert to Lower Case Convert to Upper Case Toggle Overwrite	①+#++ ①++→ #+B \(\tau+\pi+\pi+\pi+\pi+\pi+\pi+\pi+\pi+\pi+\pi	Editing Text
Source Editing		
Show Source Quick Menu Toggle Comment Toggle Comment Toggle Mark Occurrences Format Annotate Class File Open Hyperlink	\(\tau+\text{S}\) \(\text{#+F}\) \(\text{#+F}\) \(\text{C}+\text{#+F}\) \(\text{#+F}\) \(\text{#+F}\) \(\text{F+F}\) \(\text{F+F}\)	In Windows Editing Sourc Editing Source Editing Source Editing Source Browse Att. Src. Editing Text
Java Editing – Selec	tion	
Select Enclosing Element Select Previous Element Select Next Element Restore Last Selection Context Information	^+\hat{O}+\\\\ ^+\hat{O}+\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Editing Java Src Editing Java Src Editing Java Src Editing Java Src Editing Java Src

Java Editing - Navig	ation	
Go to Previous Member Go to Next Member Go to Matching Bracket Open Declaration Open Type Hierarchy Open Call Hierarchy Open Attached Javadoc Open Structure Quick Hierarchy Quick Outline Show In Breadcrumb	^+\\^+\ ^+\\^+\ ^+\\^+\\ F3 F4 ^+\\^+\\ 4 ^+\\^+\ 4 *+F2 \$\\ #+F3 \$\\ #+T \$\\ #+O \\\^+\\ #+B	Editing Java Src Editing Java Src Editing Java Src Windows Windows Windows Windows Editing Java Src
Java Editing – Modif	ication	
Add Block Comment Remove Block Comment Add Javadoc Comment Correct Indentation Add Import Organize Imports Surround With Menu Remove Occurrence	^+ # ^+ # + \	Editing Java Src In Windows In Windows Editing Java Src
Java Quick Assist		
Assign to Local Variable Assign to Field Extract Method Rename in File	第+2 L 第+2 F 第+2 M 第+2 R	Editing Java Src Editing Java Src Editing Java Src Editing Java Src
Java Refactoring		
Show Refactor Menu Rename Move Change Method Signature Extract Method Extract Local Variable Inline	\tag{\tau}+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau} \tau+\tau+\tau}	Windows Windows Windows Windows Windows Windows
Java Project		
Build All	₩+B	Windows
Ant Editing		
Open External Doc. Rename In File	҈Ω+F2 ∇+Ж+R	Editing Ant Files Editing Ant Files

D	 n	
к		

Run	位+Ж+F11	Windows
Run Ant Build	\\\\+\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Windows
Run Eclipse Application	∵+Ж+X E	Windows
Run Java Applet	AX+Ж+✓	Windows
Run Java Application	LX+ૠ+Z J	Windows
Run JUnit Plug-in Test	∵+₩+X P	Windows
Run JUnit Test	TX+Ж+XT	Windows
Run OSGi Framework	O X+Ж+∑	Windows

# Debug

Debug Ant Build	^+\+\#DQ	Windows
Debug Eclipse Application	^+∑+%D E	Windows
Debug Java Applet	^+∑+%DA	Windows
Debug Java Application	^+∑+%DJ	Windows
Debug JUnit Plug-in Test	^+∑+%D₽	Windows
Debug JUnit Test	^+∵+#DT	Windows
Debug OSGi Framework	O U X + ✓ + ^	Windows

# Debugging

Toggle Breakpoint	<b>압+</b> ₩+Β	Windows
Resume	F8	Debugging
Terminate	₩+F2	Debugging
Step Into	F5	Debugging
Step Into Selection	`C+F5	Debugging
Step Over	F6	Debugging
Step Return	F7	Debugging
Force Return	∵+#+F	Windows
Run to Line	₩+R	Debugging
Use Step Filters	<b>企+F5</b>	Windows
All Instances	企+器+N	Windows
Inspect	企+Ж+l	Dialogs, Windows
Display	企+器+D	Dialogs, Windows
Execute	₩+U	Windows
Java Breakpoint Properties	<b>∠</b> +←	Breakpoints View
Undo	∺+Z	Breakpoints View
Add Memory Block	M+Ж+ <i>T</i>	Memory View
Close Rendering	₩+W	Memory View
Toggle Memory Monitors	₩+T	Memory View
New Rendering	₩+N	Memory View
Next Memory Monitor	N+Ж+∑	Memory View
Next Page of Memory	仚+駕+.	Table Memory
Previous Page Memory	仚+駕+,	Table Memory
Go to Address	₩+G	Table Memory
EOF	^+D	I/O Console
Skip All Breakpoints	^+\Z+B	Windows

# **Navigate**

Open Type	位+Ж+T	Windows
Open Type in Hierarchy	<b>ሰ+</b> 器+Η	Windows
Open Resource	<u></u>	Windows
Open from Clipboard	企+Ж+V	Windows
Show In Breadcrumb	∵+Ж+B	Editor Breadcrumb
Show In	₩+#	Windows
Next	₩+.	Windows
Previous	☆+器+.	Windows
Last Edit Location	^+Q	Windows
Backward History	<b>∵+</b> #+ <i>←</i>	Windows
Backward History	₩+[	Windows
Forward History	<b>∵+</b> #+→	Windows
Forward History	₩+]	Windows
Next Page	∺+C	Windows
Previous Page	飞+企+F7	Windows
Next Sub-Tab	<b>∑</b> + <b></b>	Dialogs, Windows
Previous Sub-Tab	<b>\_+</b>	Dialogs, Windows

#### Window

Quick Access	₩+3	Windows
Activate Editor	₩+F12	Windows
Quick Switch Editor	₩+E	Windows
Switch to Editor	Shift+Ctrl+E	Windows
Next Editor	₩+F6	Windows
Previous Editor	☆+器+F6	Windows
Maximize View or Editor	r ^+M	Windows
Previous View	<b>☆+</b> 器+F7	Windows
Next View	₩+F7	Windows
Show View Menu	₩+F10	Dialogs, Windows
Previous Perspective	☆+Ж+F8	Windows
Next Perspective	₩+F8	Windows
Show Key Assist	企+Ж+L	Dialogs, Windows
Show System Menu	企+Ж+F10	Windows
Toggle Full Screen	^+Ж+F	Windows

### Views

Show View	∵+#+Q Q	Windows
Show View: Breakpoints	∵+#+Q Q	Windows
Show View: Cheat Sheets	∵+ж+Q Η	Windows
Show View: Console	∵+ж+Q C	Windows
Show View: Declaration	∵+ж+Q D	Windows
Show View: Error Log	∵+#+Q L	Windows
Show View: History	``C+Ж+Q Z	Windows
Show View: Javadoc	∵+ж+Q J	Windows
Show View: Outline	∵+#+Q O	Windows
Show View: Package Expl.	∵+ж+Q P	Windows
Show View: Problems	\T+\#+Q X	Windows
Show View: Search	∵+#+QS	Windows
Show View: Synchronize	\Z+₩+Q Y	Windows
Show View: Type Hierarchy	∵+#+Q T	Windows
Show View: Variables	\Z+\#+Q\	Windows

# **Plug-in Development**

Open Plug-in Artifact	⊕+Ж+A	Windows
Open Manifest	<b>℃+</b> 企+ℒM	Windows
Format Source	<b>⊹</b> +∺+F	Manifest Editor
Quick Outline	<b>∺</b> +O	Manifest Editor

# Plug-in Spy

Plug-in Selection Spy	飞+☆+F1	Dialogs, Windows
Plug-in Menu Spy	飞+☆+F2	Dialogs, Windows
Show Contrib. Plug-in	飞+☆+F3	Dialogs, Windows
Layout Spy	℃+企+光+F9	Dialogs, Windows

# Git (EGit required)

Commit	∵+∺+3	In Windows
Copy Path to Clipboard	₩+C	In Git Repo View
Paste Repo Path or URI	<b>∺+</b> V	In Git Repo View

# Conventions

Additions since the last release are marked with a vertical bar Deletions since the last release are struck through

Author: Michael Pellaton Version: 2018-11-16 0811

Source: https://github.com/pellaton/eclipse-cheatsheet

Copyright © 2018 by Netcetera AG, Zürich.

Released under EPL v1.0

http://www.eclipse.org/legal/epl-v10.html