

Woodhills Labs

7589 Preston Rd, Suite 700 Frisco, TX, 75034 469-579-4620 Phone 469-579-4610 Fax www.woodhillslabs.com

Patient Name: SAVALA, S, YARETZI

Requesting Physician: MANSOOR KAZI

DOB: 08/08/2017

Lab ID: 10290412

Facility: AMERI IMMUNIZATION & WELLNESS

Source: NASAL

Collected: 03/28/2022 13:56:00

Reported: 3/28/2022

Comments:



Test Name

Result

Units

SARS-CoV-2 RNA

SARS-CoV-2

NEGATIVE

Results are for the identification of SARS-CoV-2 RNA by RT-PCR.

The SARS-CoV-2 is generally detectable in upper respiratory specimens during the acute phase of infection.

Sex: F

Received: 03/28/2022

Positive results are indicative of the presence of SARS-CoV-2 RNA; clinical correlation with patient history and other diagnostic information is necessary to determine patient infection status.

Positive results do not rule out bacterial infection or co-infection with other viruses.

Laboratories within the United States and its territories are required to report all positive results to the appropriate public health authorities.

Negative results do not preclude SARS-CoV-2 infection and should not be used as the sole basis for patient management decisions.

Negative results must be combined with clinical observations, patient history, and epidemiological information.

The Lyra Direct SARS-CoV-2 Assay is intended for use by qualified and trained clinical laboratory personnel specifically instructed and trained in the techniques of real-time PCR and in vitro diagnostic procedures. The Lyra Direct SARS-CoV-2 Assay is only for use under the Food and Drug Administration's Emergency Use Authorization.

Medical Director: Dr. Satish Chundru