

Search feature: server.js search route

```
//search route
app.get("/search", (req, res) => {
  const q = req.query.q || "";

  if (q.trim() === "") {
    const sql = `
      SELECT clothing_item.*, designer.brand_name
      FROM clothing_item
      JOIN designer ON clothing_item.designer_id = designer.designer_id
    `;
    db.query(sql, (err, results) => {
      if (err) {
        console.error("Search error:", err);
        return res.status(500).json({ error: "Database error" });
      }
      res.json(results);
    });
    return;
  }

  const sql = `
    SELECT clothing_item.*, designer.brand_name
    FROM clothing_item
    JOIN designer ON clothing_item.designer_id = designer.designer_id
    WHERE clothing_item.style LIKE ?
    OR clothing_item.occasion LIKE ?
    OR clothing_item.item_name LIKE ?
  `;

  const search = `%${q}%`;

  db.query(sql, [search, search, search], (err, results) => {
    if (err) {
      console.error("Search error:", err);
      return res.status(500).json({ error: "Database error" });
    }

    res.json(results);
  });
});
```

Nav bar container:

```
<nav class="navbar">
  <div class="navbar-left">
    <a href="/" class="logo">STYLIX</a>
    <a href="/">HOME</a>
    <a href="/shoptest.html">SHOP</a>
    <a href="/aboutus.html">ABOUT</a>
    <a href="/contact.html">CONTACT</a>
    <a href="/userdash.html" id="my-closet-link" style="display: none;">USERDASH</a>
  </div>
  <div class="navbar-right">
    <a href="checkout.html" id="cart-btn"><i class="fas fa-shopping-cart"></i> [CART]</a>
    <div class="search-container">
      <span class="search-icon"><i class="fas fa-search"></i></span>
      <input type="text" id="searchInput" class="search-input" placeholder="SEARCH...">
      <button id="searchActionBtn" class="search-action-btn" onclick="toggleSearchClear()">[GO]</button>
    </div>
    <div class="user-dropdown" id="user-dropdown" style="display: none;">
      <span class="greeting-text" id="user-greeting">Hello, USER</span>
      <div class="dropdown-content">
        <a href="#" id="logout-link">[LOGOUT]</a>
      </div>
    </div>
    <a href="/login.html" id="login-link">LOGIN</a>
    <a href="/register.html" id="register-link">[SIGNUP]</a>
  </div>
</nav>
```

Search script:

```
async function performSearch(query) {
  if (!query || query.trim() === "") {
    resetToAllItems();
    return;
  }

  try {
    const res = await fetch("/search?q=" + encodeURIComponent(query));
    const searchResults = await res.json();

    const likedData = await fetch("/liked-items");
    const likedResult = await likedData.json();
    likedItems = likedResult.likedIds || [];

    isSearchMode = true;
    document.getElementById("search-header").classList.remove("hidden");

    searchActionBtn.innerHTML = '[CLR]';
    searchActionBtn.classList.add("search-active");

    displayItems(searchResults);
    document.getElementById("items-container").scrollIntoView({ behavior: "smooth" });
  } catch (error) {
    console.error("Search error:", error);
    alert("Error performing search. Please try again.");
  }
}

function resetToAllItems() {
  searchInput.value = "";
  isSearchMode = false;
  document.getElementById("search-header").classList.add("hidden");
  searchActionBtn.innerHTML = '[GO]';
  searchActionBtn.classList.remove("search-active");
  displayItems(allItems);
}

function toggleSearchClear() {
  if (isSearchMode) {
    resetToAllItems();
  } else {
    performSearch(searchInput.value);
  }
}
```

```
searchInput.addEventListener("keypress", function(event) {  
    if (event.key === "Enter") {  
        event.preventDefault();  
        if (isSearchMode) {  
            resetToAllItems();  
        } else {  
            performSearch(this.value);  
        }  
    }  
});
```