

Avaliação 7 - Livia Emily Silva Vasconcelos

```
administrador@administrador-v...x: ~/docker-introducao-master x
- compose.yml
version: "3.7"
services:
  db:
    image: mysql
    container_name: mysql-container
    command: --default-authentication-plugin=mysql_native_password
    environment:
      MYSQL_ROOT_PASSWORD: programadorabordo
    volumes:
      - ./api/db/data:var/lib/mysql
    restart: always
  api:
    build: "./api"
    container_name: node-container
    restart: always
    volumes:
      - ./api:/home/node/app
    ports:
      - "9001:9001"
    depends_on:
      - db
```

administrador@administrador-v...x: ~/docker-introducao-master

```
    restart: always
api:
  build: "./api"
  container_name: node-container
  restart: always
  volumes:
    - ./api:/home/node/app
  ports:
    - "9001:9001"
  depends_on:
    - db
web:
  image: "php:7.2-apache"
  container_name: php-container
  restart: always
  volumes:
    - ./website:/var/www/html
  ports:
    - "8888:80"
  depends_on:
    - db
    - api
```

administrador@administrador-virtualbox:~/docker-introducao-master\$

administrador@administrador-v...x: ~/docker-introducao-master

Erase is control-H (^H).

administrador@administrador-virtualbox:~/docker-introducao-master\$ docker-compose up

Creating network "docker-introducao-master_default" with the default driver

Pulling db (mysql:...)...

latest: Pulling from library/mysql

824b15f81d65: Pulling fs layer

c559dd1913db: Pulling fs layer

c559dd1913db: Downloading [=====>

c559dd1913db: Downloading [=====

824b15f81d65: Pull complete

c559dd1913db: Pull complete

e201c19614e6: Pull complete

f4247e8f6125: Pull complete

dc9fef8d8cfb5: Pull complete

32cfafb64fee: Pull complete

c9caad7ee0fc: Pull complete

c8ed38840e96: Pull complete

5a172dc2c4c7: Extracting [=====>

] 11.14MB/109.1MBBoad complete

b20e07df03fa: Download complete

>] 5.156kB/5.156kBBoad complete

>] 121B/121B

administrador@administrador-v...x: ~/docker-introducao-master

```
administrador@administrador-virtualbox:~/docker-introducao-master$ reset
Erase is control-H (^H).
administrador@administrador-virtualbox:~/docker-introducao-master$ docker-compose up
Starting mysql-container ... done
Starting node-container ... done
Starting php-container ... done
Attaching to mysql-container, node-container, php-container
mysql-container | 2022-06-23 19:49:40+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.0.29-1debian10 started.
mysql-container | 2022-06-23 19:49:41+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
mysql-container | 2022-06-23 19:49:41+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.0.29-1debian10 started.
mysql-container | 2022-06-23T19:49:42.656031Z 0 [Warning] [MY-010918] [Server] 'default_authentication_plugin' is deprecated and will be removed in a future release. Please use authentication_policy instead.
mysql-container | 2022-06-23T19:49:42.656063Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.0.29) starting as process 1
mysql-container | 2022-06-23T19:49:42.718976Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
mysql-container | 2022-06-23T19:49:45.386351Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
```



Produto	Preço
Curso Front-end especialista	2500
Curso JS Fullstack	900