

```

SELECT
E.nome_especialidade as especialidade,
COUNT(C.id_consulta) AS TotalConsultas,
AVG(C.valor) AS MediaConsultas,
SUM(C.valor) AS Faturamento
FROM Consultas AS C
JOIN Medicos AS M
ON C.id_medico = M.id_medico
JOIN Especialidades AS E
ON M.id_especialidade = E.id_especialidade
GROUP BY E.nome_especialidade
HAVING SUM(C.valor) > 1000
ORDER BY Faturamento DESC;

```

```

SELECT id_paciente as paciente,
data_consulta as data,
SUM(valor) as total_diario
FROM Consultas
GROUP BY id_paciente, data_consulta;

SELECT id_paciente,
SUM(valor)
FROM Consultas
WHERE valor>200
GROUP BY id_paciente;

select id_paciente,
sum(valor) as total

```

```
from Consultas

group by id_paciente

having sum(valor)>1000;

SELECT id_medico,

COUNT(*) AS TotalConsultas

FROM Consultas

WHERE COUNT(*)>5

GROUP BY id_medico;

SELECT id_medico, COUNT(*) AS TotalConsultas

FROM Consultas

GROUP BY id_medico

HAVING COUNT(*)>5;

SELECT id_medico,

COUNT(*) AS TotalConsultas

FROM Consultas

WHERE COUNT(*)>5

GROUP BY id_medico;
```