

20230527120000_create_TB_Itens_Notas_Fiscais_table.js - Avalicao-09 - Visual Studio Code

EXPLORER

- AVALICAO-09
 - migrations
 - JS 20230527120000_create_TB_Itens_Notas_Fiscais_table.js
 - JS 20230527120000_create_TB_Clientes_table.js
 - JS 20230527120000_create_TB_Produtos_table.js
 - JS 20230527120000_create_TB_Vendedores_table.js
 - index.js
 - knexfile.js
 - package-lock.json
 - package.json

migrations > JS 20230527120000_create_TB_Itens_Notas_Fiscais_table.js > ...

```
1 exports.up = function(knex) {
2   return knex.schema.createTable('TB_Itens_Notas_Fiscais', function(table) {
3     table.integer('numero_nf');
4     table.integer('cod_produto');
5     table.integer('quantidade');
6     table.primary(['numero_nf', 'cod_produto']);
7     table.foreign('cod_produto').references('TB_Produtos.id');
8   });
9 };
10
11 exports.down = function(knex) {
12   return knex.schema.dropTable('TB_Itens_Notas_Fiscais');
13 };
14
15
16
```

20230527120000_create_TB_Nota_Fiscal_table.js - Avalicao-09 - Visual Studio Code

EXPLORER

- AVALICAO-09
 - migrations
 - JS 20230527120000_create_TB_Itens_Notas_Fiscais_table.js
 - JS 20230527120000_create_TB_Clientes_table.js
 - JS 20230527120000_create_TB_Produtos_table.js
 - JS 20230527120000_create_TB_Vendedores_table.js
 - index.js
 - knexfile.js
 - package-lock.json
 - package.json

migrations > JS 20230527120000_create_TB_Nota_Fiscal_table.js > ...

```
1 exports.up = function(knex) {
2   return knex.schema.createTable('TB_Nota_Fiscal', function(table) {
3     table.integer('numero').primary();
4     table.text('serie').nullable();
5     table.integer('codigo_cli').nullable();
6     table.integer('codigo_vend').nullable();
7   });
8 };
9
10 exports.down = function(knex) {
11   return knex.schema.dropTable('TB_Nota_Fiscal');
12 };
13
```

This screenshot shows the VS Code editor with the Explorer sidebar on the left. The Explorer shows a project named 'AVALICAO-09' with a 'migrations' folder containing several files. The file '20230527120000_create_TB_Produtos_table.js' is selected and highlighted in blue. The main editor area shows the content of this file, which defines an up migration to create the 'TB_Produtos' table with columns 'id', 'codigo', 'nome', and 'preco_unit'. The down migration is also defined to drop the table.

```
migrations > JS 20230527120000_create_TB_Produtos_table.js > ...
1  exports.up = function(knex) {
2    ...
3    return knex.schema.createTable('TB_Produtos', function(table) {
4      table.increments('id').primary();
5      table.integer('codigo').nullable();
6      table.text('nome').nullable();
7      table.float('preco_unit').nullable();
8    });
9  };
10 exports.down = function(knex) {
11   return knex.schema.dropTable('TB_Produtos');
12 };
13
```

This screenshot shows the VS Code editor with the Explorer sidebar on the left. The Explorer shows a project named 'AVALICAO-09' with a 'migrations' folder containing several files. The file '20230527120000_create_TB_Clientes_table.js' is selected and highlighted in blue. The main editor area shows the content of this file, which defines an up migration to create the 'TB_Clientes' table with columns 'id', 'nome', and 'endereco'. The down migration is also defined to drop the table.

```
migrations > JS 20230527120000_create_TB_Clientes_table.js > ...
1  exports.up = function (knex) {
2    ...
3    return knex.schema.createTable('TB_Clientes', function (table) {
4      table.increments('id').primary();
5      table.text('nome').nullable();
6      table.text('endereco').nullable();
7    });
8  };
9  exports.down = function (knex) {
10   return knex.schema.dropTable('TB_Clientes');
11 };
12
```

This screenshot shows the VS Code editor with the Explorer sidebar on the left. The Explorer shows a project named 'AVALICAO-09' with a 'migrations' folder containing several files. The file '20230527120000_create_TB_Vendedores_table.js' is selected and highlighted in blue. The main editor area shows the content of this file, which defines an up migration to create the 'TB_Vendedores' table with columns 'id' and 'nome'. The down migration is also defined to drop the table.

```
migrations > JS 20230527120000_create_TB_Vendedores_table.js > ...
1  exports.up = function(knex) {
2    ...
3    return knex.schema.createTable('TB_Vendedores', function(table) {
4      table.increments('id').primary();
5      table.text('nome').nullable();
6    });
7  };
8  exports.down = function(knex) {
9    return knex.schema.dropTable('TB_Vendedores');
10 };
11
```