

Часть 1

Вывел все службы:

`systemctl list-units --type=service --all`

```
systemd-remount-fs.service    loaded active exited Remount Root and Kernel File Systems
systemd-repart.service        loaded inactive dead   Repartition Root Disk
systemd-rfkill.service        loaded inactive dead   Load/Save RF Kill Switch Status
systemd-suspend-then-hibernate.service loaded inactive dead   Suspend; Hibernate if not used for a period of time
systemd-suspend.service       loaded inactive dead   System Suspend
systemd-sysctl.service         loaded active exited  Apply Kernel Variables
systemd-sysext.service         loaded inactive dead   Merge System Extension Images into /usr/ and /opt/
systemd-sysusers.service       loaded active exited  Create System Users
systemd-tmpfiles-clean.service loaded inactive dead   Cleanup of Temporary Directories
systemd-tmpfiles-setup-dev.service loaded active exited  Create Static Device Nodes in /dev
systemd-tmpfiles-setup.service loaded active exited  Create Volatile Files and Directories
systemd-udev-settle.service    loaded inactive dead   Wait for udev To Complete Device Initialization
systemd-udev-trigger.service   loaded active exited  Coldplug All udev Devices
systemd-udevd.service          loaded active running  Rule-based Manager for Device Events and Files
• systemd-update-done.service  not-found inactive dead   systemd-update-done.service
systemd-update-utmp-runlevel.service loaded inactive dead   Record Runlevel Change in UTMP
systemd-update-utmp.service    loaded active exited  Record System Boot/Shutdown in UTMP
systemd-user-sessions.service  loaded active exited  Permit User Sessions
• systemd-vconsole-setup.service not-found inactive dead   systemd-vconsole-setup.service
• tlp.service                   not-found inactive dead   tlp.service
tuned-ppd.service              loaded active running  PPD-to-Tuned API Translation Daemon
tuned.service                  loaded active running  Dynamic System Tuning Daemon
udisks2.service                loaded active running  Disk Manager
ufw.service                    loaded active exited  Uncomplicated firewall
upower.service                 loaded active running  Daemon for power management
user-runtime-dir@1000.service  loaded active exited  User Runtime Directory /run/user/1000
user-runtime-dir@102.service   loaded active exited  User Runtime Directory /run/user/102
user@1000.service              loaded active running  User Manager for UID 1000
user@102.service               loaded active running  User Manager for UID 102
wpa_supplicant.service         loaded active running  WPA supplicant

LOAD    = Reflects whether the unit definition was properly loaded.
ACTIVE  = The high-level unit activation state, i.e. generalization of SUB.
SUB     = The low-level unit activation state, values depend on unit type.
141 loaded units listed.
To show all installed unit files use 'systemctl list-unit-files'.
lines 113-148/148 (END)
```

Две службы

Статус:

```
elizbaryan-ev@elizbaryan-PC:~$ systemctl status cron.service
• cron.service - Regular background program processing daemon
   Loaded: loaded (/lib/systemd/system/cron.service; enabled; preset: enabled)
   Active: active (running) since Sun 2026-05-03 16:07:26 MSK; 1h 4min ago
     Docs: man:cron(8)
   Main PID: 540 (cron)
     Tasks: 1 (limit: 4529)
  Memory: 48.3M
     CPU: 13.316s
   CGroup: /system.slice/cron.service
           └─540 /usr/sbin/cron -f

Warning: some journal files were not opened due to insufficient permissions.
elizbaryan-ev@elizbaryan-PC:~$ systemctl status cups.service
• cups.service - CUPS Scheduler
   Loaded: loaded (/lib/systemd/system/cups.service; enabled; preset: enabled)
   Active: active (running) since Sun 2026-05-03 16:07:28 MSK; 1h 4min ago
 TriggeredBy: • cups.socket
               • cups.path
     Docs: man:cupsd(8)
   Main PID: 801 (cupsd)
   Status: "Scheduler is running..."
     Tasks: 1 (limit: 4529)
  Memory: 2.8M
     CPU: 292ms
   CGroup: /system.slice/system-cups.slice/cups.service
           └─801 /usr/sbin/cupsd -l

Warning: some journal files were not opened due to insufficient permissions.
```

```
elizbaryan-ev@elizbaryan-PC:~$ sudo systemctl disable cron.service
[sudo] пароль для elizbaryan-ev:
Synchronizing state of cron.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install disable cron
Removed "/etc/systemd/system/multi-user.target.wants/cron.service".
elizbaryan-ev@elizbaryan-PC:~$ systemctl is-enabled cron.service
disabled
elizbaryan-ev@elizbaryan-PC:~$ sudo systemctl enable cron.service
Synchronizing state of cron.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable cron
Created symlink /etc/systemd/system/multi-user.target.wants/cron.service → /lib/systemd/system/cron.service
```

```
elizbaryan@elizbaryan-PC:~$ sudo systemctl restart cron.service
elizbaryan@elizbaryan-PC:~$ systemctl status cron.service
● cron.service - Regular background program processing daemon
   Loaded: loaded (/lib/systemd/system/cron.service; enabled; preset: enabled)
   Active: active (running) since Sun 2026-05-03 17:14:52 HSK; 5s ago
     Docs: man:cron(8)
   Main PID: 6639 (cron)
    Tasks: 1 (limit: 4529)
   Memory: 360.0K
      CPU: 5ms
   CGroup: /systemd/system/cron.service
           └─6639 /usr/sbin/cron -f
```

```

#lsch@kali:~$ sudo systemctl disable cups.service
Synchronizing state of cups.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install disable cups.service
Removed '/etc/systemd/system/printers.target.wants/cups.service'.
Created symlink /etc/systemd/system/multi-user.target.wants/cups.service'.
Removed '/etc/systemd/system/multi-user.target.wants/cups.path'.
Removed '/etc/systemd/system/sockets.target.wants/cups.socket'.
#lsch@kali:~$ sudo systemctl enable cups.service
Synchronizing state of cups.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable cups.service
Created symlink /etc/systemd/system/printers.target.wants/cups.service -> /lib/systemd/system/cups.service.
Created symlink /etc/systemd/system/multi-user.target.wants/cups.service -> /lib/systemd/system/cups.service.
Created symlink /etc/systemd/system/sockets.target.wants/cups.socket -> /lib/systemd/system/cups.socket.
Created symlink /etc/systemd/system/multi-user.target.wants/cups.path -> /lib/systemd/system/cups.path.
#lsch@kali:~$ sudo systemctl restart cups.service
#lsch@kali:~$ systemctl status cups.service
cups.service - CUPS Scheduler
   Loaded: loaded (/lib/systemd/system/cups.service; enabled; preset: enabled)
   Active: active (running) since Sun 2026-05-03 17:15:52 MSK; 5s ago
     TriggeredBy: ● cups.path
                  ● cups.socket
    Docs: man:cupsd(8)
 Main PID: 6892 (cupsd)
   Status: "Scheduler is running..."
    Tasks: 2 (limit: 4529)
 Memory: 7.2M
      CPU: 7ms
    CGROUP: cups.slice/system.slice/cups.service
           └─ 6892 /usr/sbin/cupsd -l
               └─ 6893 /usr/lib/gnome-desktop/dmcc-dbus-proxy

```

[illegible]

```
elizbaryan-ev@elizbaryan-PC:~$ sudo journalctl -u cron.service -p warning --no-pager
-- No entries --
elizbaryan-ev@elizbaryan-PC:~$ sudo journalctl -u cron.service -p err --no-pager
-- No entries --
```

Удаление логов:

[illegible]

```
elizbaryan-ev@elizbaryan-PC:~$ sudo journalctl -u cron.service -n 20
-- No entries --
elizbaryan-ev@elizbaryan-PC:~$ sudo journalctl -u cron.service
-- No entries --
```

```
GNU nano 7.2 /usr/local/bin/greeter.sh
#!/bin/bash

while true
do
    echo "$(date +%Y-%m-%d %H:%M:%S) Pnpwer or cnyg6w greeter!" >> /var/log/greeter.log
    sleep 180
done
```

```
GNU nano 2.2 /etc/systemd/system/greeter.service
[Unit]
Description=Greeter service
After=network-online.target
Wants=network-online.target

[Service]
Type=simple
ExecStart=/usr/local/bin/greeter.sh
Restart=always
RestartSec=5

[Install]
WantedBy=multi-user.target
```

```
alirbaryan@alirbaryan-PC: ~$ systemctl start greeter.service
bash: $: command not found
alirbaryan@alirbaryan-PC:~$ sudo systemctl start greeter.service
alirbaryan@alirbaryan-PC:~$ systemctl status greeter.service
● greeter.service - Greeter
Loaded: loaded (/etc/systemd/system/greeter.service; disabled; preset: enabled)
Active: active (running) since Sun 2020-05-03 17:31:12 MSK; 7s ago
Main PID: 734 (greeter.sh)
Tasks: 2 (limit: 4529)
Memory: 616.0K
CPU: 6ms
CGroup: /system.slice/greeter.service
└─ 734 /bin/bash /usr/local/bin/greeter.sh
```

```
stichbaryan-vagrant@stichbaryan-PC:~$ sudo systemctl enable greeter.service
Created symlink /etc/systemd/system/multi-user.target.wants/greeter.service → /etc/systemd/system/greeter.service
stichbaryan-vagrant@stichbaryan-PC:~$ systemctl is-enabled greeter.service
enabled
```

```
elizabethyan@elizabethyan-PC:~$ sudo systemctl stop greeter.service
elizabethyan@elizabethyan-PC:~$ systemctl disable greeter.service
bash: systemctl: command not found
elizabethyan@elizabethyan-PC:~$ sudo systemctl disable greeter.service
Removed /etc/systemd/system/multi-user.target.wants/greeter.service".
elizabethyan@elizabethyan-PC:~$ sudo systemctl disable greeter.service
Removed /etc/systemd/system/multi-user.target.wants/greeter.service".
elizabethyan@elizabethyan-PC:~$ sudo systemctl disable greeter.service
Removed /etc/systemd/system/multi-user.target.wants/greeter.service".
elizabethyan@elizabethyan-PC:~$ sudo systemctl daemon-reload
elizabethyan@elizabethyan-PC:~$ sudo systemctl restart greeter.service
Removed /etc/systemd/system/multi-user.target.wants/greeter.service".
elizabethyan@elizabethyan-PC:~$ sudo systemctl status greeter.service
Unit greeter.service could not be found.
```