

Запросы через telnet

Команда для подключения:

```
telnet jsonplaceholder.typicode.com 80
```

Get

```
GET /posts/1 HTTP/1.1
Host: jsonplaceholder.typicode.com
```

Результат:

```
HTTP/1.1 200 OK
Date: ...
Content-Type: application/json; charset=utf-8
Content-Length: ...
{
  "userId": 1,
    "id": 1,
      "title": "sunt aut facere repellat provident
occaecati excepturi optio reprehenderit",

  "body
": "quia et suscipit\nsuscipit recusandae consequuntur expedita et
cum\nreprehenderit molestiae ut ut quas totam\nnostru
m rerum est autem sunt rem eveniet architecto"
}
```

Post

```
POST /post HTTP/1.1
Host: httpbin.org
Content-Type: application/json
Content-Length: 28
Connection: close
{"title":"test", "body":"123"}
```

Результат:

```
{ "title": "test", "body": "123" }
```

cURL

get

```
C:\Users\Emin>curl https://jsonplaceholder.typicode.com/posts/1
{"userId": 1, "id": 1, "title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit", "body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae ut ut quas totam\nnostrum rerum est autem sunt rem eveniet architecto"}
```

post

```
C:\Users\Emin>curl -X POST https://jsonplaceholder.typicode.com/posts -H "Content-Type: application/json" -d '{"title": "Post", "body": "text", "userId": 99, "id": 99}'
```

Insomnia

GET http://www.cbr.ru/scripts/XML_dynamic.asp?date_req1=01%2F03%2F2025&date_req2=07%2F03%2F2025&VAL_NM_RQ=R01239 Send 200 OK 288 ms 757 B 1 Minute Ago

Params Body Auth Headers 3 Scripts Docs

URL PREVIEW

http://www.cbr.ru/scripts/XML_dynamic.asp?date_req1=01%2F03%2F2025&date_req2=07%2F03%2F2025&VAL_NM_RQ=R01239

QUERY PARAMETERS Import from URL Bulk Edit

+ Add Delete all Description

name	value

PATH PARAMETERS

Path parameters are url path segments that start with a colon ':' e.g. ':id'

Preview

```

1 <?xml version="1.0" encoding="windows-1251"?>
2 <ValCurs ID="R01239" DateRange1="01.03.2025"
  DateRange2="07.03.2025" name="Foreign Currency
  Market Dynamic">
3   <Record Date="01.03.2025" Id="R01239">
4     <Nominal>1</Nominal>
5     <Value>91,5655</Value>
6     <VunitRate>91,5655</VunitRate>
7   </Record>
8   <Record Date="04.03.2025" Id="R01239">
9     <Nominal>1</Nominal>
10    <Value>92,8530</Value>
11    <VunitRate>92,853</VunitRate>
12  </Record>
13  <Record Date="05.03.2025" Id="R01239">
14    <Nominal>1</Nominal>
15    <Value>93,9034</Value>
16    <VunitRate>93,9034</VunitRate>
17  </Record>
18  <Record Date="06.03.2025" Id="R01239">
19    <Nominal>1</Nominal>
20    <Value>95,7035</Value>
21    <VunitRate>95,7035</VunitRate>
22  </Record>
23  <Record Date="07.03.2025" Id="R01239">
24    <Nominal>1</Nominal>
25    <Value>96,5975</Value>
26    <VunitRate>96,5975</VunitRate>
27  </Record>
28 </ValCurs>
  
```

get-запрос

language-cmd

```
http://www.cbr.ru/scripts/XML_dynamic.asp?
date_req1=01/03/2025&date_req2=07/03/2025&VAL_NM_RQ=R01239
```

Простейший чат


Понадобиться запустить сразу два терминала

Запуск сервера(1): `C:\Users\Emin>ncat -l -p 8080`

`C:\Users\Emin>ncat localhost 8080`

Подключение к хосту(2):

Теперь чтобы мы не написали ни в один из терминалов, он сразу отправиться во второй:



The image shows two terminal windows side-by-side. The top window is titled 'C:\WINDOWS\system32\cmd.' and shows the command 'C:\Users\Emin>ncat -l -p 8080'. It has received two lines of input: 'Hello' and 'Hi'. The bottom window is also titled 'C:\WINDOWS\system32\cmd.' and shows the command 'C:\Users\Emin>ncat localhost 8080'. It has also received the same two lines of input: 'Hello' and 'Hi'.

Для выхода Cntrl+C