

Cucumber Report

Feb 4, 2023, 6:46:40 PM

Start : Feb 04, 6:46:10.158 PM

End : Feb 04, 6:46:38.415 PM

Duration : 28.257 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 2

SKIPPED - 0

PASSED - 4


FAILED - 2

SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>hooks_test</u>	28.257 s	2	0	2	0	6	4	2	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@failed_tests	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>hooks_test</u>	2	0	2	0	28.257 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>hooks_test</u>	<u>TC_01_test</u>	3	2	1	0	12.438 s
2	<u>hooks_test</u>	<u>TC_01_test</u>	3	2	1	0	15.611 s


hooks_test

FAILED	DURATION - 28.257 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 4 Fail - 2 Skip - 0	
/ 6:46:10.158 PM // 6:46:38.415 PM /					



TC_01_test

FAILED		DURATION - 12.438 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 6:46:10.165 PM // 6:46:22.603 PM /						
hooks_test						
@failed_tests						

#	Step / Hook Details	Status	Duration	
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	4.858 s	
2	And user enters customer_email and customer_password	PASSED	1.384 s	
	username			password
	jack@gmail.com			12345
3	Then verify the next page url contains login keyword	FAILED	5.015 s	
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:47) at ?.verify the next page url contains login keyword(file:///C:/Users/pc/IdeaProjects/New_Cucumber/./src/test/resources/features/day26_failed_test_cases.feature:8) * Not displayable characters are replaced by '?'. 			
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	1.126 s	
	failed_scenarioTC_01_test			

#	Step / Hook Details	Status	Duration
			

TC_01_test

<div>FAILED</div> <div>DURATION - 15.611 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:46:22.804 PM // 6:46:38.415 PM /</div>				
<div>hooks_test</div>				
<div>@failed_tests</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	5.097 s
2	And user enters customer_email and customer_password	PASSED	4.720 s
	usernamepassword		
	jack@gmail.com12345		
3	Then verify the next page url contains login keyword	FAILED	5.015 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:47) at ?.verify the next page url contains login keyword(file:///C:/Users/pc/IdeaProjects/New_Cucumber/./src/test/resources/features/day26_failed_test_cases.feature:15) * Not displayable characters are replaced by '?'. 		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.774 s
	failed_scenarioTC_01_test		

#	Step / Hook Details	Status	Duration
	 A screenshot of the bluewin24 website. The header shows the bluewin24 logo and navigation links: Home, Services, About Us, Contact. Below the header, there's a section titled "GET 25% OFF YOUR RENTAL" with a subtext "We have advantageous offers for your first rental." To the left of this text is a form with fields for "Select a car", "Select a place", "Select a date", "Select a time", and "Select a car". Below the form is a blue button labeled "Continue". To the right of the text is an image of a silver Audi A4. At the bottom of the screenshot, there are navigation arrows: "< >".		