# CAPSTONE PROJECT REPORT ON

# MATURITY ASSESSMENT TOOL

#### **UNDERTAKEN AT**



### Submitted by Team-B

Giridharan B. (College: SRM University, Roll Number: RA1811032020033)
Antriksh Dwivedi (College: SRM University, Roll Number: RA1811032020022)
Khushi Kapoor (College: SRM University, Roll Number: RA1811004010337)
Md Aryan Khan (College: SRM University, Roll Number: RA1811005010211)
Parth Bhargava (College: SRM University, Roll Number: RA1811005010070)
Qazi Mamoon(College: SRM University, Roll Number: RA1811005010129)
Prashant Kumar (College: SRM University, Roll Number: RA1811004020093)
Souvik Pan (College: SRM University, Roll Number: RA1811005010312)

# Under the supervision of

Mr Anish Jeyanth [Project Mentor. Email: *Anish.Jeyanth@gds.ey.com*] Mr Ramakrishna [Course Trainer. Email: *dotnettrainer2k22@gmail.com*]

# **ABSTRACT**

The issue of calculating the ability of an organization to analyze its employees has been a long dilemma. To compare the abilities with the competing organizations, to find out the most scoring employee/organization, to find out the most consistent employee/organization or to track and analyze the abilities of all the organizations comes hand in hand with huge calculational troubles.

This ability of the organization to master its project is termed Maturity, and the calculation of this ability can be termed Maturity Assessment.

This project focuses on creating a Maturity-Assessment-Tool Website.

Through a Maturity Assessment Tool, we can get the maturity score of a particular project member by answering the questions given in a survey/s under the given project and post evaluation of the survey questions, the Maturity of the Project Member can be easily assessed.

### **INTRODUCTION**

The process of calculating the Maturity of a Project Member becomes an enormous issue as the number of surveys, projects and questions increases. Which is a problem that is bound to happen for the big organizations that have to compare their abilities with the competing organizations, improve their position amongst the most scoring organizations, maintain consistency and track and analyze the abilities of all the competitor organizations.

A Maturity Assessment Tool measures the respondent's maturity in one or more areas through a series of questions. A user will get to log in or create a new profile if they don't happen to have one already. If the user is an admin, they get to create a project and create surveys under it by adding the questions to the surveys. Then the admin gets to all the project members that are assigned to the project. If the user is a project member, they would get to see all the projects that are assigned to them and they get to access the surveys and answer the provided questions. Upon answering the questions and getting the results, the Maturity Assessment Tool will present the scores on the screen hence fulfilling the requirements.

### **PROJECT SCOPE**

#### **Problem Statement**

To design a perfectly functional website in Angular which is connected to the Database and has an ASP.NET Web API that connects the Angular Front-end to the Back-end Database on SQL.

### **Objective**

Finding the maturity score of a project member can be achieved by answering a set of the given question under the surveys of a project. The objective of this project is to design a tool that could assess the maturity of the given project member.

### **Required Hardware**

A Functional Windows PC or Laptop 8 GB RAM 512 GB SSD or 1 TB HDD 200 GB Space which would all cumulate to cost around ₹ 50,000.


# **Required Software**

Microsoft SQL Server Visual Studio 2019 Visual Studio Code A Web Browser (used Chrome Version 100.0.4896.88 (Official Build) (64-bit)) Postman (testing API)

#### **Deliverables**

A perfectly functional product that streamlines the process of assessing the maturity of any project will be delivered.


### **FLOW CHART**



The project will have two users: Admin and Team Member

The Admin logs into the account or creates a new account if necessary. The admin then creates projects and corresponding surveys, then selects the team members of the project and creates a questionnaire with weightage. The Team Member logs into their account and selects the project they are assigned to, selects the corresponding survey and answers the questions. Once the questions are answered the Maturity Assessment Tool calculates the maturity score of the project member.

### E-R DIAGRAM



The user table will have the details of the registered user. Any newly created user will be stored in this table. The project table will have details of the project that will be created on the front end. The project members table will have the database of all the members that are assigned to a project by getting the foreign key. The questions table will contain all the predefined questions. The answer table will contain predefined answers corresponding to the questions by getting the foreign key from the question table. When a user creates a survey, the details will go inside the survey table. Since the user survey and project table have a many-to-many relationship, the survey table will act as a middle table to connect them both. The user survey table will have the details of the questions and answers belonging to that particular survey.

There will be two users in the project: an administrator and a team member.

If necessary, the Admin logs into the account or creates a new one. The administrator then establishes projects and surveys, selects project team members, and develops a questionnaire with weighting. The Team Member goes into their account and chooses the project to which they have been assigned, as well as the survey to which they have been assigned. After the questions are answered, the Maturity Assessment Tool generates the project member's maturity score.

## **SCREENSHOTS OF THE PROJECT**




Image 1.1 - Project Home Page

This is the Home Page of the project Maturity Assessment Tool. When the server starts and the files are executed, this page shows up primarily. At the top right corner, we can locate the login button in the navbar. Clicking that will redirect the user to the Login Page.




Image 1.2 - Login Page

This is the Login Page. This page shows up when the user clicks on the Login button in the navbar of the Home Page. The user has to give their Email ID and correct password to log into their account. If the user does not have an account already, they can create it by clicking the "Create A New Account" at the bottom. Any unregistered Email and/or wrong password will not let the user in. It will prompt a "Wrong Username or Password" message.

Upon clicking the Login button, the user will be redirected to the login account.




Image 1.3 - Sign-Up Page

This page shows up if the user clicks on "Create A New Account" from the Login Page. The user has to fill up the details. This is a validated form. All the criteria are to be filled/answered, any unanswered criterion will prompt to fill the details correctly in the corresponding criterion. First Name and Last Name are given a minimum length and no numbers or special characters will be accepted. Either of the gender checkboxes is to be checked. Under the dropdown "Select Your User Type" the user has to select if he will be serving as a Project Manager(Admin) or a Project Member. Then the user will have to give a correct email, which is validated to accept data in general email format. Finally, the Password is to be at least 8 characters with at least one uppercase letter, one lowercase letter, one number and one special character.

Upon clicking the Create User button, the user will be redirected to the Login Page, the user will, then, have to log into their account with the correct username and password.




Image 1.4 - Project Home Page

This page shows up when the logged-in user is a Project Manager(Admin). The Project Manager(Admin) can Open the created projects or even make new project boxes.




Image 1.5 - Add Project Popup

This Pop-up shows up when the Project Manager(Admin) clicks on "Add Project". Here the Project Manager(Admin) can Add the project name and a small description.




Image 1.6 - Add Survey and Add Members Page

This is the Project Page, this shows up when the Project Manager(Admin) opens a project. The Project Manager(Admin) can add project members by clicking on "Add Members" and can add surveys by clicking the "Add Survey" button.




Image 1.7 - Add Members Popup

This Pop-up shows up when the Project Manager(Admin) clicks on "Add Members". The Project Manager(Admin) can use the dropdown to choose the members for the project.




Image 1.8 - Add Survey Popup

This Pop-up when the Project Manager(Admin) clicks on the "Add Survey" button. The Project Manager(Admin) can add a survey name and set a survey start and end date.




Image 1.9 - Add Questions Page

The Project Manager(Admin) can add questions by choosing out of these questions



#### REVIEW SURVEY




Image 1.10 - Review Survey Page

This page shows up when the Project Manager(Admin) clicks on the "Review Survey" button on the Project Page. Here the Project Manager(Admin) will see what the Team Members will see once they get to answer the survey questions.




Image 1.11 - Select Project Page

This page shows up when the logged-in user is a Project Member. The Project Member can select the projects assigned to them by their Project Manager. The Project Member can click on the "Open Project" button to see and attend the surveys.




Image 1.12 - Select Survey Page

This page shows up when the Project Member clicks on "Open Project". Here the user gets to see the surveys that are added to this particular project. The Project Member can click on the "Take Survey" button to enter the survey and answer the questions. The surveys have a start date and end date, set by the Project Manager, the Project Member will have to attend the survey in the given timeframe.





Image 1.13 - Questions Page

This is the Survey Questions Page, the Project Member will have to click Yes if the requisite asked in the question matches with their project plan. If not, then the Project Member has to leave the question unanswered, that particular answer will automatically be taken as "No".

Upon answering all the questions, the Project Member has to click on the "Submit" button and will be redirected to the Report Page.



REPORT

Image 1.14 - Report Page

This is the Report Page. This page shows up when the Project Member clicks on the "Submit" button on the Questions Page. This will show the percentage of maturity in a Pie Chart Format. The portion in red will indicate the percentage that is incorrect and the portion in blue will indicate the percentage which is acceptable for the project survey.


## **GITHUB REPOSITORY LINK**

# https://github.com/Eminem-ant/MaturityAssessmentToolRepo

- Download the Project from GitHub
- Select the file in the Angular Folder
- Open the project in Visual Studio Code and Run the commands:
  - ★ npm install and ng serve --open
- Run the SQL commands present in the .txt file in the Database folder
- Fill up the required database entries
- Open the Project MAT in Visual Studio
- Change the connection string to the newly created database's connection string.
- Run the following command in the NuGet package manager console:
  - ★ Scaffold-DbContext "(new connection string)"

    Microsoft.EntityFrameworkCore.Sqlserver -outputDir Models -Force

# **ANGULAR PART PART**



# **Add questions**

# **Component.css**

```
body{
  background:#f5f5f5;
/* ===== Career ===== */
.career-form {
background-color: #4e63d7;
border-radius: 5px;
padding: 0 16px;
.career-form .form-control {
background-color: rgba(255, 255, 255, 0.2);
border: 0;
padding: 12px 15px;
color: #fff;
.career-form .form-control::-webkit-input-placeholder {
/* Chrome/Opera/Safari */
color: #fff;
.career-form .form-control::-moz-placeholder {
/* Firefox 19+ */
color: #fff;
.career-form .form-control:-ms-input-placeholder {
/* IE 10+ */
color: #fff;
.career-form .form-control:-moz-placeholder {
 /* Firefox 18- */
```

```
color: #fff;
.career-form .custom-select {
background-color: rgba(255, 255, 255, 0.2);
border: 0;
padding: 12px 15px;
color: #fff;
width: 100%;
border-radius: 5px;
text-align: left;
height: auto;
background-image: none;
.career-form .custom-select:focus {
-webkit-box-shadow: none;
        box-shadow: none;
.career-form .select-container {
position: relative;
.career-form .select-container:before {
position: absolute;
right: 15px;
top: calc(50% - 14px);
font-size: 18px;
color: #ffffff;
content: '\F2F9';
font-family: "Material-Design-Iconic-Font";
.filter-result .job-box {
-webkit-box-shadow: 0 0 35px 0 rgba(130, 130, 130, 0.2);
        box-shadow: 0 0 35px 0 rgba(130, 130, 130, 0.2);
border-radius: 8px;
padding: 10px 35px;
```

```
ul {
list-style: none;
.list-disk li {
list-style: none;
margin-bottom: 12px;
.list-disk li:last-child {
margin-bottom: 0;
.job-box .img-holder {
height: 65px;
width: 65px;
background-color: #4e63d7;
background-image: -webkit-gradient(linear, left top, right top, from(rgba(78, 99,
215, 0.9)), to(#5a85dd));
background-image: linear-gradient(to right, rgba(78, 99, 215, 0.9) 0%, #5a85dd
100%);
font-family: "Open Sans", sans-serif;
color: #fff;
font-size: 22px;
font-weight: 700;
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: center;
    -ms-flex-pack: center;
        justify-content: center;
-webkit-box-align: center;
    -ms-flex-align: center;
        align-items: center;
border-radius: 65px;
```

```
.career-title {
background-color: #4e63d7;
color: #fff;
padding: 15px;
text-align: center;
border-radius: 10px 10px 0 0;
background-image: -webkit-gradient(linear, left top, right top, from(rgba(78, 99,
215, 0.9)), to(#5a85dd));
background-image: linear-gradient(to right, rgba(78, 99, 215, 0.9) 0%, #5a85dd
100%);
.job-overview {
-webkit-box-shadow: 0 0 35px 0 rgba(130, 130, 130, 0.2);
        box-shadow: 0 0 35px 0 rgba(130, 130, 130, 0.2);
border-radius: 10px;
@media (min-width: 992px) {
.job-overview {
 position: -webkit-sticky;
 position: sticky;
 top: 70px;
.job-overview .job-detail ul {
margin-bottom: 28px;
.job-overview .job-detail ul li {
opacity: 0.75;
font-weight: 600;
margin-bottom: 15px;
.job-overview .job-detail ul li i {
font-size: 20px;
position: relative;
```

```
top: 1px;
.job-overview .overview-bottom,
.job-overview .overview-top {
padding: 35px;
.job-content ul li {
font-weight: 600;
opacity: 0.75;
border-bottom: 1px solid #ccc;
padding: 10px 5px;
@media (min-width: 768px) {
.job-content ul li {
 border-bottom: 0;
 padding: 0;
.job-content ul li i {
font-size: 20px;
position: relative;
top: 1px;
.mb-30 {
 margin-bottom: 30px;
```

# Component.html

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
  k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/css/bootstrap.min.c
ss" rel="stylesheet"
integrity="sha384-giJF6kkoqNQ00vy+HMDP7azOuL0xtbfIcaT9wjKHr8RbDVddVHyTfAAsrekwKmP
1" crossorigin="anonymous">
  <title>Bootstrap 5 Modal</title>
  <style>
      .modal-header {
          background: #F7941E;
          color: #fff;
      .required:after {
          content: "*";
          color: red;
  </style>
</head>
<body>
 <nav class="navbar navbar-expand-lg bg-dark" style="background-color:</pre>
#333333;">
    <div class="container-fluid">
        <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14 gjlakm.png" height="28" alt="CoolBrand"> </a>
     </div>
 </nav>
<br>
 <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/cs
s/material-design-iconic-font.min.css"
integrity="sha256-3sPp8BkKUE7QyPS16VfBByBroQbKxKG7tsusY2mhbVY="
crossorigin="anonymous" />
  <div class="container">
```

```
<div class="row">
                  <div class="col-lg-10 mx-auto">
                       <div class="career-search mb-60">
                           <form action="#" class="career-form mb-60"</pre>
style="background-color: #ffd700;">
                               <div class="row">
                                 <div class="col-md-6 col-lg-3 my-3 " >
                                   <h2 style="color: white; text-align:</pre>
center;">QUESTIONS</h2>
                               </div>
                               </div>
                           </form>
                          <div *ngFor="let questions of questions">
                           <div class="filter-result" >
                             <div class="job-box d-md-flex align-items-center"</pre>
justify-content-between mb-30">
                                 <div class="job-left my-4 d-md-flex</pre>
align-items-center flex-wrap">
                                     <div class="job-content">
class="text-md-left">{{questions.question}}</h2>
class="text-md-left">{{questions.answer}}</h3>
class="text-md-left">WEIGHTAGE:{{questions.answerWightage}}</h3>
                                     </div>
                                 </div>
                                 <div class="job-right my-4 flex-shrink-0">
                                   <button type="button"</pre>
(click)="addquestion([questions.questionId],[questions.answerId])" class="btn
d-block w-100 d-sm-inline-block btn-light"> add question</button>
```

### **Component.ts**

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { JwtHelperService } from '@auth0/angular-jwt';
import { MATService } from '../mat.service';

@Component({
    selector: 'app-addquestions',
    templateUrl: './addquestions.component.html',
    styleUrls: ['./addquestions.component.css']
})
export class AddquestionsComponent implements OnInit {
    constructor(private _matservice:MATService , private route:
    ActivatedRoute,private router: Router,private jwtHelper: JwtHelperService) {}
```

```
questions:any;
ngOnInit(): void {
  this.getAllQuestions();
surveyId=this.route.snapshot.paramMap.get('id');
logout(){}
getAllQuestions(){
  this._matservice.getallquestions().subscribe((data: any)=>{
    this.questions = data;
  console.log(data)},
  (error: any) => {
    console.log(error);
 });
addquestion(questionId:any,answerId:any){
 const data={
    questionId:Number(questionId),
    answerId:Number(answerId),
    surveyId:Number(this.surveyId)
  this._matservice.addquestionstosurvey(data).
  subscribe((data) => {
    console.log(data);
    alert("question added");
   this.ngOnInit();
    },
    error => {
     console.log(error);
    });
```

## **Create Project**

### **Component.css**

```
body{
  background-color: #ebebeb;
.section_our_solution .row {
 align-items: center;
.our_solution_category {
 display: flex;
 flex-direction: row;
  flex-wrap: wrap;
.our_solution_category .solution_cards_box {
 display: flex;
 flex-direction: column;
  justify-content: center;
.solution_cards_box .solution_card {
 flex: 0 50%;
 background: #fff;
 box-shadow: 0 2px 4px 0 rgba(136, 144, 195, 0.2),
    0 5px 15px 0 rgba(37, 44, 97, 0.15);
 border-radius: 15px;
 margin: 8px;
  padding: 10px 15px;
 position: relative;
  z-index: 1;
 overflow: hidden;
 min-height: 185px;
 transition: 0.7s;
.solution_cards_box .solution_card:hover {
 background: #ffe600;
  color: #fff;
```

```
transform: scale(1.1);
 z-index: 9;
.solution_cards_box .solution_card:hover::before {
 background: rgb(85 108 214 / 10%);
.solution_cards_box .solution_card:hover .solu_title h3,
.solution_cards_box .solution_card:hover .solu_description p {
 color: #fff;
.solution_cards_box .solution_card:before {
 content: "";
 position: absolute;
 background: rgb(85 108 214 / 5%);
 width: 170px;
 height: 100px;
 z-index: -1;
 transform: rotate(42deg);
 right: -56px;
 top: -23px;
 border-radius: 35px;
.solution_cards_box .solution_card:hover .solu_description button {
 background: #fff !important;
 color: #309df0;
.solution_card .so_top_icon {
.solution_card .solu_title h3 {
 color: #212121;
 font-size: 1.3rem;
 margin-top: 13px;
 margin-bottom: 13px;
```

```
.solution_card .solu_description p {
 font-size: 15px;
 margin-bottom: 15px;
.solution_card .solu_description button {
 border: 0;
 border-radius: 15px;
 background: linear-gradient(
   140deg,
   #ffe600 0%,
   #ffe600 50%,
   #ffe600 75%
 ) !important;
 color: #fff;
 font-weight: 500;
 font-size: 1rem;
 padding: 5px 16px;
.our_solution_content h1 {
 text-transform: capitalize;
 margin-bottom: 1rem;
 font-size: 2.5rem;
.our_solution_content p {
.hover_color_bubble {
 position: absolute;
 background: rgb(54 81 207 / 15%);
 width: 100rem;
 height: 50rem;
 left: 0;
 right: 0;
 z-index: -1;
 top: 16rem;
```

```
border-radius: 50%;
 transform: rotate(-36deg);
 left: -18rem;
 transition: 0.7s;
.solution_cards_box .solution_card:hover .hover_color_bubble {
 top: 0rem;
.solution_cards_box .solution_card .so_top_icon {
 width: 60px;
 height: 30px;
 border-radius: 50%;
 background: #fff;
 overflow: hidden;
 display: flex;
 align-items: center;
 justify-content: center;
.solution_cards_box .solution_card .so_top_icon img {
 width: 40px;
 height: 20px;
 object-fit: contain;
/*start media query*/
@media screen and (min-width: 320px) {
  .sol_card_top_3 {
   position: relative;
   top: 0;
 }
  .our_solution_category {
   width: 100%;
   margin: 0 auto;
 }
```

```
.our_solution_category .solution_cards_box {
    flex: auto;
}

@media only screen and (min-width: 768px) {
    .our_solution_category .solution_cards_box {
    flex: 1;
}

@media only screen and (min-width: 1024px) {
    .sol_card_top_3 {
    position: relative;
    top: -3rem;
}

.our_solution_category {
    width: 50%;
    margin: 0 auto;
}
```

# Component.html

```
color: #fff;
      }
      .required:after {
          content: "*";
          color: red;
      }
  </style>
  <script>
    $(document).ready(function() {
        function disableBack() { window.history.forward() }
        window.onload = disableBack();
        window.onpageshow = function(evt) { if (evt.persisted) disableBack() }
    });
</script>
</head>
<body>
  <nav class="navbar navbar-expand-lg" style="background-color: #333333;">
    <div class="container-fluid">
        <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14 gjlakm.png" height="28" alt="CoolBrand"> </a>
        <div class="navbar-nav ms-right"> <a class="nav-item nav-link"</pre>
style="color: #ffe600;">{{role}}</a></div>
        <div class="navbar-nav ms-auto"> <button type="button" class="btn</pre>
btn-dark" style="background-color: #333333; border: 0px ; color:#ffe600;"
(click)="logout()">LOGOUT</button></div>
     </div>
  </nav>
  <!-- <p>{{role}} -->
 <div>
  <div class="container mt-5">
    <button type="button" class="btn btn-warning" style="background-color:</pre>
#ffe600; border: 0px ; " data-bs-toggle="modal" data-bs-target="#myModal">ADD
PROJECT</button>
```

```
<div class="modal" id="myModal">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header" style="background-color: #ffe600;">
                     <h5 class="modal-title">ADD Project</h5>
                     <button type="button" class="btn-close"</pre>
data-bs-dismiss="modal"></button>
                </div>
                <div class="modal-body">
                    <form>
                         <div class="mb-3">
                             <label class="form-label required">PROJECT
NAME</label>
                             <input type="text" class="form-control"</pre>
name="projectname" id="projectname" [(ngModel)]="createproject.projectname" >
                         </div>
                         <div class="mb-3">
                             <label class="form-label</pre>
required">DESCRIPTION</label>
                             <input type="email" class="form-control"</pre>
name="projectDescription" id="projectDescription"
[(ngModel)]="createproject.projectDescription" >
                         </div>
                     </form>
                </div>
                <div class="modal-footer">
                     <button type="submit" aria-label="Close"</pre>
(click)="addproject()" data-mdb-dismiss="modal" class="btn
btn-primary">ADD</button>
                </div>
            </div>
        </div>
    </div>
</div>
 </div>
<br>
 <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/cs
s/material-design-iconic-font.min.css"
```

```
integrity="sha256-3sPp8BkKUE7QyPS16VfBByBroQbKxKG7tsusY2mhbVY="
crossorigin="anonymous" />
  <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
  <div class="section_our_solution">
    <div class="row">
      <div *ngFor="let item of projectlists">
      <div class="col-lg-10 col-md-10 col-sm-10">
        <div class="our solution category">
          <div class="solution_cards_box">
            <div class="solution_card">
              <div class="solu title">
                <h3>{{item.projectname}}</h3>
              </div>
              <div class="solu_description">
                  {{item.projectDescription}}
                <button type="button"</pre>
routerLink="/CreatesurveyComponent/{{item.projectId}}"class="read_more_btn">Open
Project</button>
                <!-- <a routerLink="/CreatesurveyComponent/{{item.projectId}}"
class="read_more_btn">Open Project</a> -->
              </div>
            </div>
      </div>
    </div>
  </div>
  </div>
  </div>
  </div>
          <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/js/bootstrap.bundle.
min.js"
```

```
integrity="sha384-ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x65Kgf800JFdroaf
W" crossorigin="anonymous"></script>
</body>
</html>
```

### Component.spec.ts

```
import { ComponentFixture, TestBed } from '@angular/core/testing';
import { CreateprojectComponent } from './createproject.component';
import { projectdetails } from './projectdetails';
// describe('CreateprojectComponent', () => {
    let component: CreateprojectComponent;
    let fixture: ComponentFixture<CreateprojectComponent>;
    beforeEach(async () => {
       await TestBed.configureTestingModule({
         declarations: [ CreateprojectComponent ]
       .compileComponents();
    });
    beforeEach(() => {
      fixture = TestBed.createComponent(CreateprojectComponent);
       component = fixture.componentInstance;
      fixture.detectChanges();
    it("testing function", async ()=>{
      component.projectlist();
```

### Component.ts

```
import { Component, OnInit } from '@angular/core';
import { Router } from '@angular/router';
import { JwtHelperService } from '@auth0/angular-jwt';
import { MATService } from '../mat.service';
import{projectdetails}from './projectdetails'
@Component({
  selector: 'app-createproject',
 templateUrl: './createproject.component.html',
 styleUrls: ['./createproject.component.css']
})
export class CreateprojectComponent implements OnInit {
  constructor(private _matservice:MATService ,private router: Router,private
jwtHelper: JwtHelperService) {}
  role=localStorage.getItem("usertype");
  projectlists:projectdetails[]=[];
  createproject:projectdetails={
   projectId: 0,
   projectname: '',
   projectDescription: '',
   functionId: 1
 };
 ngOnInit(): void {
 this.projectlist();
 projectlist(){
 this._matservice.getAllprojects().subscribe ( (data: any)=>{
   this.projectlists = data;
 console.log(data)})
  }
```

```
addproject(): void {
  const data = {
    projectname:this.createproject.projectname,
    projectDescription: this.createproject.projectDescription,
    functionId: 1
  };
  this._matservice.creatproject(data).
  subscribe((data) => {
    console.log(data);
    alert("New Project is been added");
    this.ngOnInit();
    },
    error => {
      console.log(error);
    });
isuserAuthenticated() {
  const token: string | null = localStorage.getItem("jwt");
  if (token && !this.jwtHelper.isTokenExpired(token)) {
    return true;
  else {
    return false;
logout() {
  localStorage.clear();
 this.router.navigate(["login"])
}
```

## **Create Survey**

## **Component.css**

```
body{
  background-color: #ebebeb;
.section_our_solution .row {
 align-items: center;
.our_solution_category {
 display: flex;
 flex-direction: row;
  flex-wrap: wrap;
.our_solution_category .solution_cards_box {
 display: flex;
 flex-direction: column;
  justify-content: center;
.solution_cards_box .solution_card {
 flex: 0 50%;
 background: #fff;
 box-shadow: 0 2px 4px 0 rgba(136, 144, 195, 0.2),
    0 5px 15px 0 rgba(37, 44, 97, 0.15);
 border-radius: 15px;
 margin: 8px;
  padding: 10px 15px;
 position: relative;
  z-index: 1;
 overflow: hidden;
 min-height: 185px;
 transition: 0.7s;
.solution_cards_box .solution_card:hover {
 background: #ffe600;
  color: #fff;
```

```
transform: scale(1.1);
 z-index: 9;
.solution_cards_box .solution_card:hover::before {
 background: rgb(85 108 214 / 10%);
.solution_cards_box .solution_card:hover .solu_title h3,
.solution_cards_box .solution_card:hover .solu_description p {
 color: #fff;
.solution_cards_box .solution_card:before {
 content: "";
 position: absolute;
 background: rgb(85 108 214 / 5%);
 width: 170px;
 height: 100px;
 z-index: -1;
 transform: rotate(42deg);
 right: -56px;
 top: -23px;
 border-radius: 35px;
.solution_cards_box .solution_card:hover .solu_description button {
 background: #fff !important;
 color: #309df0;
.solution_card .so_top_icon {
.solution_card .solu_title h3 {
 color: #212121;
 font-size: 1.3rem;
 margin-top: 13px;
 margin-bottom: 13px;
```

```
.solution_card .solu_description p {
 font-size: 15px;
 margin-bottom: 15px;
.solution_card .solu_description button {
 border: 0;
 border-radius: 15px;
 background: linear-gradient(
   140deg,
   #ffe600 0%,
   #ffe600 50%,
   #ffe600 75%
 ) !important;
 color: #fff;
 font-weight: 500;
 font-size: 1rem;
 padding: 5px 16px;
.our_solution_content h1 {
 text-transform: capitalize;
 margin-bottom: 1rem;
 font-size: 2.5rem;
.our_solution_content p {
.hover_color_bubble {
 position: absolute;
 background: rgb(54 81 207 / 15%);
 width: 100rem;
 height: 50rem;
 left: 0;
 right: 0;
 z-index: -1;
 top: 16rem;
```

```
border-radius: 50%;
 transform: rotate(-36deg);
 left: -18rem;
 transition: 0.7s;
.solution_cards_box .solution_card:hover .hover_color_bubble {
 top: 0rem;
.solution_cards_box .solution_card .so_top_icon {
 width: 60px;
 height: 30px;
 border-radius: 50%;
 background: #fff;
 overflow: hidden;
 display: flex;
 align-items: center;
 justify-content: center;
.solution_cards_box .solution_card .so_top_icon img {
 width: 40px;
 height: 20px;
 object-fit: contain;
/*start media query*/
@media screen and (min-width: 320px) {
  .sol_card_top_3 {
   position: relative;
   top: 0;
 }
  .our_solution_category {
   width: 100%;
   margin: 0 auto;
 }
```

```
.our_solution_category .solution_cards_box {
    flex: auto;
}

@media only screen and (min-width: 768px) {
    .our_solution_category .solution_cards_box {
    flex: 1;
}

@media only screen and (min-width: 1024px) {
    .sol_card_top_3 {
    position: relative;
    top: -3rem;
}

.our_solution_category {
    width: 50%;
    margin: 0 auto;
}
```

## Component.html

```
color: #fff;
      }
      .required:after {
          content: "*";
          color: red;
      }
  </style>
</head>
<body>
  <nav class="navbar navbar-expand-lg" style="background-color: #333333;">
    <div class="container-fluid">
        <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
        <div class="navbar-nav ms-right"> <a class="nav-item nav-link"</pre>
style="color: #ffe600;">{{role}}</a></div>
        <div class="navbar-nav ms-auto"> <button type="button" class="btn</pre>
btn-dark" style="background-color: #333333; border: 0px ; color:#ffe600;"
(click)="logout()">LOGOUT</button></div>
     </div>
 </nav>
 <br><br><br>></pr>
 <div *ngFor="let item of projects">
 <h2 style="padding-left: 41rem; background-color: #ffe600;"> {{item.projectname
 uppercase}}</h2>
 </div>
 <div>
 <div class="container mt-5">
    <button type="button" class="btn btn-primary" style="background-color:</pre>
#ffe600; border: 0px ; color: #333333; " data-bs-toggle="modal"
data-bs-target="#myModal">ADD MEMBERS</button>
    <div class="modal" id="myModal">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header" style="background-color: #ffe600;">
```

```
<h5 class="modal-title">ADD MEMBERS</h5>
                 <button type="button" class="btn-close"</pre>
data-bs-dismiss="modal"></button>
              </div>
              <div class="modal-body">
                 <form>
                   <select class="form-select" aria-label="Default select</pre>
example" id="userId" name="userId" [(ngModel)]="projectmember.userId">
                      <option *ngFor="let user of users"</pre>
value="{{user.userId}}" >
                        {{user.firstName | uppercase}}
                       </option>
                   </select>
                 </form>
              </div>
              <div class="modal-footer">
                 <button type="submit" aria-label="Close"</pre>
(click)="addmember()" data-mdb-dismiss="modal" class="btn
btn-primary">ADD</button>
              </div>
          </div>
      </div>
   </div>
</div>
</div>
<!-- PROJECT MEMBER LIST -->
NAME:
{{member.firstName}}{{member.lastName}} EMAILID:{{member.emailid}}
<!-- add survey -->
<div>
```

```
<div class="container mt-5">
    <button type="button" class="btn btn-primary" style="background-color:</pre>
#ffe600; border: 0px ; color:#333333 " data-bs-toggle="modal"
data-bs-target="#myModall">ADD SURVEY</button>
    <div class="modal" id="myModall">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header" style="background-color: #ffe600;">
                    <h5 class="modal-title">ADD SURVEY</h5>
                    <button type="button" class="btn-close"</pre>
data-bs-dismiss="modal"></button>
                </div>
                <div class="modal-body">
                  <form>
                    <div class="mb-3">
                         <label class="form-label required">Survey NAME</label>
                         <input type="text" class="form-control"</pre>
name="projectname" id="projectname" [(ngModel)]="createsurvey.surveyname" >
                    </div>
                    <div class="mb-3">
                         <label class="form-label required">Suvey Start
Date</label>
                         <input type="date" class="form-control"</pre>
name="projectDescription" id="projectDescription" [min]="today"
[(ngModel)]="createsurvey.surveyStartDate">
                    </div>
                    <div class="mb-3">
                      <label class="form-label required">Survey End Date</label>
                      <input type="date" class="form-control"</pre>
name="projectDescription" id="projectDescription" [min]="today"
[(ngModel)]="createsurvey.surveyEndDate" >
                  </div>
                </form>
                </div>
                <div class="modal-footer">
                    <button type="submit" aria-label="Close"</pre>
(click)="addsurvey()" data-mdb-dismiss="modal" class="btn
btn-primary">ADD</button>
                </div>
```

```
</div>
        </div>
    </div>
</div>
 </div>
<!-- surveylist -->
<br>
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
<div class="section_our_solution">
  <div class="row">
    <div *ngFor="let item of surveylists">
    <div class="col-lg-10 col-md-10 col-sm-10">
      <div class="our solution category">
        <div class="solution_cards_box">
          <div class="solution_card">
            <div class="solu_title">
              <h3>{{item.surveyname}}</h3>
            </div>
            <div class="solu_description">
                {{item.surveyStartDate | date}}
              {{item.surveyEndDate | date}}
              <button type="button"</pre>
routerLink="/AddquestionsComponent/{{item.surveyId}}" class="read more btn">Add
Ouestions</button>
              <button type="button"</pre>
routerLink="/ViewquestiondetailsComponent/{{item.surveyId}}"
class="read more btn">Review Survey</button>
              <!-- <a routerLink="/CreatesurveyComponent/{{item.projectId}}"
class="read_more_btn">Open Project</a> -->
            </div>
```

### **Component.ts**

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { JwtHelperService } from '@auth0/angular-jwt';
import { MATService } from '../mat.service';
import { createsurvey } from './createsurvey';
import { projectmemberdetails } from './projectmemberdetails';
import{projectdetails} from 'src/app/createproject/projectdetails'
@Component({
  selector: 'app-createsurvey',
 templateUrl: './createsurvey.component.html',
 styleUrls: ['./createsurvey.component.css']
})
export class CreatesurveyComponent implements OnInit {
  constructor(private matservice:MATService , private route:
ActivatedRoute,private router: Router,private jwtHelper: JwtHelperService) {}
  role=localStorage.getItem("usertype");
```

```
today = Date.now();
users:any;
surveylists:any;
projects:any;
projectmember:projectmemberdetails={
  projectMemberId: 0,
  projectId: 0,
  userId: 0
createsurvey:createsurvey={
  surveyId: 0,
  surveyname: '',
 surveyStartDate:new Date(),
  surveyEndDate:new Date()
}
membersofproject:any;
projectid =this.route.snapshot.paramMap.get('id');
ngOnInit(): void {
this.getAllusers();
this.getprojectdetailsbyid(this.projectid)
this.getmembersoftheproject(this.projectid)
this.surveylist(this.projectid);
}
// to get the user details for adding in the project
getAllusers(){
  this. matservice.getuser().subscribe ( (data: any)=>{
    this.users = data;
  console.log(data)})
  getprojectdetailsbyid(id: string | null): void {
    this._matservice.getprojectdetailsbyid(id)
```

```
.subscribe(
        (data: null) => {
          this.projects = data;
         console.log(data);
       },
        (error: any) => {
         console.log(error);
       });
   }
   //to the details of users who are in the project
 getmembersoftheproject(id: string | null): void {
   this._matservice.getprojectmemberbyid(id)
      .subscribe(
        (data: null) => {
         this.membersofproject = data;
         console.log(data);
       },
        (error: any) => {
         console.log(error);
        });
 }
//to get the survey details
surveylist(id: string | null): void {
 this._matservice.getallsurveydetails(id).subscribe ( (data: any)=>{
   this.surveylists = data;
 console.log(data)})
 }
//adding new members to the project
 addmember(): void {
   const data = {
```

```
projectId: Number(this.route.snapshot.paramMap.get('id')),
     userId: Number(this.projectmember.userId)
   };
   this. matservice.addmemberstotheproject(data).
   subscribe((data) => {
     console.log(data);
     alert("new Member is been added");
     this.ngOnInit();
     },
     error => {
       console.log(error);
     });
    }
// to add a new survey
addsurvey(): void {
 const data = {
   surveyname:this.createsurvey.surveyname,
   surveyStartDate:this.createsurvey.surveyStartDate,
   surveyEndDate:this.createsurvey.surveyEndDate,
   projectId:Number(this.route.snapshot.paramMap.get('id'))
 };
 this._matservice.createsurvey(data).
 subscribe((data) => {
   console.log(data);
   alert("New Survey is been added");
   this.ngOnInit();
   },
   error => {
     console.log(error);
   });
 }
 isuserAuthenticated() {
   const token: string | null = localStorage.getItem("jwt");
   if (token && !this.jwtHelper.isTokenExpired(token)) {
     return true;
```

```
    else {
        return false;
    }
}
logout() {
    localStorage.clear();
    this.router.navigate(["login"])
}
```

## **Create User**

# **Component.css**

```
@import url('https://fonts.googleapis.com/css?family=Poppins');
/* BASIC */
html {
  background-color: #56baed;
body {
 font-family: "Poppins", sans-serif;
 height: 100vh;
 background-color: #ebebeb;
a {
 color: #92badd;
 display:inline-block;
 text-decoration: none;
  font-weight: 400;
h2 {
 text-align: center;
 font-size: 16px;
  font-weight: 600;
 text-transform: uppercase;
  display:inline-block;
 margin: 40px 8px 10px 8px;
  color: #ccccc;
/* STRUCTURE */
```

```
.wrapper {
  display: flex;
 align-items: center;
 flex-direction: column;
 justify-content: center;
 width: 100%;
 min-height: 100%;
 padding: 20px;
#formContent {
  -webkit-border-radius: 10px 10px 10px;
 border-radius: 10px 10px 10px;
 background: #fff;
 padding: 30px;
 width: 90%;
 max-width: 450px;
 position: relative;
 padding: 0px;
  -webkit-box-shadow: 0 30px 60px 0 rgba(0,0,0,0.3);
 box-shadow: 0 30px 60px 0 rgba(0,0,0,0.3);
 text-align: center;
#formFooter {
  background-color: #f6f6f6;
 border-top: 1px solid #dce8f1;
 padding: 25px;
 text-align: center;
  -webkit-border-radius: 0 0 10px 10px;
 border-radius: 0 0 10px 10px;
/* TABS */
h2.inactive {
```

```
color: #cccccc;
h2.active {
 color: #0d0d0d;
  border-bottom: 2px solid #5fbae9;
/* FORM TYPOGRAPHY*/
input[type=button], input[type=submit], input[type=reset] {
  background-color: #56baed;
  border: none;
 color: white;
  padding: 15px 80px;
 text-align: center;
 text-decoration: none;
  display: inline-block;
  text-transform: uppercase;
  font-size: 13px;
  -webkit-box-shadow: 0 10px 30px 0 rgba(95,186,233,0.4);
  box-shadow: 0 10px 30px 0 rgba(95,186,233,0.4);
  -webkit-border-radius: 5px 5px 5px 5px;
  border-radius: 5px 5px 5px 5px;
 margin: 5px 20px 40px 20px;
  -webkit-transition: all 0.3s ease-in-out;
  -moz-transition: all 0.3s ease-in-out;
  -ms-transition: all 0.3s ease-in-out;
  -o-transition: all 0.3s ease-in-out;
  transition: all 0.3s ease-in-out;
input[type=button]:hover, input[type=submit]:hover, input[type=reset]:hover {
  background-color: #39ace7;
input[type=button]:active, input[type=submit]:active, input[type=reset]:active
```

```
-moz-transform: scale(0.95);
 -webkit-transform: scale(0.95);
 -o-transform: scale(0.95);
 -ms-transform: scale(0.95);
 transform: scale(0.95);
input[type=text],input[type=password],input[type=email] {
 background-color: #f6f6f6;
 border: none;
 color: #0d0d0d;
 padding: 15px 32px;
 text-align: center;
 text-decoration: none;
 display: inline-block;
 font-size: 16px;
 margin: 5px;
 width: 85%;
 border: 2px solid #f6f6f6;
 -webkit-transition: all 0.5s ease-in-out;
 -moz-transition: all 0.5s ease-in-out;
 -ms-transition: all 0.5s ease-in-out;
 -o-transition: all 0.5s ease-in-out;
 transition: all 0.5s ease-in-out;
 -webkit-border-radius: 5px 5px 5px 5px;
 border-radius: 5px 5px 5px 5px;
input[type=radio]{
 background-color: #f6f6f6;
 border: none;
 color: #0d0d0d;
 padding: 15px 32px;
 text-align: left;
 text-decoration: none;
 display: inline-block;
 font-size: 16px;
 margin: 5px;
 border: 2px solid #f6f6f6;
```

```
-webkit-transition: all 0.5s ease-in-out;
  -moz-transition: all 0.5s ease-in-out;
  -ms-transition: all 0.5s ease-in-out;
  -o-transition: all 0.5s ease-in-out;
  transition: all 0.5s ease-in-out;
  -webkit-border-radius: 5px 5px 5px 5px;
  border-radius: 5px 5px 5px 5px;
input[type=text]:focus
,input[type=password]:focus,input[type=email]:focus,input[type=radio]:focus{
 background-color: #fff;
 border-bottom: 2px solid #5fbae9;
input[type=text]:placeholder,input[type=password]:placeholder,input[type=email]:p
laceholder {
  color: #ccccc;
/* ANIMATIONS */
/* Simple CSS3 Fade-in-down Animation */
.fadeInDown {
  -webkit-animation-name: fadeInDown;
 animation-name: fadeInDown;
  -webkit-animation-duration: 1s;
  animation-duration: 1s;
  -webkit-animation-fill-mode: both;
  animation-fill-mode: both;
@-webkit-keyframes fadeInDown {
 0% {
   opacity: 0;
    -webkit-transform: translate3d(0, -100%, 0);
    transform: translate3d(0, -100%, 0);
```

```
100% {
   opacity: 1;
   -webkit-transform: none;
   transform: none;
 }
@keyframes fadeInDown {
 0% {
   opacity: 0;
   -webkit-transform: translate3d(0, -100%, 0);
   transform: translate3d(0, -100%, 0);
 }
 100% {
   opacity: 1;
   -webkit-transform: none;
   transform: none;
 }
/* Simple CSS3 Fade-in Animation */
@-webkit-keyframes fadeIn { from { opacity:0; } to { opacity:1; } }
@-moz-keyframes fadeIn { from { opacity:0; } to { opacity:1; } }
@keyframes fadeIn { from { opacity:0; } to { opacity:1; } }
.fadeIn {
 opacity:0;
  -webkit-animation:fadeIn ease-in 1;
  -moz-animation:fadeIn ease-in 1;
  animation:fadeIn ease-in 1;
  -webkit-animation-fill-mode:forwards;
  -moz-animation-fill-mode:forwards;
  animation-fill-mode:forwards;
  -webkit-animation-duration:1s;
  -moz-animation-duration:1s;
  animation-duration:1s;
```

```
.fadeIn.first {
  -webkit-animation-delay: 0.4s;
  -moz-animation-delay: 0.4s;
  animation-delay: 0.4s;
.fadeIn.second {
  -webkit-animation-delay: 0.6s;
  -moz-animation-delay: 0.6s;
 animation-delay: 0.6s;
.fadeIn.third {
  -webkit-animation-delay: 0.8s;
 -moz-animation-delay: 0.8s;
 animation-delay: 0.8s;
.fadeIn.fourth {
  -webkit-animation-delay: 1s;
  -moz-animation-delay: 1s;
  animation-delay: 1s;
.fadeIn.five{
  -webkit-animation-delay: 1.2s;
 -moz-animation-delay: 1.2s;
 animation-delay: 1.2s;
/* Simple CSS3 Fade-in Animation */
.underlineHover:after {
 display: block;
 left: 0;
 bottom: -10px;
 width: 0;
 height: 2px;
  background-color: #56baed;
```

```
content: "";
 transition: width 0.2s;
.underlineHover:hover {
  color: #0d0d0d;
.underlineHover:hover:after{
 width: 100%;
.selbox{
 width:380px;
 height: 40px;
 background-color: #f6f6f6;
 border: 1px solid #E5E5E5;
 border-radius: 5px 5px 5px 5px
/* OTHERS */
*:focus {
   outline: none;
#icon {
 width:20%;
  box-sizing: border-box;
.errorcol{
 color: red;
```

### Component.html

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark" style="background-color:</pre>
#333333:">
  <div class="container-fluid">
      <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
      <div class="navbar-nav ms-right"> <a href="Home" class="nav-item nav-link"</pre>
style="color:#ffe600;">Home</a></div>
    </div>
</nav>
<div class="wrapper fadeInDown">
  <div id="formContent">
    <!-- Tabs Titles -->
    <h2 class="active"> Sign Up </h2>
    <!-- Icon -->
    <!-- Create Form -->
    <form #createform="ngForm" (ngSubmit)="createform.form.valid && addemp()"</pre>
noValidate>
      <div class="panel panel-primary">
          <div class="panel-heading">
              <h3 class="panel-title"></h3>
          </div>
          <div class="panel-body">
            <!-- firstName -->
              <div class="form-group">
                <input type="text" class="fadeIn first" id="firstName"</pre>
placeholder="FirstName" #firstName="ngModel"
                [(ngModel)]="regarry.firstName" name="firstName" minlength="4"
required >
               <div class="errorcol" *ngIf="(firstName.touched ||</pre>
createform.submitted) && firstName.errors?.['required']">FirstName is
Required</div>
```

```
<div class="errorcol" *ngIf="(firstName.touched | |</pre>
createform.submitted) && firstName.errors?.['minlength']">Required 4
characters</div>
              </div>
              <!-- lastName -->
              <div class="form-group">
                <input type="text" class="fadeIn second" placeholder="LastName"</pre>
#lastName="ngModel"
                [(ngModel)]="regarry.lastName" name="lastName" minlength="4"
required >
                <div class="errorcol" *ngIf="(lastName.touched | |</pre>
createform.submitted) && lastName.errors?.['required']">LastName is
Required</div>
                <div class="errorcol" *ngIf="(lastName.touched | |</pre>
createform.submitted) && lastName.errors?.['minlength']">Required 4
characters</div>
                </div>
             <!-- Gender -->
              <div class="form-group fadeIn third ">
                    <input type="radio" name="gender" value="male" required>Male
                    <input type="radio" name="gender" value="female"</pre>
required>Female
              </div>
              <!-- Dropdown box-->
              <div class="form-group ">
                  <select id="UserType" name="UserType" class="selbox fadeIn</pre>
fourth"
           #UserType="ngModel" [(ngModel)]="regarry.userType"
[(ngModel)]='ngSelect' required>
                    <option value="1">Select Your UserType</option>
                    <option value="Project Manager">Project Manager
                    <option value="Team Member">Team Member</option>
                  </select>
```

```
<div class="errorcol" *ngIf="(UserType.touched ||</pre>
createform.submitted) && UserType.errors?.['required']">Select UserType</div>
             </div>
               <!-- email -->
               <div class="form-group">
                  <input type="email" class="fadeIn fourth"</pre>
placeholder="EmailID" #emailid="ngModel"
                   [(ngModel)]="regarry.emailid" name="emailid"
pattern="^[a-z0-9. %+-]+@[a-z0-9.-]+\.[a-z]{2,4}$" required>
                  <div class="errorcol" *ngIf="(emailid.touched ||</pre>
createform.submitted) && emailid.errors?.['required']">EmailID is Required</div>
                  <div class="errorcol" *ngIf="(emailid.touched ||</pre>
createform.submitted) && emailid.errors?.['pattern']">Enter Vaild Email</div>
             </div>
             <!-- password -->
             <div class="form-group">
                <input type="password" class="fadeIn fourth"</pre>
placeholder="Password" #password="ngModel"
               [(ngModel)]="regarry.password" name="password"
pattern="^(?=.*?[A-Z])(?=.*?[a-z])(?=.*?[0-9]).{8,16}$" required>
                <div class="errorcol" *ngIf="(password.touched ||</pre>
createform.submitted) && password.errors?.['required']">Password is
Required</div>
               <div class="errorcol" *ngIf="(password.touched ||</pre>
createform.submitted) && password.errors?.['pattern']">
               Length should be 8-16 characters
                  Password Must Have numbers letters and special
characters!
               </div>
             </div>
              <!-- cnfpassword -->
              <div class="form-group">
```

```
<input type="password" class="fadeIn fourth" placeholder="</pre>
Confirm Password" #cnfpassword="ngModel"
                [(ngModel)]="regarry.cnfpassword" name="cnfpassword" required>
                <div class="errorcol" *ngIf="(cnfpassword.touched ||</pre>
createform.submitted) && cnfpassword.errors?.['required']"> Confirm Passwordis
Required</div>
                <div class="errorcol" *ngIf="(cnfpassword.touched ||</pre>
createform.submitted) && regarry.cnfpassword !== regarry.password">
                Password Doesn't Match
                </div>
              </div>
          </div>
          <div class="text-cented">
            <input style="text-align: center; " type="submit" class="fadeIn</pre>
fourth" value="Create User" ngsubmit="login">
          </div>
      </div>
  </form>
 </div>
</div>
```

# Component.ts

```
import { Component, OnInit } from '@angular/core';
import {FormControl, FormGroup, NgForm, Validators} from '@angular/forms'
import { Router } from '@angular/router';
import { MATService } from '../mat.service';
import{Createuser} from './createuser'

@Component({
    selector: 'app-createuser',
    templateUrl: './createuser.component.html',
```

```
styleUrls: ['./createuser.component.css']
})
export class CreateuserComponent implements OnInit {
  regarry={
   firstName: '',
    lastName: '',
    userType: '',
   emailid: '',
    password: '',
    cnfpassword:''
  }
  ngForm:any;
  ngSelect = 1;
  passwordPtn ='^(?=.*?[A-Z])(?=.*?[a-z])(?=.*?[0-9]).{8,16}$'
  emailpattern = "[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2, 4}$"
  constructor(private _matservice:MATService,private router: Router ) { }
  ngOnInit(): void {
  addemp(): void {
    const data={
      firstName:this.regarry.firstName,
    lastName:this.regarry.lastName,
    userType:this.regarry.userType,
    emailid: this.regarry.emailid,
    password:this.regarry.password
    }
    this._matservice.create(data).
    subscribe((data) => {
```

```
console.log(data);
alert("New User Created");
this.router.navigate(["login"]);

},
error => {
   console.log(error);
});
}
```

### Home

## **Component.css**

```
.carousel-item {
  height: 92.7vh;
  min-height: 350px;
  background: no-repeat center center scroll;
  -webkit-background-size: cover;
  -moz-background-size: cover;
  -o-background-size: cover;
  background-size: cover;
}
```

### Component.html

```
<nav class="navbar navbar-expand-lg bg-dark" style="background-color: #333333;">
  <div class="container-fluid">
      <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
      <div class="navbar-nav ms-right"> <a href="Home" class="nav-item nav-link"</pre>
style="color: #ffe600;">Home</a></div>
      <div class="navbar-nav ms-auto"> <a href="login" class="nav-item nav-link"</pre>
style="color: #ffe600;">Login</a></div>
   </div>
<div id="carouselExampleSlidesOnly" class="carousel slide"</pre>
data-bs-ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      <img
src="https://res.cloudinary.com/giricloud/image/upload/v1650447535/PicsArt_04-20-
03.04.51_vh8dmk.jpg" class="d-block w-100" alt="...">
    </div>
    <div class="carousel-item">
```

### **Component.spec.ts**

```
import { ComponentFixture, TestBed } from '@angular/core/testing';
import { HomeComponent } from './home.component';
describe('HomeComponent', () => {
 let component: HomeComponent;
 let fixture: ComponentFixture<HomeComponent>;
  beforeEach(async () => {
    await TestBed.configureTestingModule({
      declarations: [ HomeComponent ]
    })
    .compileComponents();
 });
  beforeEach(() => {
   fixture = TestBed.createComponent(HomeComponent);
    component = fixture.componentInstance;
   fixture.detectChanges();
  });
 it('should create', () => {
    expect(component).toBeTruthy();
```

```
});
```

```
import { Component, OnInit } from '@angular/core';

@Component({
    selector: 'app-home',
    templateUrl: './home.component.html',
    styleUrls: ['./home.component.css']
})
export class HomeComponent implements OnInit {
    constructor() { }
    ngOnInit(): void {
    }
}
```

## **Login**

```
@import url('https://fonts.googleapis.com/css?family=Poppins');
/* BASIC */
html {
  background-color: #ffe600;
body {
 font-family: "Poppins", sans-serif;
 height: 100vh;
  background-color: #ebebeb;
a {
  color: #92badd;
  display:inline-block;
 text-decoration: none;
  font-weight: 400;
h2 {
 text-align: center;
  font-size: 16px;
 font-weight: 600;
  text-transform: uppercase;
  display:inline-block;
 margin: 40px 8px 10px 8px;
  color: #ccccc;
/* STRUCTURE */
```

```
.wrapper {
 display: flex;
 align-items: center;
 flex-direction: column;
 justify-content: center;
 width: 100%;
 min-height: 100%;
 padding: 20px;
#formContent {
  -webkit-border-radius: 10px 10px 10px;
 border-radius: 10px 10px 10px;
 background: #fff;
 padding: 30px;
 width: 90%;
 max-width: 450px;
 position: relative;
  padding: 0px;
  -webkit-box-shadow: 0 30px 60px 0 rgba(0,0,0,0.3);
  box-shadow: 0 30px 60px 0 rgba(0,0,0,0.3);
 text-align: center;
#formFooter {
  background-color: #f6f6f6;
 border-top: 1px solid #dce8f1;
 padding: 25px;
 text-align: center;
  -webkit-border-radius: 0 0 10px 10px;
 border-radius: 0 0 10px 10px;
/* TABS */
h2.inactive {
```

```
color: #cccccc;
h2.active {
 color: #0d0d0d;
  border-bottom: 2px solid #ffe600;
/* FORM TYPOGRAPHY*/
input[type=button], input[type=submit], input[type=reset] {
  background-color: #ffe600;
  border: none;
 color: white;
  padding: 15px 80px;
 text-align: center;
 text-decoration: none;
  display: inline-block;
  text-transform: uppercase;
  font-size: 13px;
  -webkit-box-shadow: 0 10px 30px 0 rgba(95,186,233,0.4);
  box-shadow: 0 10px 30px 0 rgba(95,186,233,0.4);
  -webkit-border-radius: 5px 5px 5px 5px;
  border-radius: 5px 5px 5px 5px;
 margin: 5px 20px 40px 20px;
  -webkit-transition: all 0.3s ease-in-out;
  -moz-transition: all 0.3s ease-in-out;
  -ms-transition: all 0.3s ease-in-out;
  -o-transition: all 0.3s ease-in-out;
  transition: all 0.3s ease-in-out;
input[type=button]:hover, input[type=submit]:hover, input[type=reset]:hover {
  background-color: #ffe600;
input[type=button]:active, input[type=submit]:active, input[type=reset]:active
```

```
-moz-transform: scale(0.95);
  -webkit-transform: scale(0.95);
  -o-transform: scale(0.95);
  -ms-transform: scale(0.95);
  transform: scale(0.95);
input[type=text],input[type=password],input[type=email] {
  background-color: #f6f6f6;
 border: none;
  color: #0d0d0d;
 padding: 15px 32px;
 text-align: center;
 text-decoration: none;
  display: inline-block;
  font-size: 16px;
 margin: 5px;
 width: 85%;
 border: 2px solid #f6f6f6;
  -webkit-transition: all 0.5s ease-in-out;
  -moz-transition: all 0.5s ease-in-out;
  -ms-transition: all 0.5s ease-in-out;
  -o-transition: all 0.5s ease-in-out;
  transition: all 0.5s ease-in-out;
  -webkit-border-radius: 5px 5px 5px 5px;
  border-radius: 5px 5px 5px 5px;
input[type=text]:focus,input[type=password]:focus,input[type=email]:focus{
 background-color: #fff;
 border-bottom: 2px solid #5fbae9;
input[type=text]:placeholder,input[type=password]:placeholder,input[type=email]:p
laceholder{
  color: #ccccc;
```

```
/* ANIMATIONS */
/* Simple CSS3 Fade-in-down Animation */
.fadeInDown {
 -webkit-animation-name: fadeInDown;
 animation-name: fadeInDown;
 -webkit-animation-duration: 1s;
 animation-duration: 1s;
  -webkit-animation-fill-mode: both;
  animation-fill-mode: both;
@-webkit-keyframes fadeInDown {
 0% {
   opacity: 0;
   -webkit-transform: translate3d(0, -100%, 0);
   transform: translate3d(0, -100%, 0);
 }
 100% {
   opacity: 1;
   -webkit-transform: none;
   transform: none;
 }
@keyframes fadeInDown {
 0% {
   opacity: 0;
   -webkit-transform: translate3d(0, -100%, 0);
   transform: translate3d(0, -100%, 0);
 }
 100% {
   opacity: 1;
   -webkit-transform: none;
   transform: none;
```

```
'* Simple CSS3 Fade-in Animation */
@-webkit-keyframes fadeIn { from { opacity:0; } to { opacity:1; } }
@-moz-keyframes fadeIn { from { opacity:0; } to { opacity:1; } }
@keyframes fadeIn { from { opacity:0; } to { opacity:1; } }
.fadeIn {
 opacity:0;
  -webkit-animation:fadeIn ease-in 1;
  -moz-animation:fadeIn ease-in 1;
  animation:fadeIn ease-in 1;
  -webkit-animation-fill-mode:forwards;
  -moz-animation-fill-mode:forwards;
  animation-fill-mode:forwards;
  -webkit-animation-duration:1s;
  -moz-animation-duration:1s;
  animation-duration:1s;
.fadeIn.first {
  -webkit-animation-delay: 0.4s;
  -moz-animation-delay: 0.4s;
  animation-delay: 0.4s;
.fadeIn.second {
  -webkit-animation-delay: 0.6s;
  -moz-animation-delay: 0.6s;
  animation-delay: 0.6s;
.fadeIn.third {
  -webkit-animation-delay: 0.8s;
  -moz-animation-delay: 0.8s;
  animation-delay: 0.8s;
.fadeIn.fourth {
```

```
-webkit-animation-delay: 1s;
  -moz-animation-delay: 1s;
 animation-delay: 1s;
/* Simple CSS3 Fade-in Animation */
.underlineHover:after {
 display: block;
 left: 0;
 bottom: -10px;
 width: 0;
 height: 2px;
  background-color: #ffe600;
 content: "";
  transition: width 0.2s;
.underlineHover:hover {
  color: #0d0d0d;
.underlineHover:hover:after{
 width: 100%;
/* OTHERS */
*:focus {
   outline: none;
#icon {
 width:20%;
  box-sizing: border-box;
```

```
}
.navbar-fixed-top {
  height: 25px; /* Whatever you want. */
}
```

```
<nav class="navbar navbar-expand-lg bg-dark" style="background-color: #333333;">
  <div class="container-fluid">
      <a href="home" class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
      <div class="navbar-nav ms-right"> <a href="Home" class="nav-item nav-link"</pre>
style="color: #ffe600;">Home</a></div>
    </div>
</nav>
<div class="wrapper fadeInDown">
 <div id="formContent">
    <!-- Tabs Titles -->
    <h2 class="active"> Login</h2>
    <!-- Icon -->
    <div class="fadeIn first">
      <img src="http://cdn.onlinewebfonts.com/svg/img 311846.png" id="icon"</pre>
alt="User Icon" />
    </div>
    <form class="form-signin" #loginForm="ngForm" (ngSubmit)="login(loginForm)">
      <div class="container-fluid">
        <!-- <h2 class="form-signin-heading">Login</h2> -->
        <div *ngIf="invalidLogin" class="alert alert-danger">Invalid username or
password.</div>
        <br/>
```

```
<input type="email" id="emailid" name="emailid" ngModel</pre>
class="form-control" placeholder="User Name" required autofocus>
        <br/>
        <input type="password" id="password" name="password" ngModel</pre>
class="form-control" placeholder="Password" required>
        <br/>
        <!-- <button class="btn btn-lg btn-primary btn-block" type="submit">Sign
in</button> -->
      </div>
      <div class="text-cented">
        <input style="text-align: center; background-color: #ffe600;"</pre>
type="submit" class="fadeIn fourth" value="Log In">
      </div>
      <a href="/createuser" class="nav-link underlineHover">Create A New
Account</a>
   </form>
  </div>
</div>
```

```
import { Component, OnInit } from '@angular/core';
import {FormControl, FormGroup, NgForm, Validators} from '@angular/forms'
import { Router } from '@angular/router';
import { MATService } from '../mat.service';
import { Createuser } from '../createuser/createuser';
import{login} from './login'
import { ToastrService } from 'ngx-toastr';
@Component({
```

```
selector: 'app-login',
 templateUrl: './login.component.html',
 styleUrls: ['./login.component.css']
})
export class LoginComponent implements OnInit {
  Currentuser: any;
  regarry:any={
  firstName:"",
  lastName:"",
  userType:"",
  emailid:"",
  password:""
  invalidLogin:boolean;
  constructor(private _matservice:MATService,private router: Router ) { }
  ngOnInit():void {
  getemployee(data:any){
   this._matservice.getempbyuser(data)
    .subscribe(
      data => {
       const userId= (<any>data).userId;
        localStorage.setItem("userId",userId);
       const role = (<any>data).userType;
      localStorage.setItem("usertype", role);
      console.log(role);
      },
      (error: any) => {
       console.log(error);
      })
```

```
login(form: NgForm) {
  const credentials ={
   'emailid': form.value.emailid,
   'password': form.value.password
  }
  this._matservice.login(credentials).
  subscribe(response => {
    const token = (<any>response).token;
    localStorage.setItem("jwt", token);
    console.log(token);
    this.invalidLogin = false;
    this.getemployee(credentials);
    const userId =Number(localStorage.getItem("userId"));
    const role=localStorage.getItem("usertype");
    if(role == 'Project Manager')
    {
      this.router.navigate(["createproject"]);
    else if(role == 'Team Member')
    this.router.navigate([`${'SelectprojectComponent'}/${userId}`]);
    }
  }, err => {
    this.invalidLogin = true;
  });
}
```

# **Select Project**

```
body{
  background-color: #ebebeb;
.section_our_solution .row {
 align-items: center;
.our_solution_category {
 display: flex;
 flex-direction: row;
  flex-wrap: wrap;
.our_solution_category .solution_cards_box {
 display: flex;
 flex-direction: column;
  justify-content: center;
.solution_cards_box .solution_card {
 flex: 0 50%;
 background: #fff;
 box-shadow: 0 2px 4px 0 rgba(136, 144, 195, 0.2),
    0 5px 15px 0 rgba(37, 44, 97, 0.15);
 border-radius: 15px;
 margin: 8px;
  padding: 10px 15px;
 position: relative;
  z-index: 1;
 overflow: hidden;
 min-height: 185px;
 transition: 0.7s;
.solution_cards_box .solution_card:hover {
 background: #ffe600;
  color: #fff;
```

```
transform: scale(1.1);
 z-index: 9;
.solution_cards_box .solution_card:hover::before {
 background: rgb(85 108 214 / 10%);
.solution_cards_box .solution_card:hover .solu_title h3,
.solution_cards_box .solution_card:hover .solu_description p {
 color: #fff;
.solution_cards_box .solution_card:before {
 content: "";
 position: absolute;
 background: rgb(85 108 214 / 5%);
 width: 170px;
 height: 100px;
 z-index: -1;
 transform: rotate(42deg);
 right: -56px;
 top: -23px;
 border-radius: 35px;
.solution_cards_box .solution_card:hover .solu_description button {
 background: #fff !important;
 color: #309df0;
.solution_card .so_top_icon {
.solution_card .solu_title h3 {
 color: #212121;
 font-size: 1.3rem;
 margin-top: 13px;
 margin-bottom: 13px;
```

```
.solution_card .solu_description p {
 font-size: 15px;
 margin-bottom: 15px;
.solution_card .solu_description button {
 border: 0;
 border-radius: 15px;
 background: linear-gradient(
   140deg,
   #ffe600 0%,
   #ffe600 50%,
   #ffe600 75%
 ) !important;
 color: #fff;
 font-weight: 500;
 font-size: 1rem;
 padding: 5px 16px;
.our_solution_content h1 {
 text-transform: capitalize;
 margin-bottom: 1rem;
 font-size: 2.5rem;
.our_solution_content p {
.hover_color_bubble {
 position: absolute;
 background: rgb(54 81 207 / 15%);
 width: 100rem;
 height: 50rem;
 left: 0;
 right: 0;
 z-index: -1;
 top: 16rem;
```

```
border-radius: 50%;
 transform: rotate(-36deg);
 left: -18rem;
 transition: 0.7s;
.solution_cards_box .solution_card:hover .hover_color_bubble {
 top: 0rem;
.solution_cards_box .solution_card .so_top_icon {
 width: 60px;
 height: 30px;
 border-radius: 50%;
 background: #fff;
 overflow: hidden;
 display: flex;
 align-items: center;
 justify-content: center;
.solution_cards_box .solution_card .so_top_icon img {
 width: 40px;
 height: 20px;
 object-fit: contain;
/*start media query*/
@media screen and (min-width: 320px) {
  .sol_card_top_3 {
   position: relative;
   top: 0;
 }
  .our_solution_category {
   width: 100%;
   margin: 0 auto;
 }
```

```
.our_solution_category .solution_cards_box {
    flex: auto;
}

@media only screen and (min-width: 768px) {
    .our_solution_category .solution_cards_box {
    flex: 1;
}

@media only screen and (min-width: 1024px) {
    .sol_card_top_3 {
    position: relative;
    top: -3rem;
}

.our_solution_category {
    width: 50%;
    margin: 0 auto;
}
```

```
color: #fff;
     }
      .required:after {
          content: "*";
         color: red;
     }
 </style>
</head>
<body>
 <nav class="navbar navbar-expand-lg" style="background-color: #333333;">
   <div class="container-fluid">
        <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
        <div class="navbar-nav ms-right"> <a class="nav-item nav-link"</pre>
style="color: #ffe600;">{{role}}</a></div>
        <div class="navbar-nav ms-auto"> <button type="button" class="btn</pre>
btn-dark" style="background-color: #333333; border: 0px ; color: #ffe600;"
(click)="logout()">LOGOUT</button></div>
     </div>
 </nav>
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
 <div class="section our solution">
   <h2 style="padding-left: 21rem;"> SELECT A PROJECT</h2>
   <div class="row">
     <div *ngFor="let item of projectlists">
     <div class="col-lg-10 col-md-10 col-sm-10">
       <div class="our_solution_category">
         <div class="solution cards box">
            <div class="solution card">
              <div class="solu_title">
```

```
<h3>{{item.projectname}}</h3>
              </div>
              <div class="solu description">
                  {{item.projectDescription}}
                <button type="button"</pre>
routerLink="/SelectsurveyComponent/{{item.projectId}}"class="read_more_btn">Open
Project</button>
                <!-- <a routerLink="/CreatesurveyComponent/{{item.projectId}}"
class="read more btn">Open Project</a> -->
              </div>
            </div>
      </div>
    </div>
  </div>
  </div>
  </div>
  </div>
          <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/js/bootstrap.bundle.
min.js"
integrity="sha384-ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x65Kgf800JFdroaf
W" crossorigin="anonymous"></script>
</body>
</html>
```

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { JwtHelperService } from '@auth0/angular-jwt';
import { MATService } from '../mat.service';

@Component({
    selector: 'app-selectproject',
```

```
templateUrl: './selectproject.component.html',
  styleUrls: ['./selectproject.component.css']
})
export class SelectprojectComponent implements OnInit {
  constructor(private matservice:MATService , private route:
ActivatedRoute,private router: Router,private jwtHelper: JwtHelperService) {}
 projectlists:any
  userid =this.route.snapshot.paramMap.get('id');
  role=localStorage.getItem("usertype");
 ngOnInit(): void {
   this.projectlist(this.userid);
 }
  projectlist(id: string | null): void {
   this._matservice.getuserbyid(id).subscribe ( (data: any)=>{
      this.projectlists = data;
    console.log(data)})
    }
 isuserAuthenticated() {
    const token: string | null = localStorage.getItem("jwt");
   if (token && !this.jwtHelper.isTokenExpired(token)) {
      return true;
   else {
      return false;
    }
  }
 logout() {
   localStorage.clear();
   this.router.navigate(["login"])
 }
```

## **Select Survey**

```
body{
  background-color: #ebebeb;
.section_our_solution .row {
 align-items: center;
.our_solution_category {
 display: flex;
 flex-direction: row;
  flex-wrap: wrap;
.our_solution_category .solution_cards_box {
 display: flex;
 flex-direction: column;
  justify-content: center;
.solution_cards_box .solution_card {
 flex: 0 50%;
 background: #fff;
 box-shadow: 0 2px 4px 0 rgba(136, 144, 195, 0.2),
    0 5px 15px 0 rgba(37, 44, 97, 0.15);
 border-radius: 15px;
 margin: 8px;
  padding: 10px 15px;
 position: relative;
  z-index: 1;
 overflow: hidden;
 min-height: 178px;
 transition: 0.7s;
.solution_cards_box .solution_card:hover {
 background: #ffe600;
  color: #fff;
```

```
transform: scale(1.1);
 z-index: 9;
.solution_cards_box .solution_card:hover::before {
 background: rgb(85 108 214 / 10%);
.solution_cards_box .solution_card:hover .solu_title h3,
.solution_cards_box .solution_card:hover .solu_description p {
 color: #fff;
.solution_cards_box .solution_card:before {
 content: "";
 position: absolute;
 background: rgb(85 108 214 / 5%);
 width: 170px;
 height: 100px;
 z-index: -1;
 transform: rotate(42deg);
 right: -56px;
 top: -23px;
 border-radius: 35px;
.solution_cards_box .solution_card:hover .solu_description button {
 background: #fff !important;
 color: #309df0;
.solution_card .so_top_icon {
.solution_card .solu_title h3 {
 color: #212121;
 font-size: 1.3rem;
 margin-top: 13px;
 margin-bottom: 13px;
```

```
.solution_card .solu_description p {
 font-size: 15px;
 margin-bottom: 15px;
.solution_card .solu_description button {
 border: 0;
 border-radius: 15px;
 background: linear-gradient(
   140deg,
   #ffe600 0%,
   #ffe600 50%,
   #ffe600 75%
 ) !important;
 color: #fff;
 font-weight: 500;
 font-size: 1rem;
 padding: 5px 16px;
.our_solution_content h1 {
 text-transform: capitalize;
 margin-bottom: 1rem;
 font-size: 2.5rem;
.our_solution_content p {
.hover_color_bubble {
 position: absolute;
 background: rgb(54 81 207 / 15%);
 width: 100rem;
 height: 50rem;
 left: 0;
 right: 0;
 z-index: -1;
 top: 16rem;
```

```
border-radius: 50%;
 transform: rotate(-36deg);
 left: -18rem;
 transition: 0.7s;
.solution_cards_box .solution_card:hover .hover_color_bubble {
 top: 0rem;
.solution_cards_box .solution_card .so_top_icon {
 width: 60px;
 height: 30px;
 border-radius: 50%;
 background: #fff;
 overflow: hidden;
 display: flex;
 align-items: center;
 justify-content: center;
.solution_cards_box .solution_card .so_top_icon img {
 width: 40px;
 height: 20px;
 object-fit: contain;
/*start media query*/
@media screen and (min-width: 320px) {
  .sol_card_top_3 {
   position: relative;
   top: 0;
 }
  .our_solution_category {
   width: 100%;
   margin: 0 auto;
 }
```

```
.our_solution_category .solution_cards_box {
    flex: auto;
}

@media only screen and (min-width: 768px) {
    .our_solution_category .solution_cards_box {
    flex: 1;
}

@media only screen and (min-width: 1024px) {
    .sol_card_top_3 {
    position: relative;
    top: -3rem;
}

.our_solution_category {
    width: 50%;
    margin: 0 auto;
}
```

```
color: #fff;
     }
     .required:after {
          content: "*";
         color: red;
     }
 </style>
</head>
<body>
 <nav class="navbar navbar-expand-lg" style="background-color: #333333;">
   <div class="container-fluid">
        <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
        <div class="navbar-nav ms-right"> <a class="nav-item nav-link"</pre>
style="color: #ffe600;">{{role}}</a></div>
        <div class="navbar-nav ms-auto"> <button type="button" class="btn</pre>
btn-dark" style="background-color: #333333; border: 0px ; color:#ffe600;"
(click)="logout()">LOGOUT</button></div>
     </div>
 </nav>
<!-- surveylist -->
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
<div class="section our solution">
 <h2 style="padding-left: 21rem;"> SELECT A SURVEY</h2>
 <div class="row">
   <div *ngFor="let item of surveylists">
   <div *ngIf="item.surveyEndDate <= today">
   <div class="col-lg-10 col-md-10 col-sm-10">
     <div class="our_solution_category">
```

```
<div class="solution_cards_box">
          <div class="solution_card">
            <div class="solu title">
              <h3>{{item.surveyname}}</h3>
            <div class="solu_description">
                {{item.surveyStartDate | date}}
              {{item.surveyEndDate | date}}
              <button type="button"</pre>
routerLink="/SurveypageComponent/{{item.surveyId}}" class="read_more_btn">TAKE
SURVEY</button>
            </div>
          </div>
    </div>
 </div>
</div>
</div>
</div>
</div>
</div>
          <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/js/bootstrap.bundle.
min.js"
integrity="sha384-ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x65Kgf800JFdroaf
W" crossorigin="anonymous"></script>
</body>
</html>
```

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { JwtHelperService } from '@auth0/angular-jwt';
import { MATService } from '../mat.service';
@Component({
  selector: 'app-selectsurvey',
 templateUrl: './selectsurvey.component.html',
 styleUrls: ['./selectsurvey.component.css']
})
export class SelectsurveyComponent implements OnInit {
  constructor(private _matservice:MATService , private route:
ActivatedRoute,private router: Router,private jwtHelper: JwtHelperService) {}
  surveylists:any;
  role=localStorage.getItem("usertype");
  projectid =this.route.snapshot.paramMap.get('id');
  today = "2022-04-22T00:00:00"
  fixedTimezone = this.today;
  ngOnInit(): void {
    this.surveylist(this.projectid);
    console.log(this.today);
  }
  surveylist(id: string | null): void {
   this._matservice.getallsurveydetails(id).subscribe ( (data: any)=>{
      this.surveylists = data;
    console.log(data)})
    }
    isuserAuthenticated() {
      const token: string | null = localStorage.getItem("jwt");
      if (token && !this.jwtHelper.isTokenExpired(token)) {
        return true;
      }
```

```
else {
    return false;
}
logout() {
    localStorage.clear();
    this.router.navigate(["login"])
}
```

## **Survey Page**

```
body {
  background-color: #eee
label.radio {
  cursor: pointer
label.radio input {
 position: absolute;
 top: 0;
 left: 0;
 visibility: hidden;
 pointer-events: none
label.radio span {
 padding: 4px 0px;
 border: 1px solid #ffe600;
 display: inline-block;
 color: #ffe600;
 width: 100px;
 text-align: center;
 border-radius: 3px;
 margin-top: 7px;
 text-transform: uppercase
label.radio input:checked+span {
 border-color:#ffe600;
 background-color: #ffe600;
 color: #fff
.ans {
```

```
margin-left: 36px !important
}
.btn:focus {
  outline: 0 !important;
  box-shadow: none !important
}
.btn:active {
  outline: 0 !important;
  box-shadow: none !important
}
```

```
<!-- <!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/css/bootstrap.min.c
ss" rel="stylesheet"
integrity="sha384-giJF6kkoqNQ00vy+HMDP7azOuL0xtbfIcaT9wjKHr8RbDVddVHyTfAAsrekwKmP
1" crossorigin="anonymous">
  <title>Bootstrap 5 Modal</title>
  <style>
      .modal-header {
          background: #F7941E;
          color: #fff;
      .required:after {
          content: "*";
          color: red;
```

```
</style>
</head>
<body>
 <div class="container mb-5">
   <div class="row">
     <h1 style="text-align: center;">SURVEY</h1>
     <h3 style="text-align: left; color: red;">Answer According to your work
</h3>
     <div *ngFor="let question of questions">
       <div class="col-12">
          {{question.question}}<br>
          <div class="form-check"> <input class="form-check-input"</pre>
type="checkbox" (change)="checkCheckBoxvalue($event)">
           <label class="form-check-label" for="defaultCheck1">
             {{question.answer}}
           </label>
                 </div><br>
     </div>
     </div>
       <div class="col-12">
           <div class="d-flex justify-content-center"> <button type="button"</pre>
routerLink="/SurveyreportComponent/{{counter}}"class="btn btn-primary px-4 py-2
fw-bold" data-bs-toggle="modal" data-bs-target="#myModall"> Submit</button>
</div>
       </div>
   </div>
 </div>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/js/bootstrap.bundle.
min.js"
integrity="sha384-ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x65Kgf800JFdroaf
W" crossorigin="anonymous"></script>
</body>
</html> -->
<nav class="navbar navbar-expand-lg" style="background-color: #333333;">
  <div class="container-fluid">
      <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt 04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
      <div class="navbar-nav ms-right"> <a class="nav-item nav-link"</pre>
style="color: #ffe600;">{{role}}</a></div>
      <div class="navbar-nav ms-auto"> <button type="button" class="btn</pre>
btn-dark" style="background-color: #333333; border: 0px ; color:#ffe600;"
(click)="logout()">LOGOUT</button></div>
   </div>
</nav>
<br>
<h2 style="padding-left: 45rem;"> SURVEY</h2>
<h4 style="padding-left: 13rem; color: red;">If Yes, check the box 'Yes' else the
answer by default will be taken to be 'No'</h4>
<div class="container mt-5">
  <div class="d-flex justify-content-center row">
      <div class="col-md-10 col-lg-10">
          <div class="border">
              <div *ngFor="let question of questions">
              <div class="question bg-white p-3 border-bottom">
                  <div class="d-flex flex-row align-items-center question-title">
                      <h3 class="text-danger">Q.</h3>
                      <h3 class="mt-1 ml-2">{{question.question}}</h3>
                  </div>
                  <div class="ans ml-2">
                      <label class="radio"> <input type="checkbox" name="brazil"</pre>
(change)="checkCheckBoxvalue($event)"> <span>{{question.answer}}</span>
```

```
import { Component, OnInit, ViewChild } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { MATService } from '../mat.service';
import { ChartData, ChartOptions } from 'chart.js';
import { JwtHelperService } from '@auth0/angular-jwt';

@Component({
    selector: 'app-surveypage',
    templateUrl: './surveypage.component.html',
    styleUrls: ['./surveypage.component.css']
})
export class SurveypageComponent implements OnInit {
    counter=0;
    checkCheckBoxvalue(event:any){
        this.counter++;
        console.log(this.counter)
    }
```

```
role=localStorage.getItem("usertype");
 checked=false;
 constructor(private matservice:MATService , private route:
ActivatedRoute,private router: Router,private jwtHelper: JwtHelperService){}
 questions:any;
 surveyid =this.route.snapshot.paramMap.get('id');
 ngOnInit(): void {
   this.questionandanswer(this.surveyid)
 }
 questionandanswer(id: string | null): void {
   this._matservice.getselectedquestionandanswer(id).subscribe ( (data: any)=>{
     this.questions = data;
   console.log(data)})
   }
   isuserAuthenticated() {
     const token: string | null = localStorage.getItem("jwt");
     if (token && !this.jwtHelper.isTokenExpired(token)) {
       return true;
     else {
       return false;
   logout() {
     localStorage.clear();
     this.router.navigate(["login"])
   }
```

### **Survey Report**

### **Component.css**

```
.canvas-container {
    display: flex;
    align-items: center;
    justify-content: center;
    width:750px ;
    height:400px;
}
```

```
<nav class="navbar navbar-expand-lg" style="background-color: #333333;">
  <div class="container-fluid">
      <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
      <div class="navbar-nav ms-right"> <a class="nav-item nav-link"</pre>
style="color: #ffe600;">{{role}}</a></div>
      <div class="navbar-nav ms-auto"> <button type="button" class="btn</pre>
btn-dark" style="background-color: #333333; border: 0px ; color:#ffe600;"
(click)="logout()">LOGOUT</button></div>
   </div>
</nav>
<br><br><
<h2 style="padding-left: 45rem;"> REPORT</h2>
<div style="width: 500px; height: 200px;margin: auto; ">
<canvas
baseChart
[data]="salesData"
[type]="'pie'">
</canvas>
</div>
```

#### Component.ts

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { JwtHelperService } from '@auth0/angular-jwt';
import { ChartData, ChartOptions } from 'chart.js';
@Component({
  selector: 'app-surveyreport',
 templateUrl: './surveyreport.component.html',
 styleUrls: ['./surveyreport.component.css']
})
export class SurveyreportComponent implements OnInit {
  count=Number(this.route.snapshot.paramMap.get('id'))*20;
  role=localStorage.getItem("usertype");
 public salesData: ChartData<'line'> = {
    labels: ['Failure percentage','Success percentage'],
   datasets: [
      { label: 'Successs', data: [100-this.count,this.count], tension: 0.5 },
   ],
  };
  constructor(private route: ActivatedRoute, private router: Router, private
jwtHelper: JwtHelperService) { }
 ngOnInit(): void {
  }
 isuserAuthenticated() {
    const token: string | null = localStorage.getItem("jwt");
   if (token && !this.jwtHelper.isTokenExpired(token)) {
      return true;
    }
   else {
      return false;
 logout() {
```

```
localStorage.clear();
  this.router.navigate(["login"])
}
```

## **View Question Details**

# **Component.css**

```
body {
  background-color: #eee
label.radio {
  cursor: pointer
label.radio input {
 position: absolute;
 top: 0;
 left: 0;
 visibility: hidden;
 pointer-events: none
label.radio span {
 padding: 4px 0px;
 border: 1px solid #ffe600;
 display: inline-block;
 color: #ffe600;
 width: 100px;
 text-align: center;
 border-radius: 3px;
 margin-top: 7px;
 text-transform: uppercase
label.radio input:checked+span {
 border-color:#ffe600;
 background-color: #ffe600;
 color: #fff
.ans {
```

```
margin-left: 36px !important
}
.btn:focus {
  outline: 0 !important;
  box-shadow: none !important
}
.btn:active {
  outline: 0 !important;
  box-shadow: none !important
}
```

### Component.html

```
<nav class="navbar navbar-expand-lg bg-dark">
  <div class="container-fluid">
      <a class="navbar-brand"> <img</pre>
src="https://res.cloudinary.com/giricloud/image/upload/v1650438108/PicsArt_04-20-
12.30.14_gjlakm.png" height="28" alt="CoolBrand"> </a>
   </div>
</nav>
<br>
<h2 style="padding-left: 45rem;">REVIEW SURVEY</h2>
<div class="container mt-5">
 <div class="d-flex justify-content-center row">
      <div class="col-md-10 col-lg-10">
          <div class="border">
              <div *ngFor="let question of questions">
              <div class="question bg-white p-3 border-bottom">
                  <div class="d-flex flex-row align-items-center question-title">
                      <h3 class="text-danger">Q.</h3>
                      <h3 class="mt-1 ml-2">{{question.question}}</h3>
                  </div>
                  <div class="ans ml-2">
```

### Component.ts

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute, Router } from '@angular/router';
import { MATService } from '../mat.service';
@Component({
  selector: 'app-viewquestiondetails',
 templateUrl: './viewquestiondetails.component.html',
 styleUrls: ['./viewquestiondetails.component.css']
})
export class ViewquestiondetailsComponent implements OnInit {
  constructor(private _matservice:MATService , private route:
ActivatedRoute,private router: Router) {}
  questions:any;
 surveydetails:any
  surveyid =this.route.snapshot.paramMap.get('id');
 ngOnInit(): void {
    this.questionandanswer(this.surveyid)
```

```
questionandanswer(id: string | null): void {
   this._matservice.getselectedquestionandanswer(id).subscribe ( (data: any)=>{
     this.questions = data;
   console.log(data)})
}
```

## **App Routing**

### **App-routing.module.ts**

```
import { NgModule } from '@angular/core';
import { RouterModule, Routes } from '@angular/router';
import { CreateuserComponent } from './createuser/createuser.component';
import { LoginComponent } from './login/login.component';
import { HomeComponent } from './home/home.component';
import { CreateprojectComponent } from './createproject/createproject.component';
import { CreatesurveyComponent } from './createsurvey/createsurvey.component';
import { AddquestionsComponent } from './addquestions/addquestions.component';
import { ViewquestiondetailsComponent } from
./viewquestiondetails/viewquestiondetails.component';
import { SelectprojectComponent } from './selectproject/selectproject.component';
import { SelectsurveyComponent } from './selectsurvey/selectsurvey.component';
import { SurveypageComponent } from './surveypage/surveypage.component';
import { SurveyreportComponent } from './surveyreport/surveyreport.component';
import { AuthGuard } from './auth.guard';
const routes: Routes = [
{ path: '', redirectTo: 'Home', pathMatch: 'full' },
{path: 'Home', component:HomeComponent},
{path: 'login', component:LoginComponent},
{path: 'createuser', component:CreateuserComponent},
{path: 'createproject', component:CreateprojectComponent,canActivate:
[AuthGuard] },
{path: 'CreatesurveyComponent/:id', component:CreatesurveyComponent
,canActivate: [AuthGuard] },
 {path: 'AddquestionsComponent/:id', component:AddquestionsComponent,canActivate:
[AuthGuard] },
{path: 'ViewquestiondetailsComponent/:id',
component:ViewquestiondetailsComponent},
{path: 'SelectprojectComponent/:id',
component:SelectprojectComponent,canActivate: [AuthGuard] },
{path: 'SelectsurveyComponent/:id', component:SelectsurveyComponent,canActivate:
[AuthGuard] },
{path: 'SurveypageComponent/:id', component:SurveypageComponent,canActivate:
[AuthGuard] },
```

```
{path: 'SurveyreportComponent/:id', component:SurveyreportComponent,canActivate:
[AuthGuard] },
];
@NgModule({
  imports: [RouterModule.forRoot(routes)],
  exports: [RouterModule]
})
export class AppRoutingModule { }
```

#### App.module.ts

```
import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';
import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { LoginComponent } from './login/login.component';
import { CreateuserComponent } from './createuser/createuser.component';
import { FormsModule } from '@angular/forms';
import { ReactiveFormsModule } from '@angular/forms';
import { HomeComponent } from './home/home.component';
import { HttpClientModule } from '@angular/common/http';
import { MATService } from './mat.service';
import { CreateprojectComponent } from './createproject/createproject.component';
import { ToastrModule } from 'ngx-toastr';
import { BrowserAnimationsModule } from '@angular/platform-browser/animations';
import { JwtModule } from '@auth0/angular-jwt';
import { CreatesurveyComponent } from './createsurvey/createsurvey.component';
import { AddquestionsComponent } from './addquestions/addquestions.component';
import { ViewquestiondetailsComponent } from
 ./viewquestiondetails/viewquestiondetails.component';
import { SelectprojectComponent } from './selectproject/selectproject.component';
import { SelectsurveyComponent } from './selectsurvey/selectsurvey.component';
import { SurveypageComponent } from './surveypage/surveypage.component';
import { NgChartsModule } from 'ng2-charts';
```

```
import { SurveyreportComponent } from './surveyreport/surveyreport.component';
export function tokenGetter() {
  return localStorage.getItem("jwt");
@NgModule({
 declarations: [
   AppComponent,
   LoginComponent,
   CreateuserComponent,
   HomeComponent,
   CreateprojectComponent,
   CreatesurveyComponent,
   AddquestionsComponent,
   ViewquestiondetailsComponent,
   SelectprojectComponent,
   SelectsurveyComponent,
   SurveypageComponent,
   SurveyreportComponent,
 ],
  imports: [
   BrowserModule,
   AppRoutingModule,
   FormsModule,
   ReactiveFormsModule,
   HttpClientModule,
   ToastrModule.forRoot (),
   BrowserAnimationsModule,
   NgChartsModule,
    JwtModule.forRoot({
      config: {
```

```
tokenGetter: tokenGetter,
    allowedDomains:["localhost:4200"],
    disallowedRoutes:[]
  }
})

],
providers: [
  MATService
],
bootstrap: [AppComponent]
})
export class AppModule { }
```

### **App Component**

#### app.component.css

```
import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';
import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { LoginComponent } from './login/login.component';
import { CreateuserComponent } from './createuser/createuser.component';
import { FormsModule } from '@angular/forms';
import { ReactiveFormsModule } from '@angular/forms';
import { HomeComponent } from './home/home.component';
import { HttpClientModule } from '@angular/common/http';
import { MATService } from './mat.service';
import { CreateprojectComponent } from './createproject/createproject.component';
import { ToastrModule } from 'ngx-toastr';
import { BrowserAnimationsModule } from '@angular/platform-browser/animations';
import { JwtModule } from '@auth0/angular-jwt';
import { CreatesurveyComponent } from './createsurvey/createsurvey.component';
import { AddquestionsComponent } from './addquestions/addquestions.component';
import { ViewquestiondetailsComponent } from
 ./viewquestiondetails/viewquestiondetails.component';
import { SelectprojectComponent } from './selectproject/selectproject.component';
import { SelectsurveyComponent } from './selectsurvey/selectsurvey.component';
import { SurveypageComponent } from './surveypage/surveypage.component';
import { NgChartsModule } from 'ng2-charts';
import { SurveyreportComponent } from './surveyreport/surveyreport.component';
export function tokenGetter() {
 return localStorage.getItem("jwt");
@NgModule({
```

```
declarations: [
  AppComponent,
  LoginComponent,
  CreateuserComponent,
  HomeComponent,
  CreateprojectComponent,
  CreatesurveyComponent,
  AddquestionsComponent,
  ViewquestiondetailsComponent,
  SelectprojectComponent,
  SelectsurveyComponent,
  SurveypageComponent,
  SurveyreportComponent,
],
imports: [
  BrowserModule,
  AppRoutingModule,
  FormsModule,
  ReactiveFormsModule,
  HttpClientModule,
  ToastrModule.forRoot (),
  BrowserAnimationsModule,
  NgChartsModule,
  JwtModule.forRoot({
    config: {
      tokenGetter: tokenGetter,
      allowedDomains:["localhost:4200"],
      disallowedRoutes:[]
    }
  })
],
providers: [
  MATService
],
```

```
bootstrap: [AppComponent]
})
export class AppModule { }
```

## app.component.html

```
<router-outlet></router-outlet>
```

### app.component.spec.ts

```
import { TestBed } from '@angular/core/testing';
import { RouterTestingModule } from '@angular/router/testing';
import { AppComponent } from './app.component';
describe('AppComponent', () => {
 beforeEach(async () => {
   await TestBed.configureTestingModule({
     imports: [
       RouterTestingModule
     ],
     declarations: [
       AppComponent
     ],
   }).compileComponents();
 });
 it('should create the app', () => {
   const fixture = TestBed.createComponent(AppComponent);
   const app = fixture.componentInstance;
   expect(app).toBeTruthy();
 });
 it(`should have as title 'project'`, () => {
   const fixture = TestBed.createComponent(AppComponent);
   const app = fixture.componentInstance;
   expect(app.title).toEqual('project');
 });
});
```

## app.component.ts

```
import { Component } from '@angular/core';

@Component({
   selector: 'app-root',
   templateUrl: './app.component.html',
   styleUrls: ['./app.component.css']
})

export class AppComponent {
   title = 'project';
}
```

## **API C-SHARP CODE**

## Program.c

```
using Microsoft.AspNetCore.Hosting;
using Microsoft.Extensions.Configuration;
using Microsoft.Extensions.Hosting;
using Microsoft.Extensions.Logging;
using System;
using System.Collections.Generic;
using System.Ling;
using System.Threading.Tasks;
namespace PROJECT MAT
    public class Program
        public static void Main(string[] args)
        {
            CreateHostBuilder(args).Build().Run();
        }
        public static IHostBuilder CreateHostBuilder(string[] args) =>
            Host.CreateDefaultBuilder(args)
                .ConfigureWebHostDefaults(webBuilder =>
                {
                    webBuilder.UseStartup<Startup>();
                });
```

#### Status.cs

```
using Microsoft.AspNetCore.Authentication.JwtBearer;
using Microsoft.AspNetCore.Builder;
using Microsoft.AspNetCore.Hosting;
using Microsoft.AspNetCore.Mvc;
using Microsoft.Extensions.Configuration;
using Microsoft.Extensions.DependencyInjection;
using Microsoft.Extensions.Hosting;
using Microsoft.Extensions.Logging;
using PROJECT_MAT.Models;
using Microsoft.IdentityModel.Tokens;
using System;
using System.Collections.Generic;
using System.Linq;
using System.Threading.Tasks;
using System.Text;
namespace PROJECT MAT
    public class Startup
        public Startup(IConfiguration configuration)
        {
            Configuration = configuration;
        }
        public IConfiguration Configuration { get; }
services to the container.
        public void ConfigureServices(IServiceCollection services)
            services.AddControllers();
            services.AddTransient<IUserRepository, UserRepo>();
            services.AddTransient<IprojectRepository, ProjectRepo>();
            services.AddTransient<IProjectMemberRepository,</pre>
projectmemberrepo>();
            services.AddTransient<ISurveyRepository, surveyrepo>();
            services.AddTransient<IUserSurveyRepository,UserSurveyRepo>();
            services.AddCors(options =>
```

```
{
                options.AddDefaultPolicy(
                     builder => builder.AllowAnyOrigin());
            });
            var key =
Encoding.UTF8.GetBytes(Configuration["ApplicationSettings:JWT_Secret"].ToSt
ring());
            services.AddAuthentication(x =>
                x.DefaultAuthenticateScheme =
JwtBearerDefaults.AuthenticationScheme;
                x.DefaultChallengeScheme =
JwtBearerDefaults.AuthenticationScheme;
                x.DefaultScheme = JwtBearerDefaults.AuthenticationScheme;
            }).AddJwtBearer(x => {
                x.RequireHttpsMetadata = false;
                x.SaveToken = false;
                x.TokenValidationParameters = new
Microsoft.IdentityModel.Tokens.TokenValidationParameters
                    ValidateIssuerSigningKey = true,
                    IssuerSigningKey = new SymmetricSecurityKey(key),
                    ValidateIssuer = false,
                    ValidateAudience = false,
                    ClockSkew = TimeSpan.Zero
                };
            });
        }
        // This method gets called by the runtime. Use this method to
configure the HTTP request pipeline.
        public void Configure(IApplicationBuilder app, IWebHostEnvironment
env)
        {
            if (env.IsDevelopment())
                app.UseDeveloperExceptionPage();
            app.UseRouting();
```

```
    D a ppsettings.json
    D a c = Program.cs
    D a c = Startup.cs
    D a c = WeatherForecast.cs
```

```
Solution 'PROJECT_MAT' (1 of 1 project)

PROJECT_MAT

Connected Services

Popendencies

Indicate a properties

Indicate a project a proj
```

```
▲ a B Models

  ▶ a C# Answers.cs
  ▶ a C# IProjectMemberRepository.cs
  ▶ a C# IprojectRepository.cs
  ▶ a c* ISurveyRepository.cs
  ▶ a C# IUserRepository.cs
  ▶ a C# IUserSurveyRepository.cs
  ▶ a C# MaturityAssessmenttoolContext.cs
  ▶ a c# Project.cs
  ▶ a C# ProjectFunction.cs
  ▶ a C* projectmemberrepo.cs
  ▶ a C# ProjectMembers.cs
  ▶ a c* ProjectRepo.cs
  ▶ a c* surveyrepo.cs
  ▶ a C# UserRepo.cs
  ▶ a C# UserSurvey.cs
  ▶ a C# UserSurveyRepo.cs
```

### **SQL CODE**

```
create database MaturityAssessmenttool
CREATE TABLE users
( user_id int PRIMARY KEY identity,
FirstName varchar(25) ,
LastName varchar(25),
userType varchar(25) ,
Emailid varchar(25) ,
password varchar(20)
 );
create table ProjectFunction(
Function id int PRIMARY KEY identity,
FunctionName varchar(25)
create table Project(
Project_id int PRIMARY KEY identity,
Projectname varchar(25),
ProjectDescription varchar(50),
Function_id int FOREIGN KEY REFERENCES ProjectFunction(Function_id)
create table ProjectMembers(
ProjectMember_id int PRIMARY KEY identity,
Project id int FOREIGN KEY REFERENCES Project(Project id),
user_id int FOREIGN KEY REFERENCES users(user_id )
create table Survey(
Survey_id int PRIMARY KEY identity,
Surveyname varchar(25),
Survey_Start_date date,
Survey_End_date date,
Project_id int FOREIGN KEY REFERENCES Project(Project_id)
create table Questions(
Question id int PRIMARY KEY identity,
Question varchar(255),
```

```
Function_id int FOREIGN KEY REFERENCES ProjectFunction(Function_id)
)

create table Answers(
Question_id int FOREIGN KEY REFERENCES Questions(Question_id),
Answer_id int PRIMARY KEY identity,
Answer varchar(25),
Answer_Weightage int
)

create table UserSurvey(
User_Survey_id int PRIMARY KEY identity,
Question_id int FOREIGN KEY REFERENCES Questions(Question_id),
Answer_id int FOREIGN KEY REFERENCES Answers(Answer_id),
Survey_id int FOREIGN KEY REFERENCES Survey(Survey_id),
)
```