Table of Contents

Mamata Lama
HITEK COMPUTER SCHOOL

Snapshot of the whole SoapUI window

Snapshot of France Assertions:

Country Name Assertion

Country Phone Code Assertion

XPath Match Configuration   ✕

Specify XPath expression and expected result

declare namespaces with `declare namespace <prefix>='<namespace>';`

XPath Expression

Declare

```
declare namespace soap='http://schemas.xmlsoap.org/soap/envelope/';
declare namespace m='http://www.oorsprong.org/websamples.countryinfo';
//m:FullCountryInfoResponse/m:FullCountryInfoResult/m:sPhoneCode
```

Expected Result

Select from current   Test   ☐ Allow Wildcards   ☐ Ignore namespace prefixes   ☐ Ignore XML Comments

```
33
```

Save   Cancel

Country Continent code Assertion

XPath Match Configuration   ✕

Specify XPath expression and expected result

declare namespaces with `declare namespace <prefix>='<namespace>';`

XPath Expression

Declare

```
declare namespace soap='http://schemas.xmlsoap.org/soap/envelope/';
declare namespace m='http://www.oorsprong.org/websamples.countryinfo';
//m:FullCountryInfoResponse/m:FullCountryInfoResult/m:sContinentCode
```

⌃⌄

Expected Result

Select from current   Test   ☐ Allow Wildcards   ☐ Ignore namespace prefixes   ☐ Ignore XML Comments

```
EU
```

Save   Cancel

Country Currency ISO Code Assertion

**XPath Match Configuration**   ✕

Specify XPath expression and expected result

declare namespaces with `declare namespace <prefix>='<namespace>';`

XPath Expression

Declare

```
declare namespace soap='http://schemas.xmlsoap.org/soap/envelope/';
declare namespace m='http://www.oorsprong.org/websamples.countryinfo';
//m:FullCountryInfoResponse/m:FullCountryInfoResult/m:sCurrencyISOCode
```

Expected Result

Select from current   Test   ☐ Allow Wildcards   ☐ Ignore namespace prefixes   ☐ Ignore XML Comments

```
EUR
```

Save   Cancel

Snapshot of Japan Assertions:

Country Capital City Assertion

XPath Match Configuration   ✕

Specify XPath expression and expected result

declare namespaces with `declare namespace <prefix>='<namespace>';`

XPath Expression

Declare

```
declare namespace soap='http://schemas.xmlsoap.org/soap/envelope/';
declare namespace m='http://www.oorsprong.org/websamples.countryinfo';
//m:FullCountryInfoResponse/m:FullCountryInfoResult/m:sCapitalCity
```

⌃⌄

Expected Result

Select from current   Test   ☐ Allow Wildcards   ☐ Ignore namespace prefixes   ☐ Ignore XML Comments

Tokyo

ⓘ   Save   Cancel

Country Continent Code Assertion

XPath Match Configuration ✕

Specify XPath expression and expected result

declare namespaces with `declare namespace <prefix>='<namespace>';`

XPath Expression

Declare

```
declare namespace soap='http://schemas.xmlsoap.org/soap/envelope/';
declare namespace m='http://www.oorsprong.org/websamples.countryinfo';
//m:FullCountryInfoResponse/m:FullCountryInfoResult/m:sContinentCode
```

⌃⌄

Expected Result

Select from current   Test   ☐ Allow Wildcards   ☐ Ignore namespace prefixes   ☐ Ignore XML Comments

```
AS
```

Save   Cancel

Country Language Assertion

XPath Match Configuration   ✕

Specify XPath expression and expected result

declare namespaces with `declare namespace <prefix>='<namespace>';`

XPath Expression

Declare

```
declare namespace soap='http://schemas.xmlsoap.org/soap/envelope/';
declare namespace m='http://www.oorsprong.org/websamples.countryinfo';
//m:FullCountryInfoResponse/m:FullCountryInfoResult/m:Languages/m:tLanguage/m:sName
```

⌃⌄

Expected Result

Select from current   Test   ☐ Allow Wildcards   ☐ Ignore namespace prefixes   ☐ Ignore XML Comments

Japanese

Save   Cancel

Snapshot of the Test Suite Run