

Test Report

Number: SZHH02104761

Applicant: CHIZHOU HAIZHIBAO CHILDREN PRODUCTS CO., LTD
MATANG INDUSTRIAL PARK, DINGQIAO TOWN,
QINGYANG COUNTY, CHIZHOU CITY.

Date: Dec 01, 2025

Sample Description:

Six (6) sets of submitted sample said to be :

Item Name	: Toy Car
Item No.	: HZB-088/SQ8
Labelled Age Group	: 37-96 months
Applicant Specified Age	: Over 3 Years
Grading for Testing	
Packaging Provided by Applicant	: Yes (artwork)
Additional Material and Wet	: Yes
Paint Provided	
Country of Origin	: China
Date Sample Received	: Sep 28, 2025 & Oct 29, 2025
Testing Period	: Sep 28, 2025~Dec 01, 2025



Test Report

Number: SZHH02104761



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples
Submitted samples

Standard/Test Item
EN IEC 62115:2020+A11:2020- Safety of electric toys

Result
Pass
(Subjected to
remark)

EN IEC 62115:2020+A11:2020 Annex E: Safety of electric toys
incorporating optical radiation sources

Pass

BS EN IEC 62115:2020+A11:2020- Safety of electric toys

Pass
(Subjected to
remark)

BS EN IEC 62115:2020+A11:2020 Annex E: Safety of electric
toys incorporating optical radiation sources

Pass

EN 71-1: 2014+A1: 2018
for mechanical and physical properties

Pass



Page 2 of 70



Test Report

Number: SZHH02104761

Conclusion:

<u>Tested Samples</u>	<u>Standard/Test Item</u>	<u>Result</u>
Submitted samples	BS EN 71-1: 2014+A1: 2018 for mechanical and physical properties	Pass
	BS EN 71-2: 2020+A1:2025 Flammability test	Pass
	EN 71-2: 2020 Flammability test	Pass
	BS EN 71-2: 2020 Flammability test	Pass
Tested components of submitted samples	EN 71-2: 2020+A1:2025 Flammability test	Pass
	EN 71-3:2019+A1:2021 on Migration of Certain Elements	Pass
	EN 71-3:2019+A2:2024 on Migration of Certain Elements	Pass
	BS EN 71-3:2019+A1:2021 on Migration of Certain Elements	Pass
	BS EN 71-3:2019+A2:2024 on Migration of Certain Elements	Pass
	EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) 2016/217 Annex XVII Entry 23 on Cadmium (Cd) Content	Pass
	UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entry 23 on Cadmium (Cd) Content	Pass
	EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) 2018/2005 Annex XVII Entries 51 and 52 on Phthalates Content	Pass
	UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entries 51 and 52 on Phthalates Content	Pass
	Azocolourants Content Requirement in Annex XVII Entry 43 of the REACH Regulation (EC) No 1907/2006 and Amendment (EC) No 552/2009 and (EU) 2020/2096	Pass
Submitted samples	Australian / New Zealand Standard AS/NZS ISO 8124.1: 2023 Safety aspects related to mechanical and physical properties	Pass
	Australian / New Zealand Standard on Safety of Toys AS/NZS ISO 8124.2:2023 flammability test	Pass




Test Report

Number: SZHH02104761

Conclusion:

<u>Tested Samples</u>	<u>Standard/Test Item</u>	<u>Result</u>
Tested components of submitted samples	AS/NZS ISO 8124.3:2003 for toxic elements test (Australian Trade Practices Act 1974 with Consumer Protection Notice No. 1 of 2009 - Consumer Product Safety Standard for Lead and Certain Elements in Children's Toys)	Pass
	AS/NZS ISO 8124.3:2021+Amd 1:2023 on Migration of Certain Elements from Any Toy Materials Except Modelling Clays and Putties, Finger Paints and Slimes	Pass
Submitted samples	Australian Competition and Consumer Act 2010 with Consumer Protection Notice No. 11 of 2011 - Permanent ban on children's products containing more than 1% Diethylhexyl Phthalate (DEHP)	Not Applicable
Tested components of submitted samples	Unsafe Goods (Lead in Children's Toys) Indefinite Prohibition Notice 2009 for migration lead content	Pass
	EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) No 1272/2013 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content	Pass
	UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content	Pass
	Germany AfPS GS 2019:01 PAK (PAH) on Polycyclic Aromatic Hydrocarbons (PAHs) Content	Pass

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
Vice President



Should you have any query on this report, please click the link below:
https://verifyindex.intertek.com.cn/home/index?id=hl_report_verify



Page 4 of 70



Test Report

Number: SZHH02104761

Tests Conducted

1 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Battery Type: 12.0V, 4.5Ah lead-acid rechargeable battery size x 1 piece

Battery charger: Input: 100-240V, A.C. Output: 12.0V D.C. (provided)

Normal Use Operation: Motion, sound and light are powered by battery.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	See remark (1)
7.2.2	Electric toys with replaceable batteries	P
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	P
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Assessment
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	NA
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	NA
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	P See remark (2)
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	NA
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Assessment
18.2.3	Insulating material	P
19	Radiation and similar hazards	P
19.1	General	P
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	P
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	P
Annex D	Electric toys with protective electronic circuits D.1 General During the tests of 9.9 an electronic circuit prevents the hazardous conditions listed in 9.10 D.2 Dangerous malfunction ☒ D.2.1 General The electric toy shall not cause an unintended operation that may impair safety or present a dangerous malfunction due to influence from electromagnetic phenomena (EMP) ☒ D.2.2 Electrostatic discharges In accordance with IEC 61000-4-2:2008, test level 4 ☒ D.2.3 Radiated fields In accordance with IEC 61000-4-3:2006+A1:2007+A2:2010 test level 3. cover 80 MHz to 1 000 MHz and 1,4 GHz to 2,0 GHz ☐ D.2.4 Transient bursts In accordance with IEC 61000-4-4:2012. - Test level 3 with a repetition rate of 5 kHz is applicable for signal and control lines - Test level 4 with a repetition rate of 5 kHz is applicable for the power supply lines ☐ D.2.5 Voltage surges In accordance with IEC 61000-4-5:2014, - Test level 4 is applicable for the line-to-line coupling mode, a generator having a source impedance of 2 Ω being used - Test level 4 is applicable for the line-to-earth coupling mode, a generator having a source impedance of 12Ω being used ☐ D.2.6 Injected current In accordance with IEC 61000-4-6:2013 test level 3 being applicable. During the test, all frequencies between 0,15 MHz to 80 MHz are covered ☐ D.2.7 Voltage dips and interruptions Class 3 voltage dips and interruptions in accordance with IEC 61000-4-11: 2004. ☐ D.2.8 Mains signals In accordance with IEC 61000-4-13:2002/AMD2:2015, Table 11 with test	P



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Assessment
	level class 2 using the frequency steps according to Table 10	
Annex J	Safety of remote controls for electric ride-on toys	P

Abbreviation : P = Pass

NA = Not Applicable

Remark:

- (1) Clause 7.2.1 Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
= Great Britain-based authorised representatives will no longer be recognised in EU from 1 January 2021. Therefore, EU importer's name and address shall be indicated on the product itself.
- (2) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

2 Optical Radiation

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020 Annex E: Safety of electric toys incorporating optical radiation sources.

Power Source: 6.0V, 4.5A sealed lead-acid rechargeable battery size x 1 piece

Clause	Requirement / Test result	Verdict
19.E.2	Light-emitting diodes (LEDs) For white water-clear LED: Measured wavelength: Peak at: 443nm Spectral emission bandwidth: 225.3nm Measurement distance: 200.0mm Measured radiant intensity under normal operation: 0.0095Wsr^{-1} Limit: 0.19Wsr^{-1} For red SMD LED: Measured wavelength: 629nm Spectral emission bandwidth: 12.4nm Measurement distance: 200.0mm Measured radiant intensity under normal operation: 0.0001Wsr^{-1} Measured radiant intensity under fault operation: 0.0001Wsr^{-1}	P




Test Report

Number: SZHH02104761


Tests Conducted

	Limit: 0.76Wsr ⁻¹	
19.E.3	Lasers	NA
19.E.4	UV-emitting lamps	NA
19.E.5	Modulated accessible emission	NA

Photos:



Tests Conducted



3 Safety of Electric Toys

As per British Standard on Safety of Electric Toys BS EN IEC 62115:2020+A11:2020

Battery Type: 12.0V, 4.5Ah lead-acid rechargeable battery size x 1 piece

Battery charger: Input: 100-240V, A.C. Output: 12.0V D.C. (provided)

Normal Use Operation: Motion, sound and light are powered by battery.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	P
7.2.2	Electric toys with replaceable batteries	P
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	P
7.3.3	Electric toys that are used with replaceable batteries	P



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Assessment
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	NA
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	NA
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P



Page 11 of 70



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Assessment
14.2	Fixed parts	NA
15	Components	P See remark (1)
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	NA
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	P
19	Radiation and similar hazards	P
19.1	General	P
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	P
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	P
Annex D	Electric toys with protective electronic circuits D.1 General During the tests of 9.9 an electronic circuit prevents the hazardous conditions listed in 9.10 D.2 Dangerous malfunction ☒ D.2.1 General The electric toy shall not cause an unintended operation that may impair safety or present a dangerous malfunction due to influence from electromagnetic phenomena (EMP) ☒ D.2.2 Electrostatic discharges In accordance with IEC 61000-4-2:2008, test level 4 ☒ D.2.3 Radiated fields In accordance with IEC 61000-4-3:2006+A1:2007+A2:2010 test level 3. cover 80 MHz to 1 000 MHz and 1,4 GHz to 2,0 GHz ☐ D.2.4 Transient bursts In accordance with IEC 61000-4-4:2012. - Test level 3 with a repetition rate of 5 kHz is applicable for signal and control lines - Test level 4 with a repetition rate of 5 kHz is applicable for the power supply lines ☐ D.2.5 Voltage surges	P



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Assessment
	In accordance with IEC 61000-4-5:2014, - Test level 4 is applicable for the line-to-line coupling mode, a generator having a source impedance of $2\ \Omega$ being used - Test level 4 is applicable for the line-to-earth coupling mode, a generator having a source impedance of $12\ \Omega$ being used ☐ D.2.6 Injected current In accordance with IEC 61000-4-6:2013 test level 3 being applicable. During the test, all frequencies between 0,15 MHz to 80 MHz are covered ☐ D.2.7 Voltage dips and interruptions Class 3 voltage dips and interruptions in accordance with IEC 61000-4-11:2004. ☐ D.2.8 Mains signals In accordance with IEC 61000-4-13:2002/AMD2:2015, Table 11 with test level class 2 using the frequency steps according to Table 10	
Annex J	Safety of remote controls for electric ride-on toys	P

Abbreviation : P = Pass

NA = Not Applicable

Remark:

- (1) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

4 Optical Radiation

As per British Standard on Safety of Electric Toys BS EN IEC 62115:2020+A11:2020 Annex E: Safety of electric toys incorporating optical radiation sources.

Power Source: 12.0V, 4.5A sealed lead-acid rechargeable battery size x 1 piece

Clause	Requirement / Test result	Verdict
19.E.2	Light-emitting diodes (LEDs) For white water-clear LED: Measured wavelength: Peak at: 443nm Spectral emission bandwidth: 225.3nm Measurement distance: 200.0mm Measured radiant intensity under normal operation: 0.0095Wsr^{-1} Limit: 0.19Wsr^{-1} For red SMD LED: Measured wavelength: 629nm Spectral emission bandwidth: 12.4nm Measurement distance: 200.0mm	P



Page 13 of 70




Test Report

Number: SZHH02104761

Tests Conducted

	Measured radiant intensity under normal operation: 0.0001Wsr ⁻¹ Measured radiant intensity under fault operation: 0.0001Wsr ⁻¹ Limit: 0.76Wsr ⁻¹	
19.E.3	Lasers	NA
19.E.4	UV-emitting lamps	NA
19.E.5	Modulated accessible emission	NA


Photos:



Test Report

Number: SZHH02104761

Tests Conducted



Test Report

Number: SZHH02104761

Tests Conducted

5 Mechanical and Physical Test

Test standard: European Standard on Safety of toys EN 71-1: 2014+A1: 2018.

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Tip over test	8.6	Three times
Impact test	8.7	1 kg

Clause	Requirement	Result
4	General requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Result
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA



Page 17 of 70



Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Result
--------	-------------	--------

Abbreviation: P = Pass **F = Fail** NA = Not Applicable NR=Not Requested

Note: According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

- Age warning statement, graphical symbol and the indication of hazard was found on the packaging.

Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

	Product	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Product	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy.

After checking UKCA marking, it was found that

	Product	Packaging
UKCA marking	Present	Present



Test Report

Number: SZHH02104761

Tests Conducted

6 Mechanical and Physical Test

Test standard: British Standard on Safety of toys BS EN 71-1: 2014+A1: 2018.

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Tip over test	8.6	Three times
Impact test	8.7	1 kg

Clause	Requirement	Result
4	General requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA

Test Report

Number: SZHH02104761

Tests Conducted

Clause	Requirement	Result
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA



Test Report

Number: SZHH02104761

Tests Conducted

Abbreviation: P = Pass **F = Fail** NA = Not Applicable NR = Not Requested

Note: According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

- Age warning statement, graphical symbol and the indication of hazard was found on the packaging.

Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the BS EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

	Product	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Product	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy.

After checking UKCA marking, it was found that

	Product	Packaging
UKCA marking	Present	Present



Test Report

Number: SZHH02104761

Tests Conducted

7 Flammability Test

Test Standard: British Standard on Safety of Toys BS EN 71 - 2: 2020+A1:2025.

Clause	Testing items	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation: P = Pass NA = Not applicable NR=Not Requested

8 Flammability Test

Test Standard: European Standard on Safety of Toys EN 71 - 2: 2020.

Clause	Testing items	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation: P = Pass NA = Not applicable NR=Not Requested

9 Flammability Test

Test Standard: British Standard on Safety of Toys BS EN 71 - 2: 2020

Clause	Requirement	Result
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation: P = Pass NA = Not applicable NR=Not Requested



Test Report

Number: SZHH02104761

Tests Conducted

10 Flammability Test

Test Standard: European Standard on Safety of Toys EN 71 - 2: 2020+A1:2025.

Clause	Testing items	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation: P = Pass NA = Not applicable NR=Not Requested

11 EN 71-3:2019+A1:2021 on Migration of Certain Elements

(A) Test Result

With reference to EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component						
	(1)	(2)	(3)	(35)	(36)		
Aluminium (Al)	ND	6170	512	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	276	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	10	ND	12	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin ^{**}	ND	ND	ND	5.1	5.8	5	12
Zinc (Zn)	ND	ND	834	ND	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Element	Result (mg/kg)				Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component					
	(37)	(38)	(46)	(61)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) #	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	14	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	2.5	7.2	ND	ND	2.5	180000
Organic tin **	6.1	NDΔ	ND	ND	5	12
Zinc (Zn)	ND	ND	103	382	100	46000

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(4)to(34),(39)to(45),(47)to(60)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	10	460
Chromium (VI) (Cr(VI))	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ^{**}	ND	5	12
Zinc (Zn)	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Remark : mg/kg = milligram per kilogram

++ = Unless the test results were marked with "Δ", organic tin contents were not directly determined and were derived from migration results of total tin.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

= The reported value of migration of chromium (III) = migration value of total chromium – migration value of chromium (VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of dimethyl tin, methyl tin, butyl tin, dibutyl tin, tributyl tin, tetrabutyl tin, n-octyl tin, di-n-octyl tin, di-n-propyl tin, diphenyl tin and triphenyl tin after converted to tributyl tin by calculation. Other organic tin compounds may also be present in sample as stated in EN 71-3:2019+A1:2021.

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black webbing (belt).
- (39) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor



Page 25 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- case, wind shield).
- (40) Silver color plastic (hub).
 - (41) Matt-black plastic (wheels).
 - (42) Silver-grey plastic (mirror, pedal).
 - (43) Black plastic (steering wheel).
 - (44) Black plastic (buckle).
 - (45) Bright silver color plastic (door clasp).
 - (46) Matt-black plastic (switch, button).
 - (47) White plastic (button).
 - (48) Black plastic (button panel on USB function indication).
 - (49) Light red plastic (charger of seat).
 - (50) White plastic (gear of wheel holder).
 - (51) Grey plastic excluding coating (logo, front decoration).
 - (52) Transparent red plastic (light cover).
 - (53) Transparent plastic (light cover).
 - (54) Black plastic (shrinking tube).
 - (55) Black plastic (clasp of wire).
 - (56) Black plastic (wire covering of front light).
 - (57) Red plastic (wire covering of front light).
 - (58) White plastic (remote-control).
 - (59) Black plastic (remote-control).
 - (60) Transparent brown plastic (remote-control).
 - (61) Blue plastic (nut).
 - (62) @ White coatings on plastic (switch).
 - (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).



Test Report

Number: SZHH02104761

Tests Conducted

12 EN 71-3:2019+A2:2024 on Migration of Certain Elements

(A) Test Result

With reference to EN 71-3:2019+A2:2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component						
	(1)	(2)	(3)	(35)	(36)		
Aluminium (Al)	ND	6170	512	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	276	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	10	ND	12	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	5.1	5.8	5	12
Zinc (Zn)	ND	ND	834	ND	ND	100	46000

Test Report

Number: SZHH02104761

Tests Conducted

Element	Result (mg/kg)				Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component					
	(37)	(38)	(46)	(61)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	14	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	2.5	7.2	ND	ND	2.5	180000
Organic tin ⁺⁺	6.1	NDΔ	ND	ND	5	12
Zinc (Zn)	ND	ND	103	382	100	46000

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(4)to(34),(39)to(45),(47)to(60)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	10	460
Chromium (VI) (Cr(VI))	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ^{**}	ND	5	12
Zinc (Zn)	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Remark : mg/kg = milligram per kilogram

++ = Unless the test results were marked with "Δ", organic tin contents were not directly determined and were derived from migration results of total tin.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

= The reported value of migration of chromium (III) = migration value of total chromium – migration value of chromium (VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of dimethyl tin, methyl tin, butyl tin, dibutyl tin, tributyl tin, tetrabutyl tin, n-octyl tin, di-n-octyl tin, di-n-propyl tin, diphenyl tin and triphenyl tin after converted to tributyl tin by calculation. Other organic tin compounds may also be present in sample as stated in EN 71-3:2019+A2:2024.

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black webbing (belt).
- (39) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor



Page 29 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- case, wind shield).
- (40) Silver color plastic (hub).
 - (41) Matt-black plastic (wheels).
 - (42) Silver-grey plastic (mirror, pedal).
 - (43) Black plastic (steering wheel).
 - (44) Black plastic (buckle).
 - (45) Bright silver color plastic (door clasp).
 - (46) Matt-black plastic (switch, button).
 - (47) White plastic (button).
 - (48) Black plastic (button panel on USB function indication).
 - (49) Light red plastic (charger of seat).
 - (50) White plastic (gear of wheel holder).
 - (51) Grey plastic excluding coating (logo, front decoration).
 - (52) Transparent red plastic (light cover).
 - (53) Transparent plastic (light cover).
 - (54) Black plastic (shrinking tube).
 - (55) Black plastic (clasp of wire).
 - (56) Black plastic (wire covering of front light).
 - (57) Red plastic (wire covering of front light).
 - (58) White plastic (remote-control).
 - (59) Black plastic (remote-control).
 - (60) Transparent brown plastic (remote-control).
 - (61) Blue plastic (nut).
 - (62) @ White coatings on plastic (switch).
 - (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).



Test Report

Number: SZHH02104761

Tests Conducted

13 BS EN 71-3:2019+A1:2021 on Migration of Certain Elements

(A) Test Result

With reference to BS EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component						
	(1)	(2)	(3)	(35)	(36)		
Aluminium (Al)	ND	6170	512	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	276	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	10	ND	12	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	5.1	5.8	5	12
Zinc (Zn)	ND	ND	834	ND	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Element	Result (mg/kg)				Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component					
	(37)	(38)	(46)	(61)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	14	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	2.5	7.2	ND	ND	2.5	180000
Organic tin ⁺⁺	6.1	NDA	ND	ND	5	12
Zinc (Zn)	ND	ND	103	382	100	46000

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(4)to(34),(39)to(45),(47)to(60)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	10	460
Chromium (VI) (Cr(VI))	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ^{**}	ND	5	12
Zinc (Zn)	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Remark : mg/kg = milligram per kilogram

++ = Unless the test results were marked with "Δ", organic tin contents were not directly determined and were derived from migration results of total tin.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

= The reported value of migration of chromium (III) = migration value of total chromium – migration value of chromium (VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of dimethyl tin, methyl tin, butyl tin, dibutyl tin, tributyl tin, tetrabutyl tin, n-octyl tin, di-n-octyl tin, di-n-propyl tin, diphenyl tin and triphenyl tin after converted to tributyl tin by calculation. Other organic tin compounds may also be present in sample as stated in BS EN 71-3:2019+A1:2021.

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black webbing (belt).
- (39) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor



Page 33 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- case, wind shield).
- (40) Silver color plastic (hub).
 - (41) Matt-black plastic (wheels).
 - (42) Silver-grey plastic (mirror, pedal).
 - (43) Black plastic (steering wheel).
 - (44) Black plastic (buckle).
 - (45) Bright silver color plastic (door clasp).
 - (46) Matt-black plastic (switch, button).
 - (47) White plastic (button).
 - (48) Black plastic (button panel on USB function indication).
 - (49) Light red plastic (charger of seat).
 - (50) White plastic (gear of wheel holder).
 - (51) Grey plastic excluding coating (logo, front decoration).
 - (52) Transparent red plastic (light cover).
 - (53) Transparent plastic (light cover).
 - (54) Black plastic (shrinking tube).
 - (55) Black plastic (clasp of wire).
 - (56) Black plastic (wire covering of front light).
 - (57) Red plastic (wire covering of front light).
 - (58) White plastic (remote-control).
 - (59) Black plastic (remote-control).
 - (60) Transparent brown plastic (remote-control).
 - (61) Blue plastic (nut).
 - (62) @ White coatings on plastic (switch).
 - (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).



Test Report

Number: SZHH02104761

Tests Conducted

14 BS EN 71-3:2019+A2:2024 on Migration of Certain Elements

(A) Test Result

With reference to BS EN 71-3:2019+A2:2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component						
	(1)	(2)	(3)	(35)	(36)		
Aluminium (Al)	ND	6170	512	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	276	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	10	ND	12	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	5.1	5.8	5	12
Zinc (Zn)	ND	ND	834	ND	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Element	Result (mg/kg)				Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component					
	(37)	(38)	(46)	(61)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	ND	ND	ND	10	460
Chromium (VI) (Cr(VI))	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	14	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	2.5	7.2	ND	ND	2.5	180000
Organic tin ⁺⁺	6.1	NDA	ND	ND	5	12
Zinc (Zn)	ND	ND	103	382	100	46000

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(4)to(34),(39)to(45),(47)to(60)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr(III)) [#]	ND	10	460
Chromium (VI) (Cr(VI))	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ^{**}	ND	5	12
Zinc (Zn)	ND	100	46000



Test Report

Number: SZHH02104761

Tests Conducted

Remark : mg/kg = milligram per kilogram
++ = Unless the test results were marked with "Δ", organic tin contents were not directly determined and were derived from migration results of total tin.
- Organic tin test result was expressed as tributyl tin.
ND = Not detected (less than detection limit)
θ = Single result for each test component/group
= The reported value of migration of chromium (III) = migration value of total chromium – migration value of chromium (VI).
Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of dimethyl tin, methyl tin, butyl tin, dibutyl tin, tributyl tin, tetrabutyl tin, n-octyl tin, di-n-octyl tin, di-n-propyl tin, diphenyl tin and triphenyl tin after converted to tributyl tin by calculation. Other organic tin compounds may also be present in sample as stated in BS EN 71-3:2019+A2:2024.

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black webbing (belt).
- (39) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor



Page 37 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- case, wind shield).
- (40) Silver color plastic (hub).
 - (41) Matt-black plastic (wheels).
 - (42) Silver-grey plastic (mirror, pedal).
 - (43) Black plastic (steering wheel).
 - (44) Black plastic (buckle).
 - (45) Bright silver color plastic (door clasp).
 - (46) Matt-black plastic (switch, button).
 - (47) White plastic (button).
 - (48) Black plastic (button panel on USB function indication).
 - (49) Light red plastic (charger of seat).
 - (50) White plastic (gear of wheel holder).
 - (51) Grey plastic excluding coating (logo, front decoration).
 - (52) Transparent red plastic (light cover).
 - (53) Transparent plastic (light cover).
 - (54) Black plastic (shrinking tube).
 - (55) Black plastic (clasp of wire).
 - (56) Black plastic (wire covering of front light).
 - (57) Red plastic (wire covering of front light).
 - (58) White plastic (remote-control).
 - (59) Black plastic (remote-control).
 - (60) Transparent brown plastic (remote-control).
 - (61) Blue plastic (nut).
 - (62) @ White coatings on plastic (switch).
 - (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).



Test Report

Number: SZHH02104761

Tests Conducted

- 15 EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) 2016/217 Annex XVII Entry 23 on Cadmium (Cd) Content

With reference to IEC 62321-5:2013, acid digestion method was used and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (%) θ	Detection Limit (%)
	Tested Component	
	(1+2) Δ , (3)to(5), (6+7), (8+9+10), (11+12+13), (14+15+16), (17+18+19), (20+21+22), (23+24+25), (26+27+28), (29+30+31), (32+33+34), (35+36), (37+38+39), (40+41+42), (43+44+45), (46+47+48), (49+50+51), (52+53+54), (55+56+57), (58+59+60), (61+62+63), (64), (65+66+67), (68+69+70), (71+72+73), (74+75+76), (77+78+79), (80+81+82), (83+84+85), (86+87+88), (89+90+91), (92+93+94), (95+96+97), (98+99+100), (101+102+103), (104+105+106), (107+108+109), (110+111+112), (113), (114), (115+116+117), (118+119+120), (121+122), (123), (124+125+126), (127+128+129), (130+131+132), (133+134+135), (136+137+138), (139+140+141), (142+143)	
Cadmium (Cd)	ND	0.0005

Limit:

Category	Limit (%)
Wet paint	0.01
Surface coating	0.1
Plastic	0.01
Metal parts of jewellery and hair accessories	0.01

The limit was quoted according to EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) 2016/217 Annex XVII Entry 23 on Cadmium (Cd) Content.

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Coatings on plastic label (sticker).
- (4) Silver color coating on plastic (logo, front decoration).
- (5) Black coating on metal (metal part).
- (6) Red plastic (accessory).
- (7) Pink plastic (accessory).
- (8) Blue plastic (accessory).
- (9) Black plastic (accessory).
- (10) Bright blue plastic (accessory).
- (11) Bright black plastic (accessory).
- (12) Bright pink plastic (accessory).
- (13) Red plastic (accessory).
- (14) Pink plastic (accessory).
- (15) Grey plastic (accessory).



Page 39 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (16) White plastic (accessory).
- (17) Blue plastic (accessory).
- (18) Yellow plastic (accessory).
- (19) Bright white plastic (accessory).
- (20) Green plastic (accessory).
- (21) Dull pink plastic (accessory).
- (22) Flesh color plastic (accessory).
- (23) Blue plastic (accessory).
- (24) Green plastic (accessory).
- (25) Orange plastic (accessory).
- (26) Pink plastic (accessory).
- (27) White plastic (accessory).
- (28) Pink plastic (accessory).
- (29) Purple plastic (accessory).
- (30) Blue plastic (accessory).
- (31) Pink plastic (accessory).
- (32) Black plastic (accessory).
- (33) Red plastic (accessory).
- (34) Light pink plastic (accessory).
- (35) Army green plastic (accessory).
- (36) White plastic (accessory).
- (37) White plastic label excluding coatings (sticker).
- (38) Silver color plastic label (logo on steering wheel).
- (39) Black/red plastic label (logo on rear).
- (40) Bright black plastic (transformer of inner charger).
- (41) Green/beige PCB (inner charger).
- (42) Plastic part on PCB (inner charger).
- (43) Matt-black plastic (wheels).
- (44) Silver-grey plastic (mirror, pedal).
- (45) Black plastic (steering wheel).
- (46) Black plastic (buckle).
- (47) Bright silver color plastic (door clasp).
- (48) Matt-black plastic (switch, button).
- (49) White plastic (button).
- (50) Black plastic (button panel on USB function indication).
- (51) Light red plastic (charger of seat).
- (52) White plastic (gear of wheel holder).
- (53) Grey plastic excluding coating (logo, front decoration).
- (54) Transparent red plastic (light cover).
- (55) Transparent plastic (light cover).
- (56) Black plastic (shrinking tube).
- (57) Black plastic (clasp of wire).
- (58) Black plastic (wire covering of front light).
- (59) Red plastic (wire covering of front light).
- (60) White plastic (remote-control).
- (61) Black plastic (remote-control).
- (62) Transparent brown plastic (remote-control).
- (63) Blue plastic (nut).
- (64) Coatings (red, black) on plastic label (warning label of wire).
- (65) Semi-transparent hot melt glue (joint).
- (66) Semi-transparent plastic (cable tie of wire).
- (67) Dull red plastic (jack).
- (68) Red plastic (jack).
- (69) White plastic (jack).
- (70) Black plastic (jack).
- (71) White plastic (socket).



Page 40 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (72) White plastic (gears of inner motor case).
- (73) White grease (inner motor case).
- (74) Black plastic (thick wire covering).
- (75) Red plastic (thick wire covering).
- (76) Brown plastic (thick wire covering).
- (77) Green plastic (thick wire covering).
- (78) Yellow plastic (thick wire covering).
- (79) Blue plastic (thick wire covering).
- (80) Red plastic (wire covering).
- (81) Black plastic (wire covering).
- (82) White plastic (wire covering).
- (83) Blue plastic (wire covering).
- (84) Yellow plastic (wire covering).
- (85) Green plastic (wire covering).
- (86) Brown plastic (wire covering).
- (87) White plastic label excluding coatings (warning label of wire).
- (88) Bright black plastic (Relay).
- (89) Black-grey plastic (JR case).
- (90) Blue PCB with plastic part (inner JR case).
- (91) Organic part (green capacitor of inner JR case).
- (92) Organic part (silver color capacitor of inner JR case).
- (93) Green plastic (capacitor of inner JR case).
- (94) Black plastic (thin wire covering of inner steering wheel, USB function indication).
- (95) Red plastic (thin wire covering of inner steering wheel, USB function indication).
- (96) Yellow plastic (thin wire covering of inner steering wheel, USB function indication).
- (97) Green/semi-transparent PCB (inner steering wheel).
- (98) Semi-transparent/black plastic (button of steering wheel).
- (99) White/semi-transparent PCB with organic part (inner USB function indication).
- (100) Organic part (silver color capacitor of USB function indication).
- (101) Beige/black plastic (button of USB function indication).
- (102) Red plastic (socket of USB function indication).
- (103) Red plastic (jack of USB function indication).
- (104) Yellow plastic (inner button of USB function indication).
- (105) White plastic (inner button of USB function indication).
- (106) Semi-transparent plastic (lid of small motor).
- (107) Organic part (small motor).
- (108) Transparent plastic (LED of inner front light).
- (109) Green plastic (speaker).
- (110) Light green PCB with black glue (speaker).
- (111) Light yellow plastic (wire covering of speaker joint).
- (112) Black plastic (button on PCB of remote-control).
- (113) Green/brown PCB with plastic part (inner remote-control).
- (114) Blue coating on paper (color box of remote-control).
- (115) White plastic label with inaccessible coatings (warning label).
- (116) Transparent cello-tape (joint).
- (117) Transparent plastic sheet with black coating (all bags).
- (118) White polyfoam (pad).
- (119) Black plastic (holder of axle).
- (120) White plastic sheet (bubble bag).
- (121) Transparent plastic (bubble bag).
- (122) Transparent plastic (wrap of red/black logo of rear).
- (123) Black plastic (wrench tool).
- (124) Black plastic with brown printing (case of charger).
- (125) Transparent plastic (light cover of charger).
- (126) Black plastic (cable of charger).
- (127) Black plastic (cable joint of charger).



Page 41 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (128) Black plastic (plug of charger).
- (129) Black plastic (pin of plug of charger).
- (130) Semi-transparent plastic (LED of US charger).
- (131) Transparent adhesive plastic label (inner charger).
- (132) Red plastic (wire covering of inner charger).
- (133) Plastic part (black capacitor of inner charger).
- (134) Plastic part (green capacitor of inner charger).
- (135) White glue (joint of inner charger).
- (136) Blue plastic (blue capacitor of inner charger).
- (137) Organic part (matt-black inductor of inner charger).
- (138) Organic part (small matt-black inductor of inner charger).
- (139) Yellow adhesive tape (transformer of inner charger).
- (140) Semi-transparent plastic (tube of transformer of inner charger).
- (141) Yellow plastic (wire covering of transformer of inner charger).
- (142) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (143) Silver color plastic (hub).

16 UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entry 23 on Cadmium (Cd) Content

With reference to IEC 62321-5:2013, acid digestion method was used and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (%) θ	Detection Limit (%)
	Tested Component	
	(1+2) Δ , (3)to(5), (6+7), (8+9+10), (11+12+13), (14+15+16), (17+18+19), (20+21+22), (23+24+25), (26+27+28), (29+30+31), (32+33+34), (35+36), (37+38+39), (40+41+42), (43+44+45), (46+47+48), (49+50+51), (52+53+54), (55+56+57), (58+59+60), (61+62+63), (64), (65+66+67), (68+69+70), (71+72+73), (74+75+76), (77+78+79), (80+81+82), (83+84+85), (86+87+88), (89+90+91), (92+93+94), (95+96+97), (98+99+100), (101+102+103), (104+105+106), (107+108+109), (110+111+112), (113), (114), (115+116+117), (118+119+120), (121+122), (123), (124+125+126), (127+128+129), (130+131+132), (133+134+135), (136+137+138), (139+140+141), (142+143)	
Cadmium (Cd)	ND	0.0005

Limit:

Category	Limit (%)
Wet paint	0.01
Surface coating	0.1
Plastic	0.01
Metal parts of jewellery and hair accessories	0.01

The limit was quoted according to UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entry 23 on Cadmium (Cd) Content.

ND = Not detected (less than detection limit)
 Δ = The result is based on dry weight of testing sample
 θ = Single result for each test component/group

Test Report

Number: SZHH02104761

Tests Conducted

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Coatings on plastic label (sticker).
- (4) Silver color coating on plastic (logo, front decoration).
- (5) Black coating on metal (metal part).
- (6) Red plastic (accessory).
- (7) Pink plastic (accessory).
- (8) Blue plastic (accessory).
- (9) Black plastic (accessory).
- (10) Bright blue plastic (accessory).
- (11) Bright black plastic (accessory).
- (12) Bright pink plastic (accessory).
- (13) Red plastic (accessory).
- (14) Pink plastic (accessory).
- (15) Grey plastic (accessory).
- (16) White plastic (accessory).
- (17) Blue plastic (accessory).
- (18) Yellow plastic (accessory).
- (19) Bright white plastic (accessory).
- (20) Green plastic (accessory).
- (21) Dull pink plastic (accessory).
- (22) Flesh color plastic (accessory).
- (23) Blue plastic (accessory).
- (24) Green plastic (accessory).
- (25) Orange plastic (accessory).
- (26) Pink plastic (accessory).
- (27) White plastic (accessory).
- (28) Pink plastic (accessory).
- (29) Purple plastic (accessory).
- (30) Blue plastic (accessory).
- (31) Pink plastic (accessory).
- (32) Black plastic (accessory).
- (33) Red plastic (accessory).
- (34) Light pink plastic (accessory).
- (35) Army green plastic (accessory).
- (36) White plastic (accessory).
- (37) White plastic label excluding coatings (sticker).
- (38) Silver color plastic label (logo on steering wheel).
- (39) Black/red plastic label (logo on rear).
- (40) Bright black plastic (transformer of inner charger).
- (41) Green/beige PCB (inner charger).
- (42) Plastic part on PCB (inner charger).
- (43) Matt-black plastic (wheels).
- (44) Silver-grey plastic (mirror, pedal).
- (45) Black plastic (steering wheel).
- (46) Black plastic (buckle).
- (47) Bright silver color plastic (door clasp).
- (48) Matt-black plastic (switch, button).
- (49) White plastic (button).
- (50) Black plastic (button panel on USB function indication).
- (51) Light red plastic (charger of seat).
- (52) White plastic (gear of wheel holder).
- (53) Grey plastic excluding coating (logo, front decoration).
- (54) Transparent red plastic (light cover).



Page 43 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (55) Transparent plastic (light cover).
- (56) Black plastic (shrinking tube).
- (57) Black plastic (clasp of wire).
- (58) Black plastic (wire covering of front light).
- (59) Red plastic (wire covering of front light).
- (60) White plastic (remote-control).
- (61) Black plastic (remote-control).
- (62) Transparent brown plastic (remote-control).
- (63) Blue plastic (nut).
- (64) Coatings (red, black) on plastic label (warning label of wire).
- (65) Semi-transparent hot melt glue (joint).
- (66) Semi-transparent plastic (cable tie of wire).
- (67) Dull red plastic (jack).
- (68) Red plastic (jack).
- (69) White plastic (jack).
- (70) Black plastic (jack).
- (71) White plastic (socket).
- (72) White plastic (gears of inner motor case).
- (73) White grease (inner motor case).
- (74) Black plastic (thick wire covering).
- (75) Red plastic (thick wire covering).
- (76) Brown plastic (thick wire covering).
- (77) Green plastic (thick wire covering).
- (78) Yellow plastic (thick wire covering).
- (79) Blue plastic (thick wire covering).
- (80) Red plastic (wire covering).
- (81) Black plastic (wire covering).
- (82) White plastic (wire covering).
- (83) Blue plastic (wire covering).
- (84) Yellow plastic (wire covering).
- (85) Green plastic (wire covering).
- (86) Brown plastic (wire covering).
- (87) White plastic label excluding coatings (warning label of wire).
- (88) Bright black plastic (Relay).
- (89) Black-grey plastic (JR case).
- (90) Blue PCB with plastic part (inner JR case).
- (91) Organic part (green capacitor of inner JR case).
- (92) Organic part (silver color capacitor of inner JR case).
- (93) Green plastic (capacitor of inner JR case).
- (94) Black plastic (thin wire covering of inner steering wheel, USB function indication).
- (95) Red plastic (thin wire covering of inner steering wheel, USB function indication).
- (96) Yellow plastic (thin wire covering of inner steering wheel, USB function indication).
- (97) Green/semi-transparent PCB (inner steering wheel).
- (98) Semi-transparent/black plastic (button of steering wheel).
- (99) White/semi-transparent PCB with organic part (inner USB function indication).
- (100) Organic part (silver color capacitor of USB function indication).
- (101) Beige/black plastic (button of USB function indication).
- (102) Red plastic (socket of USB function indication).
- (103) Red plastic (jack of USB function indication).
- (104) Yellow plastic (inner button of USB function indication).
- (105) White plastic (inner button of USB function indication).
- (106) Semi-transparent plastic (lid of small motor).
- (107) Organic part (small motor).
- (108) Transparent plastic (LED of inner front light).
- (109) Green plastic (speaker).
- (110) Light green PCB with black glue (speaker).



Page 44 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (111) Light yellow plastic (wire covering of speaker joint).
- (112) Black plastic (button on PCB of remote-control).
- (113) Green/brown PCB with plastic part (inner remote-control).
- (114) Blue coating on paper (color box of remote-control).
- (115) White plastic label with inaccessible coatings (warning label).
- (116) Transparent cello-tape (joint).
- (117) Transparent plastic sheet with black coating (all bags).
- (118) White polyfoam (pad).
- (119) Black plastic (holder of axle).
- (120) White plastic sheet (bubble bag).
- (121) Transparent plastic (bubble bag).
- (122) Transparent plastic (wrap of red/black logo of rear).
- (123) Black plastic (wrench tool).
- (124) Black plastic with brown printing (case of charger).
- (125) Transparent plastic (light cover of charger).
- (126) Black plastic (cable of charger).
- (127) Black plastic (cable joint of charger).
- (128) Black plastic (plug of charger).
- (129) Black plastic (pin of plug of charger).
- (130) Semi-transparent plastic (LED of US charger).
- (131) Transparent adhesive plastic label (inner charger).
- (132) Red plastic (wire covering of inner charger).
- (133) Plastic part (black capacitor of inner charger).
- (134) Plastic part (green capacitor of inner charger).
- (135) White glue (joint of inner charger).
- (136) Blue plastic (blue capacitor of inner charger).
- (137) Organic part (matt-black inductor of inner charger).
- (138) Organic part (small matt-black inductor of inner charger).
- (139) Yellow adhesive tape (transformer of inner charger).
- (140) Semi-transparent plastic (tube of transformer of inner charger).
- (141) Yellow plastic (wire covering of transformer of inner charger).
- (142) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (143) Silver color plastic (hub).

17 EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) 2018/2005 Annex XVII Entries 51 and 52 on Phthalates Content

With reference to ISO 8124-6:2023, followed by Gas Chromatographic-Mass Spectrometric (GC-MS).

For 4 phthalates:

Test Item	CAS No.	Result (%) θ	Detection Limit (%)	Limit (%)
		Tested Component (63),(64+65+66),(67+68+69), (70+71+72),(73+74+75), (76+77+78),(79+80+81), (82+83+84),(85+86+87), (88+89+90),(91+92+93), (94+95+96),(97+98+99), (100+101+102),(103+104+105), (106+107+108),(109+110+111), (112),(113)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.005	--



Test Report

Number: SZHH02104761

Tests Conducted

Benzyl butyl phthalate (BBP)	85-68-7	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	--	0.1

For 7 phthalates:

Test Item	CAS No.	Result (%) θ	Detection Limit (%)	Limit (%)
		Tested Component (1+2) Δ , (3)to(5), (6+7), (8+9+10), (11+12+13), (14+15+16), (17+18+19), (20+21+22), (23+24+25), (26+27+28), (29+30+31), (32+33+34), (35+36), (37+38+39), (40+61+62), (41+42), (43+44+45), (46+47+48), (49+50+51), (52+53+54), (55+56+57), (58+59+60)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	--	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.005	--
Di-n-octyl phthalate (DNOP)	117-84-0	ND	0.005	--
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	--	0.1

The limit was quoted according to EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) 2018/2005 Annex XVII Entries 51 and 52 on Phthalates Content.

ND = Not detected (less than detection limit)
 Δ = The result is based on dry weight of testing sample
 θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Coatings on plastic label (sticker).
- (4) Silver color coating on plastic (logo, front decoration).
- (5) Black coating on metal (metal part).
- (6) Red plastic (accessory).
- (7) Pink plastic (accessory).
- (8) Blue plastic (accessory).
- (9) Black plastic (accessory).
- (10) Bright blue plastic (accessory).
- (11) Bright black plastic (accessory).
- (12) Bright pink plastic (accessory).
- (13) Red plastic (accessory).
- (14) Pink plastic (accessory).
- (15) Grey plastic (accessory).



Test Report

Number: SZHH02104761

Tests Conducted

- (16) White plastic (accessory).
- (17) Blue plastic (accessory).
- (18) Yellow plastic (accessory).
- (19) Bright white plastic (accessory).
- (20) Green plastic (accessory).
- (21) Dull pink plastic (accessory).
- (22) Flesh color plastic (accessory).
- (23) Blue plastic (accessory).
- (24) Green plastic (accessory).
- (25) Orange plastic (accessory).
- (26) Pink plastic (accessory).
- (27) White plastic (accessory).
- (28) Pink plastic (accessory).
- (29) Purple plastic (accessory).
- (30) Blue plastic (accessory).
- (31) Pink plastic (accessory).
- (32) Black plastic (accessory).
- (33) Red plastic (accessory).
- (34) Light pink plastic (accessory).
- (35) Army green plastic (accessory).
- (36) White plastic (accessory).
- (37) White plastic label excluding coatings (sticker).
- (38) Silver color plastic label (logo on steering wheel).
- (39) Black/red plastic label (logo on rear).
- (40) Blue plastic (nut).
- (41) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (42) Silver color plastic (hub).
- (43) Matt-black plastic (wheels).
- (44) Silver-grey plastic (mirror, pedal).
- (45) Black plastic (steering wheel).
- (46) Black plastic (buckle).
- (47) Bright silver color plastic (door clasp).
- (48) Matt-black plastic (switch, button).
- (49) White plastic (button).
- (50) Black plastic (button panel on USB function indication).
- (51) Light red plastic (charger of seat).
- (52) White plastic (gear of wheel holder).
- (53) Grey plastic excluding coating (logo, front decoration).
- (54) Transparent red plastic (light cover).
- (55) Transparent plastic (light cover).
- (56) Black plastic (shrinking tube).
- (57) Black plastic (clasp of wire).
- (58) Black plastic (wire covering of front light).
- (59) Red plastic (wire covering of front light).
- (60) White plastic (remote-control).
- (61) Black plastic (remote-control).
- (62) Transparent brown plastic (remote-control).
- (63) Coatings (red, black) on plastic label (warning label of wire).
- (64) Semi-transparent hot melt glue (joint).
- (65) Semi-transparent plastic (cable tie of wire).
- (66) Dull red plastic (jack).
- (67) Red plastic (jack).
- (68) White plastic (jack).
- (69) Black plastic (jack).
- (70) White plastic (socket).



Page 47 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (71) White plastic (gears of inner motor case).
- (72) White grease (inner motor case).
- (73) Black plastic (thick wire covering).
- (74) Red plastic (thick wire covering).
- (75) Brown plastic (thick wire covering).
- (76) Green plastic (thick wire covering).
- (77) Yellow plastic (thick wire covering).
- (78) Blue plastic (thick wire covering).
- (79) Red plastic (wire covering).
- (80) Black plastic (wire covering).
- (81) White plastic (wire covering).
- (82) Blue plastic (wire covering).
- (83) Yellow plastic (wire covering).
- (84) Green plastic (wire covering).
- (85) Brown plastic (wire covering).
- (86) White plastic label excluding coatings (warning label of wire).
- (87) Bright black plastic (Relay).
- (88) Black-grey plastic (JR case).
- (89) Blue PCB with plastic part (inner JR case).
- (90) Organic part (green capacitor of inner JR case).
- (91) Organic part (silver color capacitor of inner JR case).
- (92) Green plastic (capacitor of inner JR case).
- (93) Black plastic (thin wire covering of inner steering wheel, USB function indication).
- (94) Red plastic (thin wire covering of inner steering wheel, USB function indication).
- (95) Yellow plastic (thin wire covering of inner steering wheel, USB function indication).
- (96) Green/semi-transparent PCB (inner steering wheel).
- (97) Semi-transparent/black plastic (button of steering wheel).
- (98) White/semi-transparent PCB with organic part (inner USB function indication).
- (99) Organic part (silver color capacitor of USB function indication).
- (100) Beige/black plastic (button of USB function indication).
- (101) Red plastic (socket of USB function indication).
- (102) Red plastic (jack of USB function indication).
- (103) Yellow plastic (inner button of USB function indication).
- (104) White plastic (inner button of USB function indication).
- (105) Semi-transparent plastic (lid of small motor).
- (106) Organic part (small motor).
- (107) Transparent plastic (LED of inner front light).
- (108) Green plastic (speaker).
- (109) Light green PCB with black glue (speaker).
- (110) Light yellow plastic (wire covering of speaker joint).
- (111) Black plastic (button on PCB of remote-control).
- (112) Green/brown PCB with plastic part (inner remote-control).
- (113) Black plastic (wrench tool).



Test Report

Number: SZHH02104761

Tests Conducted

- 18 UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entries 51 and 52 on Phthalates Content

With reference to ISO 8124-6:2023, followed by Gas Chromatographic-Mass Spectrometric (GC-MS).

For 4 phthalates:

Test Item	CAS No.	Result (%) θ	Detection Limit (%)	Limit (%)
		Tested Component (63),(64+65+66),(67+68+69), (70+71+72),(73+74+75), (76+77+78),(79+80+81), (82+83+84),(85+86+87), (88+89+90),(91+92+93), (94+95+96),(97+98+99), (100+101+102),(103+104+105), (106+107+108),(109+110+111), (112),(113)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	--	0.1

For 7 phthalates:

Test Item	CAS No.	Result (%) θ	Detection Limit (%)	Limit (%)
		Tested Component (1+2) Δ , (3) to (5), (6+7), (8+9+10), (11+12+13), (14+15+16), (17+18+19), (20+21+22), (23+24+25), (26+27+28), (29+30+31), (32+33+34), (35+36), (37+38+39), (40+61+62), (41+42), (43+44+45), (46+47+48), (49+50+51), (52+53+54), (55+56+57), (58+59+60)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	--	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.005	--
Di-n-octyl phthalate (DNOP)	117-84-0	ND	0.005	--
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	--	0.1



Test Report

Number: SZHH02104761

Tests Conducted

The limit was quoted according to UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entries 51 and 52 on Phthalates Content.

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Coatings on plastic label (sticker).
- (4) Silver color coating on plastic (logo, front decoration).
- (5) Black coating on metal (metal part).
- (6) Red plastic (accessory).
- (7) Pink plastic (accessory).
- (8) Blue plastic (accessory).
- (9) Black plastic (accessory).
- (10) Bright blue plastic (accessory).
- (11) Bright black plastic (accessory).
- (12) Bright pink plastic (accessory).
- (13) Red plastic (accessory).
- (14) Pink plastic (accessory).
- (15) Grey plastic (accessory).
- (16) White plastic (accessory).
- (17) Blue plastic (accessory).
- (18) Yellow plastic (accessory).
- (19) Bright white plastic (accessory).
- (20) Green plastic (accessory).
- (21) Dull pink plastic (accessory).
- (22) Flesh color plastic (accessory).
- (23) Blue plastic (accessory).
- (24) Green plastic (accessory).
- (25) Orange plastic (accessory).
- (26) Pink plastic (accessory).
- (27) White plastic (accessory).
- (28) Pink plastic (accessory).
- (29) Purple plastic (accessory).
- (30) Blue plastic (accessory).
- (31) Pink plastic (accessory).
- (32) Black plastic (accessory).
- (33) Red plastic (accessory).
- (34) Light pink plastic (accessory).
- (35) Army green plastic (accessory).
- (36) White plastic (accessory).
- (37) White plastic label excluding coatings (sticker).
- (38) Silver color plastic label (logo on steering wheel).
- (39) Black/red plastic label (logo on rear).
- (40) Blue plastic (nut).
- (41) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (42) Silver color plastic (hub).
- (43) Matt-black plastic (wheels).
- (44) Silver-grey plastic (mirror, pedal).
- (45) Black plastic (steering wheel).
- (46) Black plastic (buckle).
- (47) Bright silver color plastic (door clasp).



Page 50 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (48) Matt-black plastic (switch, button).
- (49) White plastic (button).
- (50) Black plastic (button panel on USB function indication).
- (51) Light red plastic (charger of seat).
- (52) White plastic (gear of wheel holder).
- (53) Grey plastic excluding coating (logo, front decoration).
- (54) Transparent red plastic (light cover).
- (55) Transparent plastic (light cover).
- (56) Black plastic (shrinking tube).
- (57) Black plastic (clasp of wire).
- (58) Black plastic (wire covering of front light).
- (59) Red plastic (wire covering of front light).
- (60) White plastic (remote-control).
- (61) Black plastic (remote-control).
- (62) Transparent brown plastic (remote-control).
- (63) Coatings (red, black) on plastic label (warning label of wire).
- (64) Semi-transparent hot melt glue (joint).
- (65) Semi-transparent plastic (cable tie of wire).
- (66) Dull red plastic (jack).
- (67) Red plastic (jack).
- (68) White plastic (jack).
- (69) Black plastic (jack).
- (70) White plastic (socket).
- (71) White plastic (gears of inner motor case).
- (72) White grease (inner motor case).
- (73) Black plastic (thick wire covering).
- (74) Red plastic (thick wire covering).
- (75) Brown plastic (thick wire covering).
- (76) Green plastic (thick wire covering).
- (77) Yellow plastic (thick wire covering).
- (78) Blue plastic (thick wire covering).
- (79) Red plastic (wire covering).
- (80) Black plastic (wire covering).
- (81) White plastic (wire covering).
- (82) Blue plastic (wire covering).
- (83) Yellow plastic (wire covering).
- (84) Green plastic (wire covering).
- (85) Brown plastic (wire covering).
- (86) White plastic label excluding coatings (warning label of wire).
- (87) Bright black plastic (Relay).
- (88) Black-grey plastic (JR case).
- (89) Blue PCB with plastic part (inner JR case).
- (90) Organic part (green capacitor of inner JR case).
- (91) Organic part (silver color capacitor of inner JR case).
- (92) Green plastic (capacitor of inner JR case).
- (93) Black plastic (thin wire covering of inner steering wheel, USB function indication).
- (94) Red plastic (thin wire covering of inner steering wheel, USB function indication).
- (95) Yellow plastic (thin wire covering of inner steering wheel, USB function indication).
- (96) Green/semi-transparent PCB (inner steering wheel).
- (97) Semi-transparent/black plastic (button of steering wheel).
- (98) White/semi-transparent PCB with organic part (inner USB function indication).
- (99) Organic part (silver color capacitor of USB function indication).
- (100) Beige/black plastic (button of USB function indication).
- (101) Red plastic (socket of USB function indication).
- (102) Red plastic (jack of USB function indication).
- (103) Yellow plastic (inner button of USB function indication).



Page 51 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (104) White plastic (inner button of USB function indication).
- (105) Semi-transparent plastic (lid of small motor).
- (106) Organic part (small motor).
- (107) Transparent plastic (LED of inner front light).
- (108) Green plastic (speaker).
- (109) Light green PCB with black glue (speaker).
- (110) Light yellow plastic (wire covering of speaker joint).
- (111) Black plastic (button on PCB of remote-control).
- (112) Green/brown PCB with plastic part (inner remote-control).
- (113) Black plastic (wrench tool).

19 Detection of Amines Derived from Azocolourants and Azodyes

By Gas Chromatographic - Mass Spectrometric (GC-MS) and High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method: EN ISO 14362-1:2017 for Textile Material
EN ISO 17234-1:2015 for Leather Material
EN ISO 14362-3:2017 & EN ISO 17234-2:2011 for 4-Aminoazobenzene

	Test Item	CAS No.	Result (mg/kg)	
			Tested Component	
			(1) Method T	(1) Method D
1	4-Aminodiphenyl	92-67-1	ND	ND
2	Benzidine	92-87-5	ND	ND
3	4-Chloro-o-Toluidine	95-69-2	ND	ND
4	2-Naphthylamine	91-59-8	ND	ND
5	o-Aminoazotoluene	97-56-3	ND	ND
6	2-Amino-4-Nitrotoluene	99-55-8	ND	ND
7	p-Chloroaniline	106-47-8	ND	ND
8	2,4-Diaminoanisole	615-05-4	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	ND	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	ND	ND
14	p-Cresidine	120-71-8	ND	ND
15	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	ND	ND
16	4,4'-Oxydianiline	101-80-4	ND	ND
17	4,4'-Thiodianiline	139-65-1	ND	ND
18	o-Toluidine	95-53-4	ND	ND
19	2,4-Toluylenediamine	95-80-7	ND	ND
20	2,4,5-Trimethylaniline	137-17-7	ND	ND
21	o-Anisidine	90-04-0	ND	ND
22	4-Aminoazobenzene	60-09-3	ND	ND

The limit was quoted according to Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Amendment (EC) No 552/2009 and (EU) 2020/2096, Annex XVII Entry 43 on Azodyes releasing Aromatic Amines.

ND = Not detected (less than detection limit)

Detection limit = 5 mg/kg

Requirement = 30 mg/kg



Page 52 of 70



Test Report

Number: SZHH02104761

Tests Conducted

Method T: Direct buffer extraction as per EN ISO 14362-1:2017 Section 10.2.
Method D: Colourant extraction with Xylene as per EN ISO 14362-1:2017 Section 10.1.

Tested component(s):

- (1) Black webbing (belt).

20 Physical and Mechanical Tests

Test Standard: Australian / New Zealand Standard AS/NZS ISO 8124.1: 2023 Safety aspects related to mechanical and physical properties.

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 of AS/NZS ISO 8124.1: 2023 before the assessment of the relevant requirement in Clause 4:		
Clause	Test	Parameter
5.24.2	Drop test	4x93±5cm
5.24.3	Tip-over test	3 times
5.24.4	Dynamic strength	--
5.24.5	Torque test	0.45±0.02Nm
5.24.6	Tension test	70±2N
5.24.7	Compression test	136±2N

Clause	Testing Items	Assessment
4.1.1	Normal use	P
4.1.2	Location of warning	P
4.2	Reasonably foreseeable abuse	P
4.3.1	Material	P
4.3.2	Expanding materials	NA
4.4.1	Small parts	NA
4.4.2	Small part warning	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	P
4.7	Points	P
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	P
4.11	Cords	NA
4.12	Folding mechanisms	P
4.13	Holes, clearances and accessibility of mechanisms	P
4.14	Springs	NA
4.15	Stability and overload requirements	P

Test Report

Number: SZHH02104761

Tests Conducted

Clause	Testing Items	Assessment
4.16	Enclosures	NA
4.17	Items that cover the face and simulated protective equipment	NA
4.18	Projectile toys	NA
4.19	Flying toys	NA
4.20	Aquatic toys	NA
4.21	Braking	P
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	P
4.24	Toys containing a heat source	P
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toys skateboards	NA
4.28	Percussion caps specifically designed for use in toys	NA
4.29	Acoustic requirements	P
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
4.32	Yo-yo balls	NA
4.33	Straps intended to be worn fully or partially around the neck	NA
4.34	Sledges and toboggans with cords for pulling	NA
4.35	Jaw entrapment in handles and steering wheels	NA
4.36	Assembly	P
4.37	Functional toys	NA
4.38	Toys intended to come into contact with food	NA
4.39	Inflatable toys	NA
Annex B	Safety-labelling guidelines and manufacturer's markings	P
Annex D	Toy gun marking	NA

Abbreviation: P = Pass NA = Not applicable NR = Not Requested

Note :

(For electric toys)

The safety of electric toys also needs to be tested by AS/NZS 62115.



Test Report

Number: SZHH02104761

Tests Conducted

21 Flammability Test

Test Standard: Australian / New Zealand Standard on Safety of Toys AS/NZS ISO 8124.2:2023.

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Abbreviation: P = Pass **F = Fail** NA = Not Applicable NR = Not Requested

Note:

Type of gas used in the test burner: butane

22 Toxic Elements Analysis (General) (Australia Consumer Protection Notice No. 1 of 2009)

With reference to AS/NZS ISO 8124.3:2003, acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry (ICP-OES).

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(3)		
Sol. Barium (Ba)	193	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1),(2),(4)to(61)		
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Sol. = Soluble

ND = Not detected (less than detection limit)

 θ = Single result for each test component/group

Tested component(s):



Page 55 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (39) Silver color plastic (hub).
- (40) Matt-black plastic (wheels).
- (41) Silver-grey plastic (mirror, pedal).
- (42) Black plastic (steering wheel).
- (43) Black plastic (buckle).
- (44) Bright silver color plastic (door clasp).
- (45) Matt-black plastic (switch, button).
- (46) White plastic (button).
- (47) Black plastic (button panel on USB function indication).
- (48) Light red plastic (charger of seat).
- (49) White plastic (gear of wheel holder).
- (50) Grey plastic excluding coating (logo, front decoration).
- (51) Transparent red plastic (light cover).
- (52) Transparent plastic (light cover).
- (53) Black plastic (shrinking tube).
- (54) Black plastic (clasp of wire).
- (55) Black plastic (wire covering of front light).



Page 56 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (56) Red plastic (wire covering of front light).
- (57) White plastic (remote-control).
- (58) Black plastic (remote-control).
- (59) Transparent brown plastic (remote-control).
- (60) Blue plastic (nut).
- (61) Black webbing (belt).
- (62) @ White coatings on plastic (switch).
- (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).

23 AS/NZS ISO 8124.3:2021+Amd 1:2023 on Migration of Certain Elements from Any Toy Materials Except Modelling Clays and Putties, Finger Paints and Slimes

With reference to AS/NZS ISO 8124.3:2021+Amd 1:2023, acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(3)		
Sol. Barium (Ba)	193	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1),(2),(4)to(61)		
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

ND = Not detected (less than detection limit)

Sol. = Soluble

θ = Single result for each test component/group

Tested components:

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).



Test Report

Number: SZHH02104761

Tests Conducted

- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (39) Silver color plastic (hub).
- (40) Matt-black plastic (wheels).
- (41) Silver-grey plastic (mirror, pedal).
- (42) Black plastic (steering wheel).
- (43) Black plastic (buckle).
- (44) Bright silver color plastic (door clasp).
- (45) Matt-black plastic (switch, button).
- (46) White plastic (button).
- (47) Black plastic (button panel on USB function indication).
- (48) Light red plastic (charger of seat).
- (49) White plastic (gear of wheel holder).
- (50) Grey plastic excluding coating (logo, front decoration).
- (51) Transparent red plastic (light cover).
- (52) Transparent plastic (light cover).
- (53) Black plastic (shrinking tube).
- (54) Black plastic (clasp of wire).
- (55) Black plastic (wire covering of front light).
- (56) Red plastic (wire covering of front light).
- (57) White plastic (remote-control).
- (58) Black plastic (remote-control).
- (59) Transparent brown plastic (remote-control).
- (60) Blue plastic (nut).



Page 58 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (61) Black webbing (belt).
- (62) @ White coatings on plastic (switch).
- (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).

24 Migration Lead content

As per AS/NZS ISO 8124.3:2003, acid extraction method was used and migration Lead content were determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg) θ	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1)to(61)		
Lead (Pb)	ND	5	90

ND = Not detected (less than reporting limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).



Test Report

Number: SZHH02104761

Tests Conducted

- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (39) Silver color plastic (hub).
- (40) Matt-black plastic (wheels).
- (41) Silver-grey plastic (mirror, pedal).
- (42) Black plastic (steering wheel).
- (43) Black plastic (buckle).
- (44) Bright silver color plastic (door clasp).
- (45) Matt-black plastic (switch, button).
- (46) White plastic (button).
- (47) Black plastic (button panel on USB function indication).
- (48) Light red plastic (charger of seat).
- (49) White plastic (gear of wheel holder).
- (50) Grey plastic excluding coating (logo, front decoration).
- (51) Transparent red plastic (light cover).
- (52) Transparent plastic (light cover).
- (53) Black plastic (shrinking tube).
- (54) Black plastic (clasp of wire).
- (55) Black plastic (wire covering of front light).
- (56) Red plastic (wire covering of front light).
- (57) White plastic (remote-control).
- (58) Black plastic (remote-control).
- (59) Transparent brown plastic (remote-control).
- (60) Blue plastic (nut).
- (61) Black webbing (belt).
- (62) @ White coatings on plastic (switch).
- (63) @ Black coating on plastic (pattern on remote-control).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Remark: Additional acid was required to lower the pH for component(s) (1)to(3),(35).



Test Report

Number: SZHH02104761

Tests Conducted

25 EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) No 1272/2013 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK and followed by Gas Chromatography-Mass Spectrometry (GC-MS).

For toys and childcare articles, whose rubber or plastic components come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity:

Test Item	CAS No.	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
		Tested Component (1)to(52)		
Benzo[a]anthracene	56-55-3	ND	0.2	0.5
Chrysene	218-01-9	ND	0.2	0.5
Benzo[b]fluoranthene	205-99-2	ND	0.2	0.5
Benzo[k]fluoranthene	207-08-9	ND	0.2	0.5
Benzo[a]pyrene	50-32-8	ND	0.2	0.5
Dibenzo[a,h]anthracene	53-70-3	ND	0.2	0.5
Benzo[j]fluoranthene	205-82-3	ND	0.2	0.5
Benzo[e]pyrene	192-97-2	ND	0.2	0.5

The limit was quoted according to EU REACH Regulation (EC) No 1907/2006 and its Amendment(s) including (EU) No 1272/2013 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content.

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Red plastic (accessory).
- (4) Pink plastic (accessory).
- (5) Blue plastic (accessory).
- (6) Black plastic (accessory).
- (7) Bright blue plastic (accessory).
- (8) Bright black plastic (accessory).
- (9) Bright pink plastic (accessory).
- (10) Red plastic (accessory).
- (11) Pink plastic (accessory).
- (12) Grey plastic (accessory).
- (13) White plastic (accessory).
- (14) Blue plastic (accessory).
- (15) Yellow plastic (accessory).
- (16) Bright white plastic (accessory).
- (17) Green plastic (accessory).
- (18) Dull pink plastic (accessory).
- (19) Flesh color plastic (accessory).
- (20) Blue plastic (accessory).
- (21) Green plastic (accessory).
- (22) Orange plastic (accessory).
- (23) Pink plastic (accessory).
- (24) White plastic (accessory).
- (25) Pink plastic (accessory).



Test Report

Number: SZHH02104761

Tests Conducted

- (26) Purple plastic (accessory).
- (27) Blue plastic (accessory).
- (28) Pink plastic (accessory).
- (29) Black plastic (accessory).
- (30) Red plastic (accessory).
- (31) Light pink plastic (accessory).
- (32) Army green plastic (accessory).
- (33) White plastic (accessory).
- (34) White plastic label excluding coatings (sticker).
- (35) Silver color plastic label (logo on steering wheel).
- (36) Black/red plastic label (logo on rear).
- (37) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (38) Silver-grey plastic (mirror, pedal).
- (39) Black plastic (steering wheel).
- (40) Black plastic (buckle).
- (41) Bright silver color plastic (door clasp).
- (42) Matt-black plastic (switch, button).
- (43) White plastic (button).
- (44) Black plastic (button panel on USB function indication).
- (45) Light red plastic (charger of seat).
- (46) Grey plastic excluding coating (logo, front decoration).
- (47) Transparent red plastic (light cover).
- (48) Transparent plastic (light cover).
- (49) White plastic (remote-control).
- (50) Black plastic (remote-control).
- (51) Transparent brown plastic (remote-control).
- (52) Black webbing (belt).



Page 62 of 70



Test Report

Number: SZHH02104761

Tests Conducted

26 UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK and followed by Gas Chromatography-Mass Spectrometry (GC-MS).

For toys and childcare articles, whose rubber or plastic components come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity:

Test Item	CAS No.	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
		Tested Component (1)to(52)		
Benzo[a]anthracene	56-55-3	ND	0.2	0.5
Chrysene	218-01-9	ND	0.2	0.5
Benzo[b]fluoranthene	205-99-2	ND	0.2	0.5
Benzo[k]fluoranthene	207-08-9	ND	0.2	0.5
Benzo[a]pyrene	50-32-8	ND	0.2	0.5
Dibenzo[a,h]anthracene	53-70-3	ND	0.2	0.5
Benzo[j]fluoranthene	205-82-3	ND	0.2	0.5
Benzo[e]pyrene	192-97-2	ND	0.2	0.5

The limit was quoted according to UK REACH Regulation (EC) No 1907/2006 and its Amendment(s) including S.I. 2019 No. 758 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content.

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Red plastic (accessory).
- (4) Pink plastic (accessory).
- (5) Blue plastic (accessory).
- (6) Black plastic (accessory).
- (7) Bright blue plastic (accessory).
- (8) Bright black plastic (accessory).
- (9) Bright pink plastic (accessory).
- (10) Red plastic (accessory).
- (11) Pink plastic (accessory).
- (12) Grey plastic (accessory).
- (13) White plastic (accessory).
- (14) Blue plastic (accessory).
- (15) Yellow plastic (accessory).
- (16) Bright white plastic (accessory).
- (17) Green plastic (accessory).
- (18) Dull pink plastic (accessory).
- (19) Flesh color plastic (accessory).
- (20) Blue plastic (accessory).
- (21) Green plastic (accessory).
- (22) Orange plastic (accessory).
- (23) Pink plastic (accessory).
- (24) White plastic (accessory).
- (25) Pink plastic (accessory).



Page 63 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (26) Purple plastic (accessory).
- (27) Blue plastic (accessory).
- (28) Pink plastic (accessory).
- (29) Black plastic (accessory).
- (30) Red plastic (accessory).
- (31) Light pink plastic (accessory).
- (32) Army green plastic (accessory).
- (33) White plastic (accessory).
- (34) White plastic label excluding coatings (sticker).
- (35) Silver color plastic label (logo on steering wheel).
- (36) Black/red plastic label (logo on rear).
- (37) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (38) Silver-grey plastic (mirror, pedal).
- (39) Black plastic (steering wheel).
- (40) Black plastic (buckle).
- (41) Bright silver color plastic (door clasp).
- (42) Matt-black plastic (switch, button).
- (43) White plastic (button).
- (44) Black plastic (button panel on USB function indication).
- (45) Light red plastic (charger of seat).
- (46) Grey plastic excluding coating (logo, front decoration).
- (47) Transparent red plastic (light cover).
- (48) Transparent plastic (light cover).
- (49) White plastic (remote-control).
- (50) Black plastic (remote-control).
- (51) Transparent brown plastic (remote-control).
- (52) Black webbing (belt).



Page 64 of 70



Test Report

Number: SZHH02104761

Tests Conducted

27 Polycyclic Aromatic Hydrocarbons (PAHs) Content (Germany AfPS GS 2019:01 PAK)

With reference to AfPS GS 2019:01 PAK (PAH), PAHs content was determined by Gas Chromatography-Mass Spectrometry (GC-MS).

(I) Test Result

Children products including toys:

Compound	CAS No.	Result (mg/kg)		Limit (mg/kg)		
		(2)	(36)	Category 1	Category 2a	Category 3a
Phenanthrene	85-01-8	ND	ND	--	--	--
Anthracene	120-12-7	ND	ND	--	--	--
Fluoranthene	206-44-0	ND	ND	--	--	--
Pyrene	129-00-0	ND	ND	--	--	--
Sum (4 PAHs):	--	ND	ND	1	5	20
Naphthalene	91-20-3	1.1	0.8	1	2	10
Benzo(a)Anthracene	56-55-3	ND	ND	0.2	0.2	0.5
Chrysene	218-01-9	ND	ND	0.2	0.2	0.5
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	ND	0.2	0.2	0.5
Benzo(b)Fluoranthene	205-99-2	ND	ND	0.2	0.2	0.5
Benzo(k)Fluoranthene	207-08-9	ND	ND	0.2	0.2	0.5
Benzo(a)Pyrene	50-32-8	ND	ND	0.2	0.2	0.5
Dibenzo(a,h)Anthracene	53-70-3	ND	ND	0.2	0.2	0.5
Benzo(g,h,i)Perylene	191-24-2	ND	ND	0.2	0.2	0.5
Benzo(e)Pyrene	192-97-2	ND	ND	0.2	0.2	0.5
Benzo(j)Fluoranthene	205-82-3	ND	ND	0.2	0.2	0.5
Sum (15 PAHs):	--	1.1	0.8	1	5	20
Classification of samples: Category	--	2a	2a	--	--	--
Conclusion	--	P	P	--	--	--



Test Report

Number: SZHH02104761

Tests Conducted

Compound	CAS No.	Result (mg/kg)		Limit (mg/kg)		
		(37)	(40+41)	Category 1	Category 2a	Category 3a
Phenanthrene	85-01-8	ND	ND	--	--	--
Anthracene	120-12-7	ND	ND	--	--	--
Fluoranthene	206-44-0	ND	ND	--	--	--
Pyrene	129-00-0	ND	0.7	--	--	--
Sum (4 PAHs):	--	ND	0.7	1	5	20
Naphthalene	91-20-3	1.6	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	ND	0.2	0.2	0.5
Chrysene	218-01-9	ND	ND	0.2	0.2	0.5
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	ND	0.2	0.2	0.5
Benzo(b)Fluoranthene	205-99-2	ND	ND	0.2	0.2	0.5
Benzo(k)Fluoranthene	207-08-9	ND	ND	0.2	0.2	0.5
Benzo(a)Pyrene	50-32-8	ND	ND	0.2	0.2	0.5
Dibenzo(a,h)Anthracene	53-70-3	ND	ND	0.2	0.2	0.5
Benzo(g,h,i)Perylene	191-24-2	ND	ND	0.2	0.2	0.5
Benzo(e)Pyrene	192-97-2	ND	ND	0.2	0.2	0.5
Benzo(j)Fluoranthene	205-82-3	ND	ND	0.2	0.2	0.5
Sum (15 PAHs):	--	1.6	0.7	1	5	20
Classification of samples: Category	--	2a	3a	--	--	--
Conclusion	--	P	P	--	--	--

Compound	CAS No.	Result (mg/kg) θ	Limit (mg/kg)		
		(1),(4)to(35),(39),(42),(44)to(49),(51)to(53),(60),(62)	Category 1	Category 2a	Category 3a
Phenanthrene	85-01-8	ND	--	--	--
Anthracene	120-12-7	ND	--	--	--
Fluoranthene	206-44-0	ND	--	--	--
Pyrene	129-00-0	ND	--	--	--
Sum (4 PAHs):	--	ND	1	5	20
Naphthalene	91-20-3	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	0.2	0.2	0.5
Chrysene	218-01-9	ND	0.2	0.2	0.5
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	0.2	0.2	0.5
Benzo(b)Fluoranthene	205-99-2	ND	0.2	0.2	0.5
Benzo(k)Fluoranthene	207-08-9	ND	0.2	0.2	0.5
Benzo(a)Pyrene	50-32-8	ND	0.2	0.2	0.5
Dibenzo(a,h)Anthracene	53-70-3	ND	0.2	0.2	0.5
Benzo(g,h,i)Perylene	191-24-2	ND	0.2	0.2	0.5
Benzo(e)Pyrene	192-97-2	ND	0.2	0.2	0.5
Benzo(j)Fluoranthene	205-82-3	ND	0.2	0.2	0.5
Sum (15 PAHs):	--	ND	1	5	20
Classification of samples: Category	--	2a	--	--	--
Conclusion	--	P	--	--	--



Page 66 of 70



Test Report

Number: SZHH02104761

Tests Conducted

Compound	CAS No.	Result (mg/kg) θ	Limit (mg/kg)		
		(3),(50+54), (55+56+57),(61)	Category 1	Category 2a	Category 3a
Phenanthrene	85-01-8	ND	--	--	--
Anthracene	120-12-7	ND	--	--	--
Fluoranthene	206-44-0	ND	--	--	--
Pyrene	129-00-0	ND	--	--	--
Sum (4 PAHs):	--	ND	1	5	20
Naphthalene	91-20-3	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	0.2	0.2	0.5
Chrysene	218-01-9	ND	0.2	0.2	0.5
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	0.2	0.2	0.5
Benzo(b)Fluoranthene	205-99-2	ND	0.2	0.2	0.5
Benzo(k)Fluoranthene	207-08-9	ND	0.2	0.2	0.5
Benzo(a)Pyrene	50-32-8	ND	0.2	0.2	0.5
Dibenzo(a,h)Anthracene	53-70-3	ND	0.2	0.2	0.5
Benzo(g,h,i)Perylene	191-24-2	ND	0.2	0.2	0.5
Benzo(e)Pyrene	192-97-2	ND	0.2	0.2	0.5
Benzo(j)Fluoranthene	205-82-3	ND	0.2	0.2	0.5
Sum (15 PAHs):	--	ND	1	5	20
Classification of samples: Category	--	3a	--	--	--
Conclusion	--	P	--	--	--

Compound	CAS No.	Result (mg/kg) θ	Limit (mg/kg)		
		(43),(58),(59)	Category 1	Category 2a	Category 3a
Phenanthrene	85-01-8	ND	--	--	--
Anthracene	120-12-7	ND	--	--	--
Fluoranthene	206-44-0	ND	--	--	--
Pyrene	129-00-0	ND	--	--	--
Sum (4 PAHs):	--	ND	1	5	20
Naphthalene	91-20-3	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	0.2	0.2	0.5
Chrysene	218-01-9	ND	0.2	0.2	0.5
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	0.2	0.2	0.5
Benzo(b)Fluoranthene	205-99-2	ND	0.2	0.2	0.5
Benzo(k)Fluoranthene	207-08-9	ND	0.2	0.2	0.5
Benzo(a)Pyrene	50-32-8	ND	0.2	0.2	0.5
Dibenzo(a,h)Anthracene	53-70-3	ND	0.2	0.2	0.5
Benzo(g,h,i)Perylene	191-24-2	ND	0.2	0.2	0.5
Benzo(e)Pyrene	192-97-2	ND	0.2	0.2	0.5
Benzo(j)Fluoranthene	205-82-3	ND	0.2	0.2	0.5
Sum (15 PAHs):	--	ND	1	5	20
Classification of samples: Category	--	1	--	--	--
Conclusion	--	P	--	--	--



Page 67 of 70



Test Report

Number: SZHH02104761

Tests Conducted

Other consumer products:

Compound	CAS No.	Result (mg/kg)	Limit (mg/kg)		
		(38+67+68)	Category 1	Category 2b	Category 3b
Phenanthrene	85-01-8	ND	--	--	--
Anthracene	120-12-7	ND	--	--	--
Fluoranthene	206-44-0	0.3	--	--	--
Pyrene	129-00-0	1.2	--	--	--
Sum (4 PAHs):	--	1.5	1	10	50
Naphthalene	91-20-3	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	0.2	0.5	1
Chrysene	218-01-9	ND	0.2	0.5	1
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	0.2	0.5	1
Benzo(b)Fluoranthene	205-99-2	ND	0.2	0.5	1
Benzo(k)Fluoranthene	207-08-9	ND	0.2	0.5	1
Benzo(a)Pyrene	50-32-8	ND	0.2	0.5	1
Dibenzo(a,h)Anthracene	53-70-3	ND	0.2	0.5	1
Benzo(g,h,i)Perylene	191-24-2	ND	0.2	0.5	1
Benzo(e)Pyrene	192-97-2	ND	0.2	0.5	1
Benzo(j)Fluoranthene	205-82-3	ND	0.2	0.5	1
Sum (15 PAHs):	--	1.5	1	10	50
Classification of samples: Category	--	3b	--	--	--
Conclusion	--	P	--	--	--

Compound	CAS No.	Result (mg/kg) θ	Limit (mg/kg)		
		(63),(64+65+66)	Category 1	Category 2b	Category 3b
Phenanthrene	85-01-8	ND	--	--	--
Anthracene	120-12-7	ND	--	--	--
Fluoranthene	206-44-0	ND	--	--	--
Pyrene	129-00-0	ND	--	--	--
Sum (4 PAHs):	--	ND	1	10	50
Naphthalene	91-20-3	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	0.2	0.5	1
Chrysene	218-01-9	ND	0.2	0.5	1
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	0.2	0.5	1
Benzo(b)Fluoranthene	205-99-2	ND	0.2	0.5	1
Benzo(k)Fluoranthene	207-08-9	ND	0.2	0.5	1
Benzo(a)Pyrene	50-32-8	ND	0.2	0.5	1
Dibenzo(a,h)Anthracene	53-70-3	ND	0.2	0.5	1
Benzo(g,h,i)Perylene	191-24-2	ND	0.2	0.5	1
Benzo(e)Pyrene	192-97-2	ND	0.2	0.5	1
Benzo(j)Fluoranthene	205-82-3	ND	0.2	0.5	1
Sum (15 PAHs):	--	ND	1	10	50
Classification of samples: Category	--	3b	--	--	--
Conclusion	--	P	--	--	--



Test Report

Number: SZHH02104761

Tests Conducted

ND = Not detected (less than detection limit)

Detection limit = 0.2 mg/kg

θ = Single result for each test component/group

P = Pass

Tested component(s):

- (1) Coatings on plastic label (sticker).
- (2) Silver color coating on plastic (logo, front decoration).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) White plastic label excluding coatings (sticker).
- (36) Silver color plastic label (logo on steering wheel).
- (37) Black/red plastic label (logo on rear).
- (38) Black plastic (pin of plug of charger).
- (39) Black plastic (vehicle body, seat, holder accessory, pedal, function indication panel, mirror, motor case, wind shield).
- (40) Silver color plastic (hub).
- (41) Matt-black plastic (wheels).
- (42) Silver-grey plastic (mirror, pedal).
- (43) Black plastic (steering wheel).
- (44) Black plastic (buckle).
- (45) Bright silver color plastic (door clasp).
- (46) Matt-black plastic (switch, button).
- (47) White plastic (button).



Page 69 of 70



Test Report

Number: SZHH02104761

Tests Conducted

- (48) Black plastic (button panel on USB function indication).
- (49) Light red plastic (charger of seat).
- (50) White plastic (gear of wheel holder).
- (51) Grey plastic excluding coating (logo, front decoration).
- (52) Transparent red plastic (light cover).
- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Black plastic (wire covering of front light).
- (57) Red plastic (wire covering of front light).
- (58) White plastic (remote-control).
- (59) Black plastic (remote-control).
- (60) Transparent brown plastic (remote-control).
- (61) Blue plastic (nut).
- (62) Black webbing (belt).
- (63) Black plastic (wrench tool).
- (64) Black plastic with brown printing (case of charger).
- (65) Transparent plastic (light cover of charger).
- (66) Black plastic (cable of charger).
- (67) Black plastic (cable joint of charger).
- (68) Black plastic (plug of charger).

(II) Categories for Products

Category 1: Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use

- in toys according to Directive 2009/48/EC
- or
- for the use by children up to 3 years of age

Category 2: Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact with skin during the intended or foreseeable use

- 2a. use by children
- 2b. other consumer products

Category 3: Materials covered neither by category 1 nor by category 2, coming into short-term contact (up to 30s) with skin during the intended or foreseeable use

- 3a. use by children
- 3b. other consumer products

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8:09/2019-(Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results. Full details of our agreed decision rules and the associated risk can be viewed: <https://www.intertek.com.cn/diypage/upload/SZ-AP15-HLS-QA.pdf>.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek.



Page 70 of 70

