



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 1 of 11

Applicant : XINGTAI HAOLAITONG CHILDREN TOY CO.,LTD

Address : Gaofu town industrial Park, Hegumiao town, Pingxiang County, Xingtai City, Hebei Province, China

(The following sample(s) was (were) submitted and identified by client as)

Sample Name : Kids' electric car
BJQ-688, BJQ-699, BJQ-668, BJQ-008, BJQ-009, BJQ-1966, BJQ-6688A,
Model/Item No. : KQT-998, 1866, BJQ-X7, BJQ-818, BJQ-6688, BJQ-518, BJQ-6688B, BJQ-V8,
BJQ-6188, BJQ-918, BJQ-819, BJQ-616, KN-5288
Labeled Age Grading : 3+
Requested Age Grading : 3+
Age Group Applied in Testing : Over 3 years old
Test Period : From Jan. 15, 2025 to Jan. 24, 2025
Report Revise Date : Jun. 27, 2025
Tests Conducted : As requested by the applicant, for details refer to next page(s).

Signed for and on behalf of
Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by:

Pascal SHI/Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678
Email: cs@ccilab.com.cn

Fax: +86-20-84910993
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 2 of 11

Executive Summary:

No.	TESTED SAMPLES	STANDARD / REQUIREMENT	CONCLUSION
1	Submitted samples	EN71-1:2014+A1:2018 – Mechanical and physical properties	PASS
2	Submitted samples	EN71-2:2020 – Flammability test	PASS
3	Tested material(s) of submitted sample(s)	EN 71-3:2019+A1:2021 – Migration of certain elements (Category III)	PASS



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 3 of 11

TESTS CONDUCTED:

1. Mechanical and Physical Test

As per European Standard on Safety of toys EN71-1:2014+A1:2018.

Clause	Testing items	Assessment
4	General requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678
Email: cs@ccilab.com.cn

Fax: +86-20-84910993
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 4 of 11

Clause	Testing items	Assessment
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	P
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 5 of 11

Clause	Testing items	Assessment
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Note:

1. P = Pass.
2. NA = Not Applicable.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1) Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name was on the packaging.
- Manufacturer's address was on the packaging.
- Importer's name was on the packaging.
- Importer's address was on the packaging.
- Product identification code was on the packaging.
- CE-marking was on the packaging.



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 6 of 11

2. Flammability Test

As per European Standard on Safety of Toys EN71-2:2020.

Clause	Testing items	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Note:

1. P = Pass.
2. NA = Not applicable.



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 7 of 11

3. Migration of Certain Elements- EN 71-3:2019+A1:2021(Category III)

Test Method: With reference to EN 71-3:2019+A1:2021, by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES) and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

No.	Substance	RL (mg/kg)	Test Result (mg/kg)				
			1	2	3	4	5
1	Aluminium (Al)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
2	Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
3	Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.
4	Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
5	Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
6	Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.
7	Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
8	Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.
9	Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.
10	Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
11	Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.
12	Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
13	Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.
14	Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
15	Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
16	Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
17	Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
18	Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.
19	Zinc (Zn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Conclusion			PASS	PASS	PASS	PASS	PASS



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 8 of 11

The table of Migration Elements limit:

Substance	Limit (mg/kg)		
	Category I	Category II	Category III
	Dry, brittle, powder-like or pliable materials	Liquid or sticky materials	Scraped-off materials
Aluminium (Al)	2250	560	28130
Antimony (Sb)	45	11.3	560
Arsenic (As)	3.8	0.9	47
Barium (Ba)	1500	375	18750
Boron (B)	1200	300	15000
Cadmium (Cd)	1.3	0.3	17
Chromium(III) (Cr ³⁺)	37.5	9.4	460
Chromium(VI) (Cr ⁶⁺)	0.02	0.005	0.053
Cobalt (Co)	10.5	2.6	130
Copper (Cu)	622.5	156	7700
Lead (Pb)	2.0	0.5	23
Manganese (Mn)	1200	300	15000
Mercury (Hg)	7.5	1.9	94
Nickel (Ni)	75	18.8	930
Selenium (Se)	37.5	9.4	460
Strontium (Sr)	4500	1125	56000
Tin (Sn)	15000	3750	180000
Organic tin ☆	0.9	0.2	12
Zinc (Zn)	3750	938	46000

Note:

1. mg/kg = Milligram per kilogram = ppm.
2. N.D. = Not Detected (Less than Reporting Limit).
3. RL = Reporting Limit.
4. Calculated concentration of Chromium(III) (Cr³⁺) and Chromium(VI) (Cr⁶⁺) are based on total Chromium.
5. "☆" = Organic tin include Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetra-butyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin, Dimethyl tin. The migration of organic tin is expressed as tributyltin.



TEST REPORT

Report No.: CCI250100704EN-2R1


Report Date: Jun. 27, 2025

Page 9 of 11

Test Material(s) List

Material No.	Description	Location
1	Black plastic	Steering wheel
2	Green plastic	Body
3	Black plastic	Seat
4	Black plastic	Body
5	Black plastic	Wheel

Photo Appendix






TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 10 of 11

Additional Photo Appendix



Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678
Email: cs@ccilab.com.cn

Fax: +86-20-84910993
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250100704EN-2R1

Report Date: Jun. 27, 2025

Page 11 of 11

Additional Photo Appendix



Remark: This report replaces CCI250100704EN-2, which will be automatically nullified on the date of issuance of this report.

★★★★★End of Report★★★★★



Certificate of Conformity

No.: CCI250100704EN-2R1CER

Reference Report No. : CCI250100704EN-2R1

Applicant : XINGTAI HAOLAITONG CHILDREN TOY CO.,LTD

Address : Gaofu town industrial Park, Hegumiao town, Pingxiang County,
Xingtai City, Hebei Province, China

Sample Name : Kids' electric car

Model/Item No. : BJQ-688,BJQ-699,BJQ-668,BJQ-008,BJQ-009,BJQ-1966,
BJQ-6688A,KQT-998,1866,BJQ-X7,BJQ-818,BJQ-6688,
BJQ-518,BJQ-6688B,BJQ-V8,BJQ-6188,BJQ-918,BJQ-819,
BJQ-616,KN-5288

Test Standards : EN 71-1:2014+A1:2018
EN 71-2:2020
EN 71-3:2019+A1:2021

The submitted sample(s) stated as above has(have) been tested by us with the listed standards and found in conformity with such related requirements stated in Directive 2009/48/EC of the European Parliament and of the Council of 18 June, 2009 on the safety of toys and its subsequent amendments. It is possible to use CE marking on the product to demonstrate the conformity with such requirements of this Directive.

This certification is part of the full test report(s) and should be read in conjunction with it. The certificate is based on a single evaluation of one sample of above-mentioned product(s). It does not imply an assessment of the whole production. Other CE marking directives may be applied, they have not been considered during this conformity assessment.



Technical director
Jun. 27, 2025



Certificate of Conformity

No.: CCI250401274ENR1CER

Reference Report No. : CCI250401274ENR1

Applicant : XINGTAI HAOLAITONG CHILDREN TOY CO.,LTD
Address : Gaofu town industrial Park, Hegumiao town, Pingxiang County,
Xingtai City, Hebei Province, China

Sample Name : Children's Car
Model/Item No. : BJQ-588, BJQ-6699, BJQ-688, BJQ-699, BJQ-009, BJQ-1966,
BJQ-6688A, BJQ-6688B, KQT-998, 1866, BJQ-X7, BJQ-X7,
BJQ-818, BJQ-6688, BJQ-518, BJQ-V8, BJQ-6188, BJQ-918,
BJQ-819, BJQ-918, BJQ-616, KN-5288

Test Standards : IEC 62321-3-1:2013 IEC 62321-7-1:2015
IEC 62321-4:2013+A1:2017 IEC 62321-7-2:2017
IEC 62321-5:2013 IEC 62321-8:2017
IEC 62321-6:2015

The submitted sample(s) stated as above has(have) been tested by us with the listed standards and found in conformity with the requirements stated in Directive 2011/65/EU of the European Parliament and of the Council with regard to the restriction of the use of certain hazardous substances in electrical and electronic equipment and its subsequent amendments as well as Commission Delegated Directive (EU) 2015/863. It is possible to use CE marking on the product to demonstrate the conformity with this Directive.

This certification is part of the full test report(s) and should be read in conjunction with it. The certificate is based on a single evaluation of one sample of above-mentioned products. It does not imply an assessment of the whole production. Other CE marking directives may be applied, they have not been considered during this RoHS conformity assessment.





TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 1 of 21

Applicant : XINGTAI HAOLAITONG CHILDREN TOY CO.,LTD

Address : Gaofu town industrial Park, Hegumiao town, Pingxiang County, Xingtai City, Hebei Province, China

(The following sample(s) was (were) submitted and identified by client as)

Sample Name : Children's Car

Model/Item No. : BJQ-688,BJQ-699,BJQ-668,BJQ-008,BJQ-009,BJQ-1966,BJQ-6688A,
KQT-998,1866,BJQ-X7,BJQ-818,BJQ-6688,BJQ-518,BJQ-6688B,BJQ-V8,
BJQ-6188,BJQ-918,BJQ-819,BJQ-616,KN-5288

Test Period : From Apr. 23, 2025 to May 30, 2025

Report Revise Date : Jun. 27, 2025

Tests Conducted : As requested by the applicant, for details refer to attached page(s).

Executive Summary:

No.	TESTED SAMPLE	STANDARD / REQUIREMENT	CONCLUSION
1	Tested material(s) of submitted sample(s)	Pb, Cd, Hg, CrVI, PBBs and PBDEs - Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment amended by Commission Delegated Directive (EU) 2015/863 of 31 March 2015 and other subsequent amendments	PASS
2	Tested material(s) of submitted sample(s)	Phthalates - Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment amended by Commission Delegated Directive (EU) 2015/863 of 31 March 2015 and other subsequent amendments	PASS

Signed for and on behalf of
Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by: 
Pascal SHI, Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 2 of 21

TESTS CONDUCTED:

1 Pb, Cd, Hg, Cr (VI), PBBs and PBDEs

Test Method: IEC62321-3-1:2013, IEC62321-4:2013+A1:2017, IEC62321-5:2013, IEC62321-6:2015, IEC62321-7-1:2015, IEC 62321-7-2:2017, analyzed by EDXRF & ICP-OES & GC-MS & UV-Vis.

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
1	Black plastic	BL	BL	BL	BL	BL	PASS	/
2	White plastic	BL	BL	BL	BL	BL	PASS	/
3	White transparent plastic	BL	BL	BL	BL	BL	PASS	/
4	Black metal	BL	BL	BL	BL	NA	PASS	/
5	White plastic	BL	BL	BL	BL	BL	PASS	/
6	Silvery metal	BL	BL	BL	BL	NA	PASS	/
7	Silvery metal	BL	BL	BL	BL	NA	PASS	/
8	Silvery metal	BL	BL	BL	BL	NA	PASS	/
9	Black metal	BL	BL	BL	BL	NA	PASS	/
10	Black plastic	BL	BL	BL	BL	BL	PASS	/
11	Silvery metal	BL	BL	BL	Negative	NA	PASS	/
12	Black fiber	BL	BL	BL	BL	BL	PASS	/
13	Black plastic	BL	BL	BL	BL	BL	PASS	/
14	White plastic	BL	BL	BL	BL	BL	PASS	/
15	Yellow plastic	BL	BL	BL	BL	BL	PASS	/
16	Black plastic with white printing	BL	BL	BL	BL	BL	PASS	/
17	Red plastic with white printing	BL	BL	BL	BL	BL	PASS	/
18	Red plastic	BL	BL	BL	BL	BL	PASS	/
19	Sticky black plastic with white printing	BL	BL	BL	BL	BL	PASS	/
20	Silvery metal	BL	BL	BL	BL	NA	PASS	/
21	Red plastic	BL	BL	BL	BL	BL	PASS	/
22	Black solid	BL	BL	BL	BL	BL	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 3 of 21

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
23	Green PCB with white printing	BL	BL	BL	BL	BL	PASS	/
24	Black plastic with white printing	BL	BL	BL	BL	BL	PASS	/
25	Silvery metal	BL	BL	BL	BL	NA	PASS	/
26	Bright silver metal	BL	BL	BL	BL	NA	PASS	/
27	Black soft plastic	BL	BL	BL	BL	BL	PASS	/
28	Brown paper	BL	BL	BL	BL	BL	PASS	/
29	Dark grey solid	BL	BL	BL	BL	BL	PASS	/
30	Bronze metal	BL	BL	BL	BL	NA	PASS	/
31	Beige plastic	BL	BL	BL	BL	BL	PASS	/
32	Silvery metal	BL	BL	BL	BL	NA	PASS	/
33	Silvery metal	BL	BL	BL	Negative	NA	PASS	/
34	Black solid	BL	BL	BL	BL	BL	PASS	/
35	Black plastic	BL	BL	BL	BL	BL	PASS	/
36	White plastic	BL	BL	BL	BL	BL	PASS	/
37	Silvery metal	BL	BL	BL	BL	NA	PASS	/
38	Black solid	BL	BL	BL	BL	BL	PASS	/
39	Black plastic	BL	BL	BL	BL	BL	PASS	/
40	Black plastic	BL	BL	BL	BL	BL	PASS	/
41	Black plastic	BL	BL	BL	BL	BL	PASS	/
42	Black plastic	BL	BL	BL	BL	BL	PASS	/
43	Black plastic	BL	BL	BL	BL	BL	PASS	/
44	Silvery metal	BL	BL	BL	BL	NA	PASS	/
45	Yellow soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
46	White plastic	BL	BL	BL	BL	BL	PASS	/
47	Black soft plastic	BL	BL	BL	BL	BL	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678 Fax: +86-20-84910993

Email: cs@ccilab.com.cn Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 4 of 21

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
48	Black plastic	BL	BL	BL	BL	BL	PASS	/
49	Silvery metal	BL	BL	BL	BL	NA	PASS	/
50	Silvery metal	BL	BL	BL	BL	NA	PASS	/
51	Silvery metal	BL	BL	BL	Negative	NA	PASS	/
52	Silvery metal	BL	BL	BL	BL	NA	PASS	/
53	Red plastic	BL	BL	BL	BL	BL	PASS	/
54	Beige plastic	BL	BL	BL	BL	BL	PASS	/
55	White soft plastic	BL	BL	BL	BL	BL	PASS	/
56	White transparent plastic	BL	BL	BL	BL	BL	PASS	/
57	Silvery metal	BL	BL	BL	BL	NA	PASS	/
58	White transparent plastic	BL	BL	BL	BL	BL	PASS	/
59	White transparent plastic	BL	BL	BL	BL	BL	PASS	/
60	Black plastic with silvery coating	BL	BL	BL	BL	BL	PASS	/
61	Yellow solid	BL	BL	BL	BL	BL	PASS	/
62	Yellow soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
63	Green soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
64	White soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
65	Black soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
66	Red soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
67	Pink sift plastic	BL	BL	BL	BL	BL	PASS	/
68	Bronze metal	BL	BL	BL	BL	NA	PASS	/
69	White plastic	BL	BL	BL	BL	BL	PASS	/
70	Silvery metal	BL	BL	BL	BL	NA	PASS	/
71	Sticky black plastic film	BL	BL	BL	BL	BL	PASS	/
72	Sticky white paper	BL	BL	BL	BL	NA	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 5 of 21

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
73	White transparent film	BL	BL	BL	BL	BL	PASS	/
74	Silvery metal	BL	BL	BL	BL	NA	PASS	/
75	Black plastic	BL	BL	BL	BL	BL	PASS	/
76	Silvery metal	BL	BL	BL	BL	NA	PASS	/
77	Silvery metal	BL	BL	BL	BL	NA	PASS	/
78	Black plastic	BL	BL	BL	BL	BL	PASS	/
79	Silvery metal	BL	BL	BL	BL	NA	PASS	/
80	Silvery metal	BL	BL	BL	Negative	NA	PASS	/
81	Silvery metal	BL	BL	BL	BL	NA	PASS	/
82	Silvery metal	BL	BL	BL	BL	NA	PASS	/
83	White plastic	BL	BL	BL	BL	BL	PASS	/
84	Dark grey plastic	BL	BL	BL	BL	BL	PASS	/
85	Black solid	BL	BL	BL	BL	BL	PASS	/
86	Silvery solder	BL	BL	BL	BL	NA	PASS	Resubmitted sample
87	Yellow soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
88	Green soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
89	Silvery metal	BL	BL	BL	BL	NA	PASS	/
90	Bronze metal	BL	BL	BL	BL	NA	PASS	/
91	Bronze metal	BL	BL	BL	BL	NA	PASS	/
92	Silvery metal	BL	BL	BL	BL	NA	PASS	/
93	White plastic	BL	BL	BL	BL	BL	PASS	/
94	Bronze metal	BL	BL	BL	BL	NA	PASS	/
95	Silvery metal	BL	BL	BL	BL	NA	PASS	/
96	Black solid	BL	BL	BL	BL	BL	PASS	/
97	Green solid	BL	BL	BL	BL	BL	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 6 of 21

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
98	Bronze metal	BL	BL	BL	BL	NA	PASS	/
99	Silvery metal	BL	BL	BL	BL	NA	PASS	/
100	Silvery metal	BL	BL	BL	Negative	NA	PASS	/
101	Black paper	BL	BL	BL	BL	BL	PASS	/
102	Black gel	BL	BL	BL	BL	BL	PASS	/
103	Green PCB	BL	BL	BL	BL	BL	PASS	/
104	White gel	BL	BL	BL	BL	BL	PASS	/
105	White plastic	BL	BL	BL	BL	BL	PASS	/
106	Silvery metal	BL	BL	BL	BL	NA	PASS	/
107	Silvery solder	BL	BL	BL	BL	NA	PASS	Resubmitted sample
108	Silvery metal	BL	BL	BL	BL	NA	PASS	/
109	White plastic	BL	BL	BL	BL	BL	PASS	/
110	Black solid	BL	BL	BL	BL	BL	PASS	/
111	Bronze metal	BL	BL	BL	BL	NA	PASS	/
112	Brown paper	BL	BL	BL	BL	BL	PASS	/
113	Copper-colored metal	BL	BL	BL	BL	NA	PASS	/
114	Yellow fabric	BL	BL	BL	BL	BL	PASS	/
115	Black plastic	BL	BL	BL	BL	BL	PASS	/
116	Black PCB	BL	BL	BL	BL	BL	PASS	/
117	Silvery solder	BL	BL	BL	BL	NA	PASS	/
118	Silvery metal	BL	BL	BL	BL	NA	PASS	/
119	Black solid	BL	BL	BL	BL	BL	PASS	/
120	Green PCB with gold printing	BL	BL	BL	BL	BL	PASS	/
121	Silvery metal	BL	BL	BL	BL	NA	PASS	/
122	Black soft plastic	BL	BL	BL	BL	BL	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 7 of 21

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
123	Bright silvery metal	BL	BL	BL	BL	NA	PASS	/
124	Brown paper	BL	BL	BL	BL	BL	PASS	/
125	Black solid	BL	BL	BL	BL	BL	PASS	/
126	Yellow solid	BL	BL	BL	BL	BL	PASS	/
127	Silvery metal	BL	BL	BL	Negative	NA	PASS	/
128	White plastic	BL	BL	BL	BL	BL	PASS	/
129	Black solid	BL	BL	BL	BL	BL	PASS	/
130	Black solid	BL	BL	BL	BL	BL	PASS	/
131	Silvery metal	BL	BL	BL	BL	NA	PASS	/
132	Green solid	BL	BL	BL	BL	BL	PASS	/
133	Brown solid	BL	BL	BL	BL	BL	PASS	/
134	Black solid	BL	BL	BL	BL	BL	PASS	/
135	Black solid	BL	BL	BL	BL	BL	PASS	/
136	Black plastic	BL	BL	BL	BL	BL	PASS	/
137	Silvery metal	BL	BL	BL	BL	NA	PASS	/
138	Silvery metal	BL	BL	BL	BL	NA	PASS	/
139	Black solid	BL	BL	BL	BL	BL	PASS	/
140	Black solid	BL	BL	BL	BL	BL	PASS	/
141	White plastic	BL	BL	BL	BL	BL	PASS	/
142	Black solid	BL	BL	BL	BL	BL	PASS	/
143	Silvery metal	BL	BL	BL	BL	NA	PASS	/
144	Silvery metal	BL	BL	BL	BL	NA	PASS	/
145	Black solid	BL	BL	BL	BL	BL	PASS	/
146	Silvery metal	BL	BL	BL	BL	NA	PASS	/
147	Black plastic	BL	BL	BL	BL	BL	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@cclab.com.cn Website: www.cclab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.cclab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 8 of 21

No.	Specimen Description	Test Results (mg/kg) ^{(1) (2)}					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
148	Foil tin labels with black printing	BL	BL	BL	BL	BL	PASS	/
149	Black soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
150	Red soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
151	Black soft plastic	BL	BL	BL	BL	BL	PASS	Resubmitted sample
152	Bronze metal	BL	BL	BL	BL	NA	PASS	/
153	Black plastic	BL	BL	BL	BL	BL	PASS	/
154	Silvery metal	BL	BL	BL	BL	NA	PASS	/
155	Black plastic	BL	BL	BL	BL	BL	PASS	/
156	Green PCB with white printing	BL	BL	BL	BL	BL	PASS	/
157	Black solid	BL	BL	BL	BL	BL	PASS	/
158	Black solid	BL	BL	BL	BL	BL	PASS	/
159	Black solid	BL	BL	BL	BL	BL	PASS	/
160	Silvery solder	BL	BL	BL	BL	NA	PASS	Resubmitted sample
161	Black solid	BL	BL	BL	BL	BL	PASS	/
162	Multi-color solid	BL	BL	BL	BL	BL	PASS	/
163	Silvery metal	BL	BL	BL	BL	NA	PASS	/
164	Green solid	BL	BL	BL	BL	BL	PASS	/
165	Sticky red plastic film	BL	BL	BL	BL	BL	PASS	/
166	Black plastic	BL	BL	BL	BL	BL	PASS	/
167	Black solid	BL	BL	BL	BL	BL	PASS	/
168	Bronze metal	BL	BL	BL	BL	NA	PASS	/
169	White semitransparent plastic	BL	BL	BL	BL	BL	PASS	/
170	Silvery metal	BL	BL	BL	BL	NA	PASS	/
171	Black plastic with white printing	BL	BL	BL	BL	BL	PASS	/
172	Silvery metal	BL	BL	BL	BL	NA	PASS	/

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccilab.com.cn Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 9 of 21

No.	Specimen Description	Test Results (mg/kg) ⁽¹⁾ ⁽²⁾					Conclusion	Comments
		Pb	Cd	Hg	Cr (VI)	PBBs & PBDEs		
173	Black soft plastic	BL	BL	BL	BL	BL	PASS	/
174	Bright silvery metal	BL	BL	BL	BL	NA	PASS	/
175	Brown paper	BL	BL	BL	BL	BL	PASS	/
176	Brown PCB with white printing	BL	BL	BL	BL	BL	PASS	/



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 10 of 21

Remark:

(1) ① The test results shown as “BL” are obtained by EDXRF for primary screening (for Cr (VI), the EDXRF screening result is expressed as Cr, and for PBBs and PBDEs, the EDXRF screening results are expressed as Br), and the test results shown as exact data are obtained by further wet chemical testing by ICP-OES (for Cd, Pb, Hg), UV-VIS (for Cr (VI)) and GC-MS (for PBBs and PBDEs).

② The EDXRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

Unit: mg/kg

Element	Polymer	Metal	Composite Materials
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Br	$BL \leq (300-3\sigma) < X$	NA	$BL \leq (250-3\sigma) < X$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$

③ OL = Over Limit, BL = Below Limit, X = Inconclusive, NA = Not Applicable.

Units and limits:

Restricted Substances	Pb	Cd	Hg	Cr (VI)	PBBs	PBDEs
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Limit	1000	100	1000	1000	1000	1000

(2) ① mg/kg = ppm = 0.0001%, N.D. = Not Detected (Less than RL).

② Unit and RL (Reporting limit) in wet chemical test.

Restricted Substances	Pb	Cd	Hg	Cr (VI)	PBBs(single)	PBDEs(single)
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RL	2	2	2	2	5	5

③ According to IEC 62321-7-1:2015, result on Cr (VI) for metal sample is shown as Positive/Negative.

Negative = The sample solution is < the 0,10 $\mu\text{g}/\text{cm}^2$ equivalent comparison standard solution = The coating is considered a non-Cr(VI) based coating

Positive = The sample solution is > the 0,13 $\mu\text{g}/\text{cm}^2$ equivalent comparison standard solution = The sample coating is considered to contain Cr(VI)

Storage condition and production date of the tested sample are unavailable and thus results of Cr (VI) represent status of the sample at the time of testing.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 11 of 21

2 Phthalates (DBP, BBP, DEHP, DIBP) content

Test Method: IEC 62321-8:2017, analyzed by Gas Chromatography-Mass Spectrometry (GC-MS).

Substances	DBP	BBP	DEHP	DIBP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	84-69-5	
Limit (mg/kg)	1000	1000	1000	1000	
RL (mg/kg)	30	30	30	30	
No.	Test Results (mg/kg)				PASS
1+23	N.D.	N.D.	N.D.	N.D.	
5+10+13	N.D.	N.D.	N.D.	N.D.	
14+15+16	N.D.	N.D.	N.D.	N.D.	
17+18+19	N.D.	N.D.	N.D.	N.D.	
21+24+31	N.D.	N.D.	N.D.	N.D.	
23+103+116	N.D.	N.D.	N.D.	N.D.	
27	N.D.	N.D.	N.D.	N.D.	
35+36+39	N.D.	N.D.	N.D.	N.D.	
40+41+42	N.D.	N.D.	N.D.	N.D.	
43+46+48	N.D.	N.D.	N.D.	N.D.	
45	N.D.	N.D.	N.D.	N.D.	
47	N.D.	N.D.	N.D.	N.D.	
53+54+56	N.D.	N.D.	N.D.	N.D.	
55	N.D.	N.D.	N.D.	N.D.	
58+59+60	N.D.	N.D.	N.D.	N.D.	
62	N.D.	N.D.	N.D.	N.D.	
63	N.D.	N.D.	N.D.	N.D.	
64	N.D.	N.D.	N.D.	N.D.	
65	N.D.	N.D.	N.D.	N.D.	
66	N.D.	N.D.	N.D.	N.D.	
67	N.D.	N.D.	N.D.	N.D.	
69+71+73	N.D.	N.D.	N.D.	N.D.	
75+78+83	N.D.	N.D.	N.D.	N.D.	
84+93+102	N.D.	N.D.	N.D.	N.D.	

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@cclab.com.cn Website: www.cclab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.cclab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 12 of 21

Substances	DBP	BBP	DEHP	DIBP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	84-69-5	
Limit (mg/kg)	1000	1000	1000	1000	
RL (mg/kg)	30	30	30	30	
No.	Test Results (mg/kg)				Conclusion
87	N.D.	N.D.	N.D.	N.D.	
88	N.D.	N.D.	N.D.	N.D.	
104+105+109	N.D.	N.D.	N.D.	N.D.	
115+128+136	N.D.	N.D.	N.D.	N.D.	
120+156+176	N.D.	N.D.	N.D.	N.D.	
122	N.D.	N.D.	N.D.	N.D.	
141+147+153	N.D.	N.D.	N.D.	N.D.	
149	N.D.	N.D.	N.D.	N.D.	
150	N.D.	N.D.	N.D.	N.D.	
151+173	N.D.	N.D.	N.D.	N.D.	
155+165+166	N.D.	N.D.	N.D.	N.D.	
169+171	N.D.	N.D.	N.D.	N.D.	

Remark:

1. mg/kg = Milligram per kilogram (ppm).
2. RL = Reporting Limit.
3. N.D. = Not Detected (Less than RL).



TEST REPORT

Report No.: CCI250401274ENR1


Report Date: Jun. 27, 2025

Page 13 of 21

Test Sample Photos



Tested Parts Photos








TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 14 of 21

Tested Parts Photos



Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.









TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 15 of 21

Tested Parts Photos



Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.








TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 16 of 21

Tested Parts Photos



Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.








TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 17 of 21

Tested Parts Photos





TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 18 of 21

Additional Sample Photos



Remark: This report replaces CCI250401274EN, which will be automatically nullified on the date of issuance of this report.

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccllab.com.cn Website: www.ccllab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccllab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 19 of 21

Appendix

EXEMPTION LIST (ANNEX III TO RoHS DIRECTIVE)

- 1 Mercury in single capped (compact) fluorescent lamps not exceeding (per burner):
 - 1(a) For general lighting purposes < 30W: 2.5mg (Expires on 24 February 2023)
 - 1(b) For general lighting purposes ≥ 30W and <50W: 3.5mg (Expires on 24 February 2023)
 - 1(c) For general lighting purposes ≥ 50W and <150W: 5mg (Expires on 24 February 2023)
 - 1(d) For general lighting purposes ≥ 150W: 15mg (Expires on 24 February 2023)
 - 1(e) For general lighting purposes with circular or square structural shape and tube diameter ≤17mm: 5mg (Expires on 24 February 2023)
 - 1(f)-I For lamps designed to emit mainly light in the ultraviolet spectrum: 5 mg (Expires on 24 February 2027)
 - 1(f)-II For special purposes: 5 mg (Expires on 24 February 2025)
 - 1(g) For general lighting purposes < 30 W with a lifetime equal or above 20000 h: 3,5 mg (Expires on 24 August 2023)
- 2(a) Mercury in double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp):
 - 2(a)(1) Tri-band phosphor with normal lifetime and a tube diameter < 9mm (e.g. T2): 4mg (Expires on 24 February 2023)
 - 2(a)(2) Tri-band phosphor with normal lifetime and a tube diameter ≥ 9mm and ≤ 17mm (e.g. T5): 3mg (Expires on 24 August 2023)
 - 2(a)(3) Tri-band phosphor with normal lifetime and a tube diameter > 17mm and ≤ 28mm (e.g. T8): 3.5mg (Expires on 24 August 2023)
 - 2(a)(4) Tri-band phosphor with normal lifetime and a tube diameter > 28mm (e.g. T12): 3.5mg (Expires on 24 February 2023)
 - 2(a)(5) Tri-band phosphor with long lifetime (≥ 25000h): 5mg (Expires on 24 February 2023)
- 2(b) Mercury in other fluorescent lamps not exceeding (per lamp):
 - 2(b)(3) Non-linear tri-band phosphor lamps with tube diameter > 17mm (e.g. T9): 15mg (Expires on 24 February 2023; 10 mg may be used per lamp from 25 February 2023 until 24 February 2025)
- 2(b)(4)-I Lamps for other general lighting and special purposes (e.g. induction lamps): 15mg (Expires on 24 February 2025)
- 2(b)(4)-II Lamps emitting mainly light in the ultraviolet spectrum: 15 mg (Expires on 24 February 2027)
- 2(b)(4)-III Emergency lamps: 15 mg (Expires on 24 February 2027)
- 3 Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes used in EEE placed on the market before 24 February 2022 not exceeding (per lamp):
 - 3(a) Short length (≤ 500mm): 3.5mg (Expires on 24 February 2025)
 - 3(b) Medium length (> 500mm and ≤ 1500mm): 5mg (Expires on 24 February 2025)
 - 3(c) Long length (> 1500mm): 13mg (Expires on 24 February 2025)
 - 4(a) Mercury in other low pressure discharge lamps (per lamp): 15mg (Expires on 24 February 2023)
- 4(a)-I Mercury in low pressure non-phosphor coated discharge lamps, where the application requires the main range of the lamp-spectral output to be in the ultraviolet spectrum: up to 15 mg mercury may be used per lamp (Expires on 24 February 2027)
- 4(b) Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 80: P ≤ 105W: 16mg (Expires on 24 February 2027)
- 4(b)-I Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60: P ≤ 155W: 30mg (Expires on 24 February 2023)
- 4(b)-II Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60: 155W < P ≤ 405W: 40mg (Expires on 24 February 2023)
- 4(b)-III Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60: P > 405W: 40mg (Expires on 24 February 2023)
- 4(c) Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner):
 - 4(c)-I P ≤ 155W: 20mg (Expires on 24 February 2027)
 - 4(c)-II 155W < P ≤ 405W: 25mg (Expires on 24 February 2027)
 - 4(c)-III P > 405W: 25mg (Expires on 24 February 2027)
- 4(e) Mercury in metal halide lamps (MH) (Expires on 24 February 2027)
- 4(f)-I Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex (Expires on 24 February 2025)
- 4(f)-II Mercury in high pressure mercury vapour lamps used in projectors where an output ≥ 2000 lumen ANSI is required (Expires on 24 February 2027)
- 4(f)-III Mercury in high pressure sodium vapour lamps used for horticulture lighting (Expires on 24 February 2027)
- 4(f)-IV Mercury in lamps emitting light in the ultraviolet spectrum (Expires on 24 February 2027)
- 5(b) Lead in glass of fluorescent tubes not exceeding 0.2% by weight
- 6(a)-I Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight (Renew was requested)
- 6(b)-I Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling (Renew was requested)
- 6(b)-II Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight (Renew was requested)
- 6(c) Copper alloy containing up to 4% lead by weight. (Renew was requested for categories 1-7 and 10 and for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 7(a) Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead) (Applies to categories 1-7 and 10 (except applications covered under point 24) and renew was requested. For categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments, renew was requested. For category 8 *in vitro* diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.)
- 7(c)-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound (Applies to categories 1-7 and 10 (except applications covered under point 34) and renew was requested. For categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678 Fax: +86-20-84910993

Email: cs@ccilab.com.cn Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 20 of 21

- instruments, renew was requested. For category 8 *in vitro* diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.)
- 7(c)-II Lead in dielectric ceramic in capacitors for a rated voltage of 125V AC or 250V DC or higher (Does not apply to applications covered by point 7(c)-I and 7(c)-IV of this Annex. Renew was requested for categories 1-7 and 10 and for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 7(c)-IV Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors (Expires on: 21 July 2021 for categories 1-7 and 10; 21 July 2021 for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 8(b) Cadmium and its compounds in electrical contacts (Applies to categories 8, 9 and 11 and renew was requested for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; renew was requested for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 8(b)-I Cadmium and its compounds in electrical contacts used in:
- circuit breakers,
 - thermal sensing controls,
 - thermal motor protectors (excluding hermetic thermal motor protectors),
 - AC switches rated at:
 - 6 A and more at 250 V AC and more, or
 - 12 A and more at 125 V AC and more,
 - DC switches rated at 20 A and more at 18 V DC and more, and
 - switches for use at voltage supply frequency ≥ 200 Hz
- (Applies to categories 1 to 7 and 10 and renew was requested)
- 9 Hexavalent chromium as an anti-corrosion agent of the carbon steel cooling system in absorption refrigerators up to 0.75% by weight in the cooling solution (Applies to categories 8, 9 and 11 and expires on: 21 July 2021 for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 9(a)-II Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators:
- designed to operate fully or partly with electrical heater, having an average utilised power input ≥ 75 W at constant running conditions,
 - designed to fully operate with non-electrical heater.
- (Applies to categories 1-7 and 10 and renew was requested)
- 9(b) Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications (Applies to categories 8, 9 and 11 and expires on: 21 July 2021 for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 13(a) Lead in white glasses used for optical applications (Applies to all categories; renew was requested for categories 1 to 7 and 10; expires on: 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; 21 July 2021 for all other categories and subcategories)
- 13(b) Cadmium and lead in filter glasses and glasses used for reflectance standards (Applies to categories 8, 9 and 11 and expires on: renew was requested for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; renew was requested for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 13(b)-(I) Lead in ion coloured optical filter glass types (Applies to categories 1 to 7 and 10; renew was requested for categories 1 to 7 and 10)
- 13(b)-(II) Cadmium in striking optical filter glass types; excluding applications falling under point 39 of this Annex (Applies to categories 1 to 7 and 10; renew was requested for categories 1 to 7 and 10)
- 13(b)-(III) Cadmium and lead in glazes used for reflectance standards (Applies to categories 1 to 7 and 10; renew was requested for categories 1 to 7 and 10)
- 15 Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit Flip Chip packages (Applies to categories 8, 9 and 11 and expires on: renew was requested for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; renew was requested for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 15(a) Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies:
- a semiconductor technology node of 90 nm or larger;
 - a single die of 300 mm² or larger in any semiconductor technology node;
 - stacked die packages with die of 300 mm² or larger, or silicon interposers of 300 mm² or larger.
- (Applies to categories 1 to 7 and 10 and renew was requested.)
- 18(b) Lead as activator in the fluorescent powder (1% lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi₂O₅:Pb) (Expires on: renew was requested for categories 1-7 and 10; renew was requested for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 *in vitro* diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 18(b)-I Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi₂O₅:Pb) when used in medical phototherapy equipment (Applies to categories 5 and 8, excluding applications covered by entry 34 of Annex IV, and renew was requested)
- 21 Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glass (Applies to categories 8, 9 and 11 and expires on: 21 July 2021 for categories 8 and 9 other than *in vitro* diagnostic medical devices and industrial

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccilab.com.cn Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI250401274ENR1

Report Date: Jun. 27, 2025

Page 21 of 21

- monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 24 Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors (Expires on: renew was requested for categories 1-7 and 10; renew was requested for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; renew was requested for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 25 Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring (Applies to categories 8, 9 and 11 and expires on: 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11)
- 29 Lead bound in crystal glass as defined in Annex 1 (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC (Expires on: renew was requested for categories 1-7 and 10; 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 32 Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes (Expires on: renew was requested for categories 1-7 and 10; renew was requested for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 34 Lead in cermet-based trimmer potentiometer elements (Applies to all categories; expires on: renew was requested for categories 1-7 and 10; renew was requested for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; renew was requested for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 37 Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body (Expires on: 21 July 2021 for categories 1-7 and 10; 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.)
- 39(a) Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications ($< 0.2 \mu\text{g Cd per mm}^2$ of display screen area) (For all categories renew was requested)
- 41 Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council) (Applies to all categories and expires on: 31 March 2022 for categories 1 to 7, 10 and 11; 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments.)
- 42 Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment:
- with engine total displacement ≥ 15 litres; or
- with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.
(Applies to category 11, excluding applications covered by entry 6(c) of this Annex, and expires on 21 July 2024)
- 43 Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed:
(a) 30 % by weight of the rubber for
(i) gasket coatings;
(ii) solid-rubber gaskets; or
(iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine.
(b) 10 % by weight of the rubber for rubber-containing components not referred to in point (a).
For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day.
(Applies to category 11 and expires on 21 July 2024.)
- 44 Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council (1), installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users (Applies to category 11 and expires on 21 July 2024)
- 45 Lead diazide, lead styphnate, lead picramate, orange lead (lead tetroxide), lead dioxide in electric and electronic initiators of explosives for civil (professional) use and barium chromate in long time pyrotechnic delay charges of electric initiators of explosives for civil (professional) use (Effective from 1 November 2021. Applies to category 11 and expires on 20 April 2026)

★★★★★End of Report★★★★★