

Test Report

Number: SHAH01573131S1

Applicant: SHANGHAI HAPPY CHILDREN FACTORY
NO.1002,XINJIANFENG,JINGYANG VILLAGE,
LANGXIA TOWN,JINSHAN DISTRICT,
SHANGHAI,CHINA

Date: 09 Jun, 2023

*This Is To Supersede Report No.
SHAH01573131 Dated Jun 02, 2023*

Sample Description:

One(1)Group of submitted sample said to be :
Item Name : Battery Operated car, Ride-On Car
Item No. : MINI VESPA PX150/A008
Labelled Age Group : 3+
Packaging Provided By Applicant : Yes
Goods Exported to : Europe
Country of Origin : China


Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Sample	EN71-2: 2020 Flammability Test	Pass
Tested Components Of Submitted Sample	EN 71-3:2019+A1:2021 on migration of certain elements	Pass
Submitted Sample	EN IEC 62115:2020+A11:2020 Safety of Electric Toys Excluding Clause 15.1.2, 15.4, 19, Annex C, E, I	Pass
Tested Components Of Submitted Sample	Phthalates content requirement in Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (Formerly known as Directive 2005/84/EC)	Pass
Tested Components Of Submitted Sample	Phthalates content requirement in Annex XVII Items 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as Directive 2005/84/EC)	Pass

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH01573131S1

Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: Over 3 years

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Protective Components	8.4.2.3	60 N
Tip Over Test	8.6	3times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N
Flexibility of Metallic Wires	8.13	70 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA



Test Report

Number: SHAH01573131S1

Tests Conducted

Clause	Testing Items	Assessment
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA



Test Report

Number: SHAH01573131S1

Tests Conducted

Clause	Testing Items	Assessment
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Absent
Manufacturer's address	Absent	Absent
Importer's name	Absent	Present
Importer's address	Absent	Present
Product identification code	Absent	Present
CE-marking	Absent	Present

Date Sample Received: 19 May, 2023 & 30 May, 2023 & 02 Jun, 2023

Testing Period: 19 May, 2023 To 02 Jun, 2023



Test Report

Number: SHAH01573131S1

Tests Conducted

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received : 19 May, 2023

Testing Period : 19 May, 2023 To 25 May, 2023



Test Report

Number: SHAH01573131S1

Tests Conducted

3 19 Toxic Element Migration Test

(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01573131S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND#	ND	ND#	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	3.6	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND△	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01573131S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Aluminium (Al)	ND	ND	ND	ND	ND	1367	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND	ND	ND	ND	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	12	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)		
Aluminium (Al)	ND	ND	300	28130
Antimony (Sb)	ND	ND	10	560
Arsenic (As)	ND	ND	10	47
Barium (Ba)	ND	ND	10	18750
Boron (B)	ND	ND	50	15000
Cadmium (Cd)	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND#	ND	0.025	0.053
Cobalt (Co)	ND	ND	10	130
Copper (Cu)	ND	ND	10	7700
Lead (Pb)	ND	ND	10	23
Manganese (Mn)	18	ND	10	15000
Mercury (Hg)	ND	ND	10	94
Nickel (Ni)	ND	ND	10	930
Selenium (Se)	ND	ND	10	460
Strontium (Sr)	ND	ND	100	56000
Tin (Sn)	ND	ND	2.5	180000
Organic tin ++	ND	ND	5	12
Zinc (Zn)	ND	ND	100	46000



Test Report

Number: SHAH01573131S1

Tests Conducted

Remark : mg/kg = milligram per kilogram
++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
- Organic tin test result was expressed as tributyl tin.
ND = Not detected (less than reporting limit)

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019+A1:2021.

Tested component(s): See component list in the last section of this report .

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 19 May, 2023

Testing Period: 19 May, 2023 To 02 Jun, 2023



Test Report

Number: SHAH01573131S1

Tests Conducted

4 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: Over 3 years.

Battery Type: 6V, 4.5Ah, Lead-acid rechargeable battery x 1pc;

Charger Type: Input 100-240 V A.C., Output 6V D.C. (Provided)
Model:HK050V-060050

Normal Use Operation: Battery powered motion, sound and LED light.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	--
7.2.1	Identification	See remark(1)
7.2.2	Electric toys with replaceable batteries	NA
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	NA
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	P
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA



Test Report

Number: SHAH01573131S1

Tests Conducted

Clause	Requirement	Assessment
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	NA
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	NA
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	--
15.1.1	General	See remark (2)(3)
15.1.2	Switches and automatic controls	See remark (3)
15.1.3	Other components	P
		See remark(2)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark(2)
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	NA
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	NA
19	Radiation and similar hazards	See remark(3)
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E.	See remark(3)



Test Report

Number: SHAH01573131S1

Tests Conducted

Clause	Requirement	Assessment
	Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	See remark(3)
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	See remark(3)
Annex D	Electric toys with protective electronic circuits	NA
Annex E	Safety of electric toys incorporating optical radiation sources	See remark(3)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generating electromagnetic fields (EMF)	See remark (3)
Annex J	Safety of remote controls for electric ride-on toys	NA
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation: P = Pass A = Applicable NA = Not Applicable

Remark:

(1)

Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Absent
Manufacturer's address	Absent	Absent
Importer's name	Absent	Present
Importer's address	Absent	Present
Product identification code	Absent	Present

(2) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

Applicant needs to ensure that battery charger for toys shall comply with IEC 60335-2-29:2016 and Annex AA of that standard.

(3) As requested by the applicant, Annex C, E,I was not assessed.

Date Sample Received : 19 May, 2023& 30 May, 2023 & 02 Jun, 2023

Testing Period : 19 May, 2023 To 02 Jun, 2023



Test Report

Number: SHAH01573131S1

Tests Conducted

5 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(1+4+5)	(2+13)	(3)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(6+7+9)	(10+11+12)	(14)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	0.01	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	0.01	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(18+23)	(19+20+21)	(24)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)	Detection Limit	Limit
		(25)	(%w/w)	(%w/w)
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	0.01	0.1

The above limit was quoted according to Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles.

Remark: ND = Not Detected (Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 19 May, 2023

Testing Period: 19 May, 2023 To 02 Jun, 2023



Test Report

Number: SHAH01573131S1

Tests Conducted

6 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%w/w)				Limit (%w/w)
		(1+4+5)	(2+13)	(3)	(6+7+9)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)				Limit (%w/w)
		(10+11+12)	(14)	(18+23)	(19+20+21)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)		Limit (%w/w)
		(24)	(25)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: Detection Limit = 0.01%(w/w)

ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 19 May, 2023

Testing Period: 19 May, 2023 To 02 Jun, 2023



Test Report

Number: SHAH01573131S1

Tests Conducted

Photo



Table with 4 columns containing product information, warnings, and technical specifications for the Vespa PX150 scooter.



Test Report

Number: SHAH01573131S1

Tests Conducted

The Sample Were Submitted By Client's, Only For Reference.





Test Report

Number: SHAH01573131S1

Tests Conducted



Components List:

- (1) White plastic(body).
- (2) Transparent plastic(front light).
- (3) Red transparent plastic(tail light).
- (4) Grey plastic(instrument panel).
- (5) Grey plastic(button).
- (6) Black plastic(button base).
- (7) Black plastic(seat, seat tail).
- (8) Silver laser sticker(front body, tail body).
- (9) Grey plastic(accelerator pedal).
- (10) Black plastic(board beside accelerator pedal).
- (11) Black plastic(wheels).
- (12) Black plastic(training wheel).
- (13) White plastic(coupling of wheel).
- (14) Black plastic(connected part of wire).
- (15) Red transparent plastic with white printing(button).
- (16) Black plastic with white printing(button).
- (17) Black plastic with beige printing(charger).
- (18) Black soft plastic(handlebar).
- (19) Black soft plastic(wire covering).
- (20) Red soft plastic(wire covering).
- (21) White soft plastic(wire covering).
- (22) Black soft plastic with white printing(charger wire).
- (23) Black soft plastic(charger wire end).
- (24) Bright silver coating on plastic(body, wheel hub).
- (25) Black coating on metal(front fork, seat).
- (26) Silver soft plastic with transparent adhesive(front fence).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

Page 17 of 17



To: SHANGHAI HAPPY CHILDREN FACTORY

Date: 09 Jun, 2023


Re: Report Revision Notification

Intertek Testing Services Report Number SHAH01573131 Dated 02 Jun, 2023.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number **SHAH01573131S1**.

Thank you for your attention.

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager

