# TEST REPORT



**Applicant** : XINGTAI HAOLAITONG CHILDREN TOY CO.,LTD

**Address** : Gaofu town industrial Park, Hegumiao town, Pingxiang County, Xingtai City, Hebei Province, China

(The following sample(s) was (were) submitted and identified by client as)

**Sample Name** : Kids' electric car

**Model/Item No.** : BJQ-688,BJQ-699,BJQ-668,BJQ-008,BJQ-009,BJQ-1966,BJQ-6688A, KQT-998,1866,BJQ-X7,BJQ-818,BJQ-6688,BJQ-518,BJQ-6688B,BJQ-V8, BJQ-6188,BJQ-918,BJQ-819,BJQ-616

**Labeled Age Grading** : 3+

**Requested Age Grading** : 3+

**Age Group Applied in Testing** : Over 3 years old

**Test Period** : From Jan. 15, 2025 to Jan. 24, 2025

**Tests Conducted** : As requested by the applicant, for details refer to next page(s).

**Executive Summary:**

| No. | TESTED SAMPLE | STANDARD / REQUIREMENT | CONCLUSION |
|---|---|---|---|
| 1 | Tested material(s) of submitted sample(s) | EN IEC 62115:2020+A11:2020 Safety of Electric Toy | PASS |

Signed for and on behalf of

Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by:

Pascal SHI/Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.
Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

# TEST REPORT



TESTS CONDUCTED:

1. Safety of Electric Toys

As per European Standard EN IEC 62115:2020+A11:2020 on Safety of Electric Toys.

Power Source: Two 6V4.5Ah/20HR non-replaceable Lead-Acid Battery used

Electric Operated Function: Light and sound are powered by battery

| Clause | Requirement | Assessment |
|---|---|---|
| 1 | Scope | -- |
| 2 | Normative reference | -- |
| 3 | Term and definitions | -- |
| 4 | General requirement | P |
| 5 | General conditions for test | P |
| 5.1 | General | -- |
| 5.2 | Preconditioning | -- |
| 5.3 | Assembly | -- |
| 5.4 | Movable parts | -- |
| 5.5 | Detachable parts | -- |
| 5.6 | Setting | -- |
| 5.7 | Selection of power supplies | P |
| 5.7.1 | General | P |
| 5.7.2 | Electric toys that are used with batteries | P |
| 5.7.3 | Toys using battery boxes | -- |
| 5.7.4 | Electric toys using transformers and power supplies | -- |
| 5.7.5 | Electric toys using rechargeable batteries | -- |
| 5.7.6 | Electric toys using other power supplies | P |
| 5.8 | Accessories and parts | P |
| 6 | Criteria for reduced testing | -- |
| 6.1 | General | -- |
| 6.2 | Short-circuit resistance | -- |
| 6.3 | Low power electric toys | -- |
| 6.4 | Battery circuits | -- |
| 7 | Marking and instructions | P |
| 7.1 | General | P<br>See Remark(1) |
| 7.2 | Marking on electric toys | P |
| 7.2.1 | Identification | P<br>See Remark(2) |
| 7.2.2 | Electric toys with replaceable batteries | NA |

Compliance Control Institute (Guangzhou) Co., Ltd.
Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

| Clause | Requirement | Assessment |
|---|---|---|
| 7.2.3 | Transformer toys and power supply toys | P |
| 7.2.4 | Electric toys with more than one power supply | NA |
| 7.2.5 | Electric toys with detachable lamps | NA |
| 7.2.6 | Symbols | P |
| 7.2.7 | Durability | P |
| 7.3 | Instructions and markings on packaging | P |
| 7.3.1 | General | P |
| 7.3.2 | Transformer toys and power supply toys | P |
| 7.3.3 | Electric toys that are used with replaceable batteries | NA |
| 7.3.3.1 | General | NA |
| 7.3.3.2 | Coin batteries | NA |
| 7.3.3.3 | Button batteries | NA |
| 7.4 | Instructions for electric toys that can be connected to class I equipment | NA |
| 7.5 | Instructions for ride-on electric toys | NA |
| 7.6 | Temperature warnings | NA |
| 8 | Power input | NA |
| 9 | Heating and abnormal operation | P |
| 9.1 | General | P |
| 9.2 | Test condition | -- |
| 9.3 | Normal operation | P<br>(See Table 1 ) |
| 9.4 | Normal operation with insulation short-circuited | NA |
| 9.5 | Abnormal operation with temperature controls made inoperable | NA |
| 9.6 | Electric toys with accessible moving parts locked | P<br>(See Table 2) |
| 9.7 | Additional transformers and power supplies | P |
| 9.8 | Abnormal supply to electric toys via a USB connection. | P |
| 9.9 | Fault condition in electronic circuits | NA |
| 9.10 | Compliance criteria | P |
| 10 | Electric strength | P |
| 10.1 | Electric strength at operating temperature | P |
| 10.2 | Electric strength under humid conditions | P |
| 11 | Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid | NA |
| 12 | Mechanical strength | P |
| 12.1 | Enclosures | P |




This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

| Clause | Requirement | Assessment |
|---|---|---|
| 12.2 | Attachment strength | NA |
| 13 | Construction | P |
| 13.1 | Nominal supply voltage | P |
| 13.2 | Transformers, power supplies and battery chargers | P |
| 13.3 | Thermal cut-outs. | NA |
| 13.4 | Batteries | P |
| 13.4.1 | Small batteries | NA |
| 13.4.2 | Other batteries | P |
| 13.4.3 | Electrolyte leakage | P |
| 13.4.4 | Electric toys placed above a child | NA |
| 13.4.5 | Parallel connection of batteries | NA |
| 13.4.6 | Battery compartment fasteners | P |
| 13.5 | Plug and sockets | NA |
| 13.6 | Charging batteries | P |
| 13.7 | Series motors | NA |
| 13.8 | Working voltage | P |
| 13.9 | Electric toys connecting to other equipment. | NA |
| 13.10 | Speed limitation of ride-on electric toys | NA |
| 14 | Protection of cords and wires | P |
| 14.1 | Edges and moving parts | P |
| 14.2 | Fixed parts | P |
| 15 | Components | P |
| 15.1.1 | General | P |
| 15.1.2 | Switches and automatic controls | NA |
| 15.1.3 | Other components | NA |
| 15.2 | Prohibited components | NA |
| 15.3 | Transformers and power supplies | NA |
| 15.4 | Battery chargers | P |
| 15.5 | Batteries | See Remark (3) |
| 16 | Screws and connections | P |
| 16.1 | Fixings | P |
| 16.2 | Connections | NA |
| 17 | Clearances and creepage distances | P |
| 18 | Resistance to heat and fire | P |
| 18.1 | Resistance to heat | P |




This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

| Clause | Requirement | Assessment |
|---|---|---|
| 18.2 | Resistance to fire | P |
| 18.2.1 | General | P |
| 18.2.2 | Non-metallic parts | P |
| 18.2.3 | Insulating material | NA |
| 19 | Radiation and similar hazards | -- |
| 19.1 | General | See Remark(4) |
| 19.2 | Optical radiation<br>Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E.<br>Electric toys incorporating LEDs shall comply with 19.E.2.<br>Electric toys incorporating lasers shall comply with 19.E.3<br>Electric toys incorporating UV-emitting lamps shall comply with 19.E.4 | See Remark(5) |
| 19.3 | Other electromagnetic radiation<br>Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I. | NA |
| Annex D | Electric toys with protective electronic circuits<br>D.1General<br>During the tests of 9.9 an electronic circuit prevents the hazardous conditions listed in 9.10<br><br>D.2 Dangerous malfunction<br>D.2.1 General<br>The electric toy cause an unintended operation that may impair safety or present a dangerous malfunction due to influence from electromagnetic phenomena (EMP)<br>D.2.2 Electrostatic discharges<br>In accordance with IEC 61000-4-2:2008, test level 4<br>D.2.3 Radiated fields<br>In accordance with IEC 61000-4-3:2006+A1:2007+A2:2010 test level 3. cover 80 MHz to 1 000 MHz and 1,4 GHz to 2,0 GHz<br>D.2.4 Transient bursts<br>In accordance with IEC 61000-4-4:2012.<br>- Test level 3 with a repetition rate of 5 kHz is applicable for signal and control lines<br>- Test level 4 with a repetition rate of 5 kHz is applicable for the power supply lines<br>D.2.5 Voltage surges<br>In accordance with IEC 61000-4-5:2014,<br>- Test level 4 is applicable for the line-to-line coupling mode, a generator having a source impedance of 2 Ω being used<br>- Test level 4 is applicable for the line-to-earth coupling mode, a generator having a source impedance of 12Ω being used<br>D.2.6 Injected current<br>In accordance with IEC 61000-4-6:2013 test level 3 being applicable. During | NA |




This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

| Clause | Requirement | Assessment |
|---|---|---|
| | the test, all frequencies between 0,15 MHz to 80 MHz are covered<br>D.2.7 Voltage dips and interruptions<br>Class 3 voltage dips and interruptions in accordance with IEC 61000-4-11: 2004.<br>D.2.8 Mains signals<br>In accordance with IEC 61000-4-13:2002/AMD2:2015, Table 11 with test level class 2 using the frequency steps according to Table 10 | |
| Annex J | Safety of remote controls for electric ride-on toys | NA |

**Note:**

1. P = Pass.
2. NA = Not Applicable.

**Remark:**

(1) Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

(2) Clause 7.2.1 Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard: The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

After checking, it was found that:

| | Toy | Packaging |
|---|---|---|
| Manufacturer's name | Absent | Present |
| Manufacturer's address | Absent | Present |
| Importer's name | Absent | Present |
| Importer's address | Absent | Present |
| Product identification code | Absent | Present |

(3) Applicant needs to ensure that the secondary batteries supplied with electric toy shall comply with the relevant parts of the IEC 62133 series.

(4) This report does not include test result of toxicity and similar hazard.

(5) This report does not include test result of the lasers / light emitting diodes (LED)/ UV emitting lamps.




This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

# TEST REPORT



Table 1:
Heating

| Temperature rise (Normal operation ). | | |
|---|---|---|
| Ambient temperature : (Deg. C) | 20.3℃ | |
| Location | Temperature Rise (K) | Limit (K) |
| Battery cover | 2.5 | 50 |

Table 2:
Heating

| Temperature rise (Stalled motor condition). | | |
|---|---|---|
| Ambient temperature : (Deg. C) | 20.3℃ | |
| Location | Temperature Rise (K) | Limit (K) |
| Battery cover | 4．0 | 50 |

Photo Appendix

Compliance Control Institute (Guangzhou) Co., Ltd.
Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

# TEST REPORT



Additional Photo Appendix



Compliance Control Institute (Guangzhou) Co., Ltd.
Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.

# TEST REPORT



Additional Photo Appendix

★★★★★End of Report★★★★★

Compliance Control Institute (Guangzhou) Co., Ltd.
Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.