CORETECH
TESTING&CERTIFICATION

ilac-MRA IAS ACCREDITED Testing Laboratory
TL-1304

Test Report

Report No.: CTTC202504270005 IEC62115

Applicant: Pingxiang Jibei Children Toys Co., Ltd.

Address: Nanzhuang Village, Hegumiao Town, Pingxiang County, Xingtai City, Hebei Province, China 054500

The following samples were submitted and identified by/on behalf of the client as:

Sample Name:	RIDE ON TOYS
Sample Model:	XHD-F8
Model Reference:	FT-906, FT-906A, FT-998, FT-918, FT-928, FT-968, FT-988, FT-938, FT-1188, FT-7188, FT-7688, FT-7689, FT-7699, FT-7988, FT-908, FT-909, FT-009, FT-936, FT-939, XHD-969, XHD-979, XHD-989, XHD-F8, XHD-MC20, XHD-RX, XHD-RXG, XHD-X9, XHD-F150, FT-1166
Brand:	JIBEI
Manufacturer:	Pingxiang Jibei Children Toys Co., Ltd.
Address:	Nanzhuang Village, Hegumiao Town, Pingxiang County, Xingtai City, Hebei Province, China 054500
Sample Receiving Date:	April 27,2025
Testing Period:	April 27,2025 to May 6, 2025
Test Standard:	IEC 62115:2017-Electric toys Safety
Remark：	All tests were performed on model XHD-F8
Conclusion(s):	PASS

Zhejiang Coretech Testing & Certification Co., Ltd

Approved by: Cen Gao

Date of issue：May 8, 2025

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Test Results:

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	Pass
5.1	General	Pass
5.2	Preconditioning	Pass
5.3	Assembly	Pass
5.4	Movable parts	Pass
5.5	Detachable parts	N/A
5.6	Settings	Pass
5.7	Selection of power supplies	Pass
5.7.1	General	Pass
5.7.2	Electric toys that are used with batteries	Pass
5.7.3	Toys using battery boxes	N/A
5.7.4	Electric toys using transformers and power supplies	N/A
5.7.5	Electric toys using rechargeable batteries	Pass
5.7.6	Electric toys using other power supplies	N/A
5.8	Accessories and parts	N/A
6	Criteria for reduced testing	--
6.1	General	--
6.2	Short-circuit resistance	--
6.3	Low power electric toys	--
6.4	Battery circuits	--
7.0	Marking and instructions	Pass
7.1	General	Pass See remark 1.
7.2	Marking on electric toys	Pass
7.2.1	Identification	Pass
7.2.2	Electric toys with replaceable batteries	N/A
7.2.3	Transformer toys and power supply toys	N/A Battery chargers used

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Clause	Requirement	Assessment
7.2.4	Electric toys with more than one power supply	N/A
7.2.5	Electric toys with detachable lamps	N/A
7.2.6	Symbols	Pass
7.2.7	Durability	Pass
7.3	Instructions and markings on packaging	Pass
7.3.1	General	Pass
7.3.2	Transformer toys and power supply toys	Pass See remark 2.
7.3.3	Electric toys that are used with replaceable batteries	N/A
7.3.3.1	General	N/A
7.3.3.2	Coin batteries	N/A
7.3.3.3	Button batteries	N/A
7.4	Instructions for electric toys that can be connected to class I equipment	N/A
7.5	Instructions for ride-on electric toys	Pass
7.6	Temperature warnings	N/A
8	Power input	Pass Remark 3.0
9	Heating and abnormal operation	Pass
9.1	General	Pass
9.2	Test condition	--
9.3	Normal operation	Pass
9.4	Normal operation with insulation short-circuited	N/A
9.5	Abnormal operation with temperature controls made inoperable	N/A
9.6	With accessible moving parts locked	Pass
9.7	Additional transformers and power supplies	N/A
9.8	Abnormal supply to electric toys via a USB connection.	N/A
9.9	Fault condition in electronic circuits	Pass
9.10	Compliance criteria	Pass
10	Electric strength	Pass
10.1	Electric strength at operating temperature	Pass
10.2	Electric strength under humid conditions	Pass
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	N/A

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Clause	Requirement	Assessment
12	Mechanical strength	Pass
12.1	Enclosures	Pass
12.2	Attachment strength	Pass
13	Construction	Pass
13.1	Nominal supply voltage	Pass
13.2	Transformers, power supplies and battery chargers	Pass
13.3	Thermal cut-outs.	N/A
13.4	Batteries	Pass
13.4.1	Small batteries	N/A
13.4.2	Other batteries	Pass
13.4.3	Electrolyte leakage	Pass
13.4.4	Electric toys placed above a child	N/A
13.4.5	Parallel connection of batteries	N/A
13.4.6	Battery compartment fasteners	Pass
13.5	Plug and sockets	Pass
13.6	Charging batteries	Pass See remark 4.
13.7	Series motors	N/A
13.8	Working voltage	Pass See remark 5.
13.9	Electric toys connecting to other equipment.	Pass Connecting to battery charger
13.10	Speed limitation of ride-on electric toys	Pass See remark 6.
14	Protection of cords and wires	Pass
14.1	Edges and moving parts	Pass
14.2	Fixed parts	N/A
15	Components	Pass
15.1.1	General	N/A
15.1.2	Switches and automatic controls	N/A See remark 7.
15.1.3	Other components	N/A
15.2	Prohibited components	Pass

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Clause	Requirement	Assessment
15.3	Transformers and power supplies	N/A
15.4	Battery chargers	Pass
15.5	Batteries	N/A See remark 8.
16	Screws and connections	Pass
16.1	Fixings	Pass
16.2	Connections	Pass
17	Clearances and creepage distances	Pass
18	Resistance to heat and fire	Pass
18.1	Resistance to heat	N/A
18.2	Resistance to fire	Pass
18.2.1	General	Pass
18.2.2	Non-metallic parts	Pass
18.2.3	Insulating material	N/A
19	Radiation and similar hazards	Pass
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E; Electric toys incorporating LEDs shall comply with 19.E.2; Electric toys incorporating lasers shall comply with 19.E.3; Electric toys incorporating UV-emitting lamps shall comply with19.E.4	N/A See remark 9.
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I	N/A
Annex A	Experimental sets	N/A
Annex B	Needle-flame test	N/A
Annex C	Automatic controls and switches	N/A
Annex D	Electric toys with protective electronic circuits	N/A
Annex E	Safety of electric toys incorporating optical radiation sources	N/A
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	N/A

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Clause	Requirement	Assessment
Annex G	Examples of calculations on LEDs	N/A
Annex H	Explanation of the principles used for the requirements of Annex E	N/A
Annex I	Electric toys generating electromagnetic fields (EMF)	N/A See remark 10.
Annex J	Safety of remote-controls for electric ride-on toys	Pass
Annex K	Flow charts showing the application of Clause 9	Pass

Note :

- **P = Pass**
- **N/A = Not Applicable**
- **N/C = Not conducted**
- **Tested part(s) was/were specified by applicant**

Remark：

1. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold;the tests is in Arabic and English.

2. The appliance used a battery charger;*WARNING: Not suitable for children under 3 years.* The warning label on the appliance, which can be found easily.

3. The battery charger is rated at 1000mA, and the actual test current < 600mA.

4. Use lead-acid batteries as rechargeable batteries.

5. The maximum voltage does not exceed 20V.

6. The maximum speed does not exceed 5.5 km/h.

7. The max current did not exceed 3A.

8. Use lead-acid batteries as rechargeable batteries,This type of battery is not suitable for IEC 60086 or IEC 62133 standard,which is suitable for IEC 61056 standard.

9. The submitted sample incorporating lasers or light emitting diodes (LED), compliance with the standard covered by this report is on condition that the lasers or light emitting diodes in toys are classified as class 1 in accordance with IEC 60825-1 standard under the condition specified in annex E of IEC 62115.

10.The submitted sample did not incorporate part which consuming a current more than 3A.

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

8	**Power input**				P
For charger					
Deviation at	Rated （mA）	Measured（mA）	ΔP	Required ΔP	Remark
100V 50Hz	120	123.5	+ 2.9%	20%	--
100V 60Hz	120	127.2	+ 6.0%	20%	--
240V 50Hz	120	73.9	-38.4%	20%	--
240V 60Hz	120	75.1	-37.4%	20%	--
For ride on toys					
12V DC	1000	405	-59.5%	20%	100V 50Hz
12V DC	1000	429	-57.1%	20%	100V 60Hz
12V DC	1000	537	-46.3%	20%	240V 50Hz
12V DC	1000	534	-46.6%	20%	240V 60Hz
Supplementary information: --					

9.3-1	**TABLE: Heating Test （Discharging）**		**P**
	Test voltage (V).....:	12V	—
	Ambient (ºC).....:	22.6	—
	Operating time ..... :	Until thermal stability is established	—
	Input Watts (W).....:		—
	Input Volt-Amperes (VA)..... :		—
Thermocouple Locations	Max.Temperature rise (K)	Max. temperature limit, (K)	

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

Handle of wheel	1.5	50
Button of wheel	1.7	50
Plastic of bottom	1.2	50
Seat	3.3	50
Car door	1.7	50
Sound panel	4.4	50
Power switch	1.4	50
Green switch	1.4	50
Red switch	1.4	50
Wind deflector	1.4	50
Enclosure （inside）	1.8	50
Enclosure（front）	1.3	50
Enclosure（front light）	4.6	50
Enclosure（rear light）	4.8	50
Pedal	1.3	50
Battery	3.1	45
Plastic for battery compartment	2.2	45
Inlet	3.2	50
Lid for battery compartment	2.7	45
Supplementary information:--		

9.3-2	TABLE: Heating Test （Charging）		P
	Test voltage (V).....:	94.0V	—
	Ambient (°C).....:	22.3	—

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

	Operating time ..... :	Until thermal stability is established	—
	Input Watts (W).....:		—
	Input Volt-Amperes (VA)..... :	120.2mA	—

Thermocouple Locations	Max.Temperature rise (K)	Max. temperature limit, (K)
Handle of wheel	1.1	50
Button of wheel	1.3	50
Plastic of bottom	2.2	50
Seat	2.0	50
Car door	1.3	50
Sound panel	1.4	50
Power switch	1.2	50
Green switch	1.1	50
Red switch	1.1	50
Wind deflector	0.8	50
Enclosure （inside）	0.6	50
Enclosure（front）	0.9	50
Enclosure（front light）	0.8	50
Enclosure（rear light）	0.6	50
Pedal	0.4	50
Battery	1.8	45
Plastic for battery compartment	1.2	45
Inlet	0.6	50

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

Lid for battery compartment	0.5	45
Supplementary information:--		

9.3-3	TABLE: Heating Test （Charging）		P
	Test voltage (V)....:	254.4	—
	Ambient (°C)....:	23.1	—
	Operating time .... :	Until thermal stability is established	—
	Input Watts (W)....:		—
	Input Volt-Amperes (VA).... :	70.9mA	—

Thermocouple Locations	Max.Temperature rise (K)	Max. temperature limit, (K)
Handle of wheel	1.5	50
Button of wheel	1.4	50
Plastic of bottom	1.6	50
Seat	1.7	50
Car door	1.3	50
Sound panel	1.4	50
Power switch	1.2	50
Green switch	1.1	50
Red switch	1.1	50
Wind deflector	1.3	50
Enclosure （inside）	1.1	50
Enclosure（front）	1.3	50

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

Enclosure（front light）	1.1	50
Enclosure（rear light）	1.0	50
Pedal	0.9	50
Battery	3.8	45
Plastic for battery compartment	2.4	45
Inlet	1.7	50
Lid for battery compartment	1.7	45
Supplementary information:--		

9.6	**TABLE: Heating Test (With accessible moving parts locked）**		**P**
	Test voltage (V).....:	12.0	—
	Ambient (°C).....:	22.0	—
	Operating time ..... :	Until thermal stability is established	—
	Input Watts (W).....:		—
	Input Volt-Amperes (VA)..... :		—

Thermocouple Locations	Max.Temperature rise (K)	Max. temperature limit, (K)
Battery	4.7	45
Supplementary information: The wheel was blocked,thermal protector operated;and no hazard happened , The max temperature rise is 4.7K.		

12.1	**TABLE: Impact Resistance**		**P**
Impacts per surface	**Surface tested**	**Impact energy (J)**	**Comments**
3 times	Enclosure	0.5	P

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

3 times	Handle	0.5	P
3 times	Wheel	0.5	P
3 times	Inlet	0.5	P
3 times	Switch	0.5	P
Supplementary information:--			

16.1	TABLE: Critical components information				
Object / part No.	**Manufacturer/ trademark**	**Type / model**	**Technical data**	**Standard**	**Mark(s) of conformity[1)]**
Battery charger	GUANGZHOU MINTONG TRADING CO..LTD.	PDCT1	Input:AC100-240 V,50/60Hz,18W Output： DC 12V 1000mA	IEC 60335-1 IEC 60335-2-29	CB KR-KTL-10050
Internal wire	DONGGUAN HAODE WIRE & CABLE TECHNOLOGY CO LTD.	1007	18 AWG 24 AWG	IEC 62115	Tested with appliance
Enclosure	Pingxiang Jibei Children Toys Co., Ltd.	PP/ABS/PS	--	IEC 62115	Tested with appliance
LED	SPM	--	Class 1	IEC 60825-1	CB DE 2-012439
Lead-acid battery	Gaoyou xinneng Power Supply Co.， Ltd.	3-FM-4	6V 4AH Max. 1.2A	IEC 62115	Tested with appliance

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

IEC 62115			
Clause	Requirement + Test	Result - Remark	Verdict

Supplementary information:

1) Provided evidence ensures the agreed level of compliance. See OD-CB2039.

16	**TABLE: Threaded Part Torque Test**			**P**
Threaded part identification	Diameter of thread (mm)	Column number (I or II)	Applied torque (Nm)	
For enclosure	3.5	II	0.8	
Supplementary information:--				

18.2.2	**TABLE: Glow Wire Test (GWT)**				P
Test Conditions.....	GWT according to IEC 60695-2-11				—
Test temperature (ºC).....	550°C				—
Object/ Part No./ Material	Manufacturer/ trademark	**te**,	**ti**	Specified Layer under Test Specimen ignited, Yes/No	Other remarks
Enclosure	--	0	0	No	--
Switch	--	0	0	No	--
Inlet	--	0	0	No	--
Wheel	--	0	0	No	--
Connector	--	0	0	No	--
Supplementary information: --					

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Photo of sample:

Over view

Over view

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Over view

Over view

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Bottom view

Charging inlet view

Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.



Internal view



Internal view

End of Report

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.

Test Report

Statement:

1. This test report is invalid without the signature of the approver and the special seal of the company's report.

2. The copy of the test report is invalid if the "special seal for testing" or "Special Seal for testing" or the official seal of the testing unit is not re-stamped.

3. After the test report is altered, the test report is invalid.

4. If there is any objection to the test report, please submit written comments to the laboratory within 15 days from the date of receipt of the report.

5. This test is only responsible for samples provided by customers.

6. This report shall not be reproduced in whole or in part without the written authorization of the Company.

7. The laboratory is not responsible for sampling, all samples are provided by customers.

8. The test results in this test report are only related to the samples provided by the customer.

9. If the report is not stamped with the qualification mark,it is only used for scientific research, teaching,internal quality control and other activities, and does not have a proof role for the society.

Zhejiang Coretech Testing & Certification Co., Ltd.
Address: No. 1027, 1st Floor, and No. 4032, 4th Floor, Building 2, No. 1298, Danonggang Road, Shangcheng District, Hangzhou, Zhejiang, China
Tel: +86-571-86999906
Fax: 0571-87092363-808
E-mail: office@coretechtest.com
http://www.coretechtest.com
Samples are obtained by express delivery, Results obtained refer only to samples,products or material received in Laboratory, as described in point related to Sample description, and tested in conditions shown in present report. Zhejiang Coretech Testing & Certification Co., Ltd ensures that this job has been Performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer,regulation or the standard specification, Coretech will apply it in accordance with ILACG8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to office@coretechtest.com and refer ring to this report number. Reproduction of this document is only valid if it is done Completely and under the written permission of Zhejiang Coretech Testing & Certification Co., Ltd . If you happen to have any complaints,please do it by Sending e-mail to office@coretechtest.com and refer ring to this report number.