Test Report

中国认可
国际互认
检测
TESTING
CNAS L6964

Applicant : Pingxiang Beirut children's Toys Co., Ltd

Address : He Gu Miao Zhen Xi Ma Yan, Pingxiang County, Xingtai City, Hebei Province

Name of sample	:	Kids Motorcycle
Receiving Date	:	Dec. 10, 2021
Test Date	:	Dec. 10, 2021- Dec. 17, 2021
Test Address	:	No.47-3, Industrial Road, Zhushan, Dalong Street, Panyu District, Guangzhou, Guangdong, China
Test Method(s)	:	Please refer to next page(s)
Testing Item(s)	:	Please refer to next page(s)
Decision Basis	:	Please refer to next page(s)
Conclusion	:	Pass

Signed for and on behalf of
Shenzhen United Testing Technology Co.,Ltd

Roger Cheng Lu Aiqun

Roger Cheng
Approved Signatory

Lu Aiqun

May 16, 2022
Issue Date

深圳市优测检测技术有限公司
Shenzhen United Testing Technology Co.,Ltd.
Inspection and Testing Special Seal

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen,China.
深圳市宝安区西乡街道铁岗社区宝田一路365号嘉皇源科技园附楼2楼(P.C.518102) Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路47-3（P.C. 511450） Tel:+86-20-39277769 Fax:+86-755-86180156
http://www.uni-lab.hk

1、Conclusion

This sample(s) was tested according to applicant requirements. According to the test results, the conclusions are as follows:

Test Item(s)		Testing Standard(s)	Decision Basis	Conclusion
Article	Name			
3.1	Mechanical and physical properties	EN 71-1:2014+A1:2018	EN 71-1:2014+A1:2018[1]	Pass
3.2	Flammability	EN 71-2:2020	EN 71-2:2020[1]	Pass
4	Migration of certain elements	EN 71-3:2019+A1:2021	EN 71-3:2019+A1:2021 [1]	Pass
5	DIBP, BBP, DBP, DEHP, DNOP, DINP, DIDP	IEC 62321-8:2017	REACH Regulation-EC/1907/2006 ANNEX XVII Entry No.51 and No.52	Pass
6	PAHs	AfPS GS 2019:01 PAK	REACH Regulation-EC/1907/2006 ANNEX XVII Entry No.50	Pass

Note: The Decision Basis in this standard is quoted from Toy Safety - Directive 2009/48/EC.

2、Sample information(s)

The following information of sample(s) was/were submitted and identified by applicant:

Product Model : 1800, H2R, R15

Manufacturer : Pingxiang Beirut children's Toys Co., Ltd

Age Grading : 3+

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

3、Toy Physics Test Data

3.1 Mechanical and physical properties
As per European Standard on Safety of toys EN71-1:2014+A1:2018
Age Group Assessed As Per Age Guideline: 3+
Age Group Applied in Testing: 3+
Labeled Age Group:3+

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Tip over	8.6	3 times
Impact test	8.7	1 kg×1 time

Clause	Testing Items	Assessment
4.1	Material cleanliness	Pass
4.2	Assembly	Pass
4.3	Flexible plastic sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	Pass
4.10	Parts moving against each other	Pass
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	N/A
4.15	Toys intended to bear the mass of a child	Pass
4.16	Heavy immobile toys	N/A
4.17	Projectiles	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	N/A
4.21	Toys containing a non-electrical heat source	N/A

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

Clause	Testing Items	Assessment
4.22	Small balls	N/A
4.23	Magnets	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27	Flying toys	N/A
5	Toys intended for children under 36months	
5.1	General requirements	N/A
5.2	Soft-filled toys and soft-filled parts of a toy	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically-driven ride-on toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibers	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	Packaging	Pass
7	Warnings, markings and instructions for use	
7.1	General	YES
7.2	Toys not intended for children under 36 months	YES
7.3	Latex balloon	N/A
7.4	Aquatic toys	N/A
7.5	Function toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7	Projectiles toys	N/A

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

Clause	Testing Items	Assessment
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	Pass
7.11	Toys intended to be strung across a cradle, cot, or perambulator	N/A
7.12	Liquid filled teethers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	N/A
7.15	Toy bicycles	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy scooters	N/A
7.19	Rocking horses and similar toys	N/A
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toys with electrical cables exceeding 300 mm in length	N/A
7.22	Toys with cords or chains intended for children of 18months and over but under 36 months	N/A
7.23	Toys intended to be attached to a cradle, cot or perambulator	N/A
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	N/A
7.26	Improvised projectiles	N/A
8.2	Small parts cylinder	N/A
8.3	Torque test	N/A
8.4	Tension test	N/A
8.5	Drop test	N/A
8.6	Tip over test	Pass
8.7	Impact test	Pass
8.8	Compression test	N/A
8.9	Soaking test	N/A
8.10	Accessibility of a part or component	Pass
8.11	Sharpness of edges	Pass
8.12	Sharpness of points	Pass
8.13	Flexibility of metallic wires	N/A

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

Clause	Testing Items	Assessment
8.14	Expanding materials	N/A
8.15	Leakage of liquid-filled toys	N/A
8.16	Geometric shape of certain toys	N/A
8.17	Durability of mouth-actuated toys	N/A
8.18	Folding or sliding mechanisms	N/A
8.19	Electric resistivity of cords	N/A
8.20	Cords cross-sectional dimension	N/A
8.21	Static strength	Pass
8.22	Dynamic strength	Pass
8.23	Stability	Pass
8.24	Kinetic energy of the projectile	N/A
8.25	Plastic sheeting	Pass
8.26	Brake performance	N/A
8.27	Strength of toy scooter steering tubes	N/A
8.28	Determination of emission sound pressure levels	N/A
8.29	Determination of maximum design speed of electrically-driven ride-on toys	Pass
8.30	Measurement of temperature rises	N/A
8.31	Toy chest lids	N/A
8.32	Small balls and suction cups test	N/A
8.33	Test for play figures	N/A
8.34	Tension test for magnets	N/A
8.35	Magnetic flux index	N/A
8.36	Perimeter of cords and chains	N/A
8.37	Yo-yo balls measurements	N/A
8.38	Breakaway feature separation test	N/A
8.39	Self-retracting cords	N/A
8.40	Length of cords, chains and electrical cables	N/A
8.41	Assessment of tangle potential of two cords or chains	N/A
8.42	Determination of projectile range	N/A
8.43	Assessment of leading parts of projectiles and flying toys	N/A
8.44	Length of suction cup projectiles	N/A

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

Remark: P = Pass N/A = Not Applicable

Note: Labeling Requirements:2009/48/EC – Safety of Toys

1. Toys made available on the market shall bear the CE marking. The CE marking shall be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging.
2. The manufacturer's name and registered trade name or registered trade mark and the address at which the manufacturer can be contacted shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
3. Manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or natural.
4. Manufacturers and importers shall ensure that the toy is accompanied by instructions and safety information in a language or languages easily understood by consumers, as determined by the Member State concerned.

3.2 Flammability

As per European Standard on Safety of toys EN71-2:2020

Clause	Testing Items	Assessment
4.1	General requirements	Pass
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.4	Toy intended to be entered by a child	N/A
4.5	Soft -filled toys	N/A
5.2	Test relating to beards, moustaches, wigs, etc. made from pile, or flowing elements,which protrude 50mm or more from the surface of the toy.	N/A
5.3	Test relating to beards, moustaches, wigs, etc., made from pile or flowing elements,which protrude less than 50 mm from the surface of the toy, and full or partial moulded head masks.	N/A
5.4	Test relating to toys to be worn on the head (4.2.5), hoods, headdresses including upward protruding items and masks not covered by 4.2.4 which partially or fully cover the head (e.g. fabric and paperboard masks, eye masks, face masks), toy disguise costumes and toys intended to be worn or toys intended to be entered by a child.	N/A
5.5	Test for soft-filled toys and certain soft-filled parts of toy disguise costumes.	N/A

Remark: P = Pass N/A = Not Applicable

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

4、Migration of certain elements

The test method is EN 71-3:2019+A1:2021.

4.1 Test Part Description

No.	Description	Material	Category
M001	Red plastic	Polymer	Category III
M002	Black plastic handle	Polymer	Category III
M003	Transparent plastic	Polymer	Category III

Notes:

1.This table is used to identify each test part of the Sample. Different descriptions in the "Description" column are only used to distinguish each test part. "Material" column are only gives a simple Description of the material of each test part, which does not mean that this is the result of a material identification.

2.The test articles (parts/material) is specified by the applicant.

4.2 Test Results

4.2.1 M001

Element	MDL	Result	Limit	Unit	Verdict
Aluminium (Al)	10.0	ND	28130	mg/kg	Pass
Antimony (Sb)	10.0	ND	560	mg/kg	Pass
Arsenic (As)	0.8	ND	47	mg/kg	Pass
Barium (Ba)	10.0	ND	18750	mg/kg	Pass
Boron (B)	10.0	ND	15000	mg/kg	Pass
Cadmium (Cd)	0.2	ND	17	mg/kg	Pass
Chromium (III) [Cr (III)] [2]	5.0	ND	460	mg/kg	Pass
Chromium (VI) [Cr (VI)] [2]	0.005	ND	0.053	mg/kg	Pass
Cobalt (Co)	2.0	ND	130	mg/kg	Pass
Copper (Cu)	10.0	ND	7700	mg/kg	Pass
Lead (Pb)	0.5	ND	23	mg/kg	Pass
Manganese (Mn)	10.0	ND	15000	mg/kg	Pass
Mercury (Hg)	1.0	ND	94	mg/kg	Pass
Nickel (Ni)	5.0	ND	930	mg/kg	Pass
Selenium (Se)	5.0	ND	460	mg/kg	Pass
Strontium (Sr)	10.0	ND	56000	mg/kg	Pass
Tin (Sn)	1.0	ND	180000	mg/kg	Pass
Organic tin[1]	0.2	ND	12	mg/kg	Pass
Zinc (Zn)	10.0	ND	46000	mg/kg	Pass

Notes:

1.Organotins tested in this report include the following: Methyltin, Butyltin, Dibutyltin, Tributyltin, Tetrabuyltin, n-Octyltin, Di-n-octyltin, Di-n-propyltin, Diphenyltin, Triphenyltin, Dimethyltin. The same below.

2.The trivalent chromium content is the total chromium content minus hexavalent chromium.When the total chromium content is not detected, trivalent chromium is not detected. This project is not authorized by CNAS. The same below.

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

4.2.2 M002

Element	MDL	Result	Limit	Unit	Verdict
Aluminium (Al)	10.0	ND	28130	mg/kg	Pass
Antimony (Sb)	10.0	ND	560	mg/kg	Pass
Arsenic (As)	0.8	ND	47	mg/kg	Pass
Barium (Ba)	10.0	ND	18750	mg/kg	Pass
Boron (B)	10.0	ND	15000	mg/kg	Pass
Cadmium (Cd)	0.2	ND	17	mg/kg	Pass
Chromium (III) [Cr (III)]	5.0	ND	460	mg/kg	Pass
Chromium (VI) [Cr (VI)]	0.005	ND	0.053	mg/kg	Pass
Cobalt (Co)	2.0	ND	130	mg/kg	Pass
Copper (Cu)	10.0	ND	7700	mg/kg	Pass
Lead (Pb)	0.5	ND	23	mg/kg	Pass
Manganese (Mn)	10.0	ND	15000	mg/kg	Pass
Mercury (Hg)	1.0	ND	94	mg/kg	Pass
Nickel (Ni)	5.0	ND	930	mg/kg	Pass
Selenium (Se)	5.0	ND	460	mg/kg	Pass
Strontium (Sr)	10.0	ND	56000	mg/kg	Pass
Tin (Sn)	1.0	ND	180000	mg/kg	Pass
Organic tin	0.2	ND	12	mg/kg	Pass
Zinc (Zn)	10.0	ND	46000	mg/kg	Pass

4.2.3 M003

Element	MDL	Result	Limit	Unit	Verdict
Aluminium (Al)	10.0	ND	28130	mg/kg	Pass
Antimony (Sb)	10.0	ND	560	mg/kg	Pass
Arsenic (As)	0.8	ND	47	mg/kg	Pass
Barium (Ba)	10.0	ND	18750	mg/kg	Pass
Boron (B)	10.0	ND	15000	mg/kg	Pass
Cadmium (Cd)	0.2	ND	17	mg/kg	Pass
Chromium (III) [Cr (III)]	5.0	ND	460	mg/kg	Pass
Chromium (VI) [Cr (VI)]	0.005	ND	0.053	mg/kg	Pass
Cobalt (Co)	2.0	ND	130	mg/kg	Pass
Copper (Cu)	10.0	ND	7700	mg/kg	Pass
Lead (Pb)	0.5	ND	23	mg/kg	Pass
Manganese (Mn)	10.0	ND	15000	mg/kg	Pass
Mercury (Hg)	1.0	ND	94	mg/kg	Pass
Nickel (Ni)	5.0	ND	930	mg/kg	Pass
Selenium (Se)	5.0	ND	460	mg/kg	Pass
Strontium (Sr)	10.0	ND	56000	mg/kg	Pass
Tin (Sn)	1.0	ND	180000	mg/kg	Pass
Organic tin	0.2	ND	12	mg/kg	Pass
Zinc (Zn)	10.0	ND	46000	mg/kg	Pass

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.
深圳市优耐检测技术有限公司
Shenzhen United Testing Technology Co.,Ltd.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen,China.
深圳市宝安区西乡街道铁岗社区宝田一路365号嘉皇源科技园附楼2楼(P.C.518102) Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路47-3 (P.C. 511450) Tel:+86-20-39277769 Fax:+86-755-86180156
http://www.uni-lab.hk

Remarks:

1) 1mg/kg = 0.0001%
2) MDL=Method Detection Limit
3) ND= Not Detected(<MDL)

5、Test Item: DIBP, BBP, DBP, DEHP, DNOP, DINP, DIDP

5.1 Test Part Description

No.	Description	Material
M001	Black plastic	Polymer

Notes:

1.This table is used to identify each test part of the Sample. Different descriptions in the "Description" column are only used to distinguish each test part. "Material" column are only gives a simple Description of the material of each test part, which does not mean that this is the result of a material identification.

2.The test articles (parts/material) is specified by the applicant.

5.2 Test Results

5.2.1 M001

Test Item(s)	CAS No.	Method	MDL	Result	Limit	Unit	Verdict
DIBP	84-69-5	IEC 62321-8:2017	0.001	ND	0.1	%	Pass
BBP	85-68-7	IEC 62321-8:2017	0.001	0.005	0.1	%	Pass
DBP	84-74-2	IEC 62321-8:2017	0.001	0.002	0.1	%	Pass
DEHP	117-81-7	IEC 62321-8:2017	0.001	0.003	0.1	%	Pass
Sum of (DIBP ,BBP,DBP,DEHP)	--	--	--	0.01	0.1	%	Pass
DNOP	117-84-0	IEC 62321-8:2017	0.001	0.004	0.1	%	Pass
DINP	28553-12-0/ 68515-48-0	IEC 62321-8:2017	0.005	ND	0.1	%	Pass
DIDP	26761-40-0/ 68515-49-1	IEC 62321-8:2017	0.005	ND	0.1	%	Pass
Sum of (DNOP,DINP,DIDP)	--	--	--	0.004	0.1	%	Pass

Notes:

1) 1mg/kg = 0.0001%
2) MDL=Method Detection Limit
3) ND= Not Detected(<MDL)
4) "--"=No Testing or Blank or Not applicable

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

深圳市优耐检测技术有限公司
Shenzhen United Testing Technology Co.,Ltd.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen,China.
深圳市宝安区西乡街道铁岗社区宝田一路365号嘉皇源科技园附楼2楼(P.C.518102) Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路47-3 (P.C. 511450) Tel:+86-20-39277769 Fax:+86-755-86180156
http://www.uni-lab.hk

6、Test Item: PAHs

6.1 Test Part Description

No.	Description	Material
M001	Black plastic shelf	Polymer

Notes:

1.This table is used to identify each test part of the Sample. Different descriptions in the "Description" column are only used to distinguish each test part. "Material" column are only gives a simple Description of the material of each test part, which does not mean that this is the result of a material identification.

2.The test articles (parts/material) is specified by the applicant.

6.2 Test Results

6.2.1 M001

Test Item(s)	CAS No.	MDL	Result	Limit	Unit	Verdict
Benzo[a]pyrene	50-32-8	0.2	ND	0.5	mg/kg	Pass
Benzo[e]pyrene	192-97-2	0.2	ND	0.5	mg/kg	Pass
Benzo[a]anthracene	56-55-3	0.2	ND	0.5	mg/kg	Pass
Benzo[b]fluoranthene	205-99-2	0.2	ND	0.5	mg/kg	Pass
Benzo[j]fluoranthene	205-82-3	0.2	ND	0.5	mg/kg	Pass
Benzo[k]fluoranthene	207-08-9	0.2	ND	0.5	mg/kg	Pass
Chrysene	218-01-9	0.2	0.4	0.5	mg/kg	Pass
Dibenzo[a,h]anthracene	53-70-3	0.2	ND	0.5	mg/kg	Pass

Remarks:

1) 1mg/kg = 0.0001%

2) MDL=Method Detection Limit

3) ND= Not Detected(<MDL)

4) “--”=No Testing or Blank or Not applicable.

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

7、Sample Photo(s)

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

深圳市优耐检测技术有限公司
Shenzhen United Testing Technology Co.,Ltd.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen,China.
深圳市宝安区西乡街道铁岗社区宝田一路 365 号嘉皇源科技园附楼 2 楼（P.C.518102） Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路 47-3（P.C. 511450） Tel:+86-20-39277769 Fax:+86-755-86180156
http://www.uni-lab.hk



This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

深圳市优耐检测技术有限公司
Shenzhen United Testing Technology Co.,Ltd.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen,China.
深圳市宝安区西乡街道铁岗社区宝田一路365号嘉皇源科技园附楼2楼(P.C.518102) Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路47-3（P.C. 511450） Tel:+86-20-39277769 Fax:+86-755-86180156
http://www.uni-lab.hk

Sample pictures are only used to inform the applicant that the samples received and tested in our laboratory are shown in the picture, and do not prove the appearance and quality of the applicant 's products.

The test data of this report quotes from UNIB21120928GR-01.

********End of Report********

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

深圳市优耐检测技术有限公司
Shenzhen United Testing Technology Co.,Ltd.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen,China.
深圳市宝安区西乡街道铁岗社区宝田一路 365 号嘉皇源科技园附楼 2 楼（P.C.518102） Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路 47-3（P.C. 511450） Tel:+86-20-39277769 Fax:+86-755-86180156
http://www.uni-lab.hk

声明/Statement

1、本报告必须有授权签字人签名和报告专用章，否则视为报告无效。若 PDF 格式的报告中若无本实验室的防伪电子章或显示为“X”，报告无效。

This report must have the signature of the authorized signatory and the special seal of the report, otherwise it will be considered invalid. If there is no anti-counterfeiting electronic seal of the laboratory in the report in PDF format or it is displayed as "X", the report is invalid.

2、本报告不得擅自修改、增加和删除。

This report shall not be modified, added or deleted without authorization.

3、本报告的结果只对委托方提供给本实验室检验检测的样品（即本实验室收到的样品。无特殊说明，指报告“Sample Photo(s)”中所呈现的样品）有效。

The results of this report are only valid for the samples provided by Applicant to our laboratory for inspection (That is, samples received by our laboratory.Without special explanation, it refers to the samples presented in the report "Sample Photo(s)").

4、若对本报告的测试数据和结论有异议，请在报告签发日期后 10 个工作日内以书面形式提出，逾期不予受理。

If there is any objection to the test data and conclusions of this report, please submit it in writing within 10 working days after the date of issuance of the report.

5、未经本公司书面同意，不得复制本报告（全文复制除外），亦不可作为宣传品或者广告使用。

Without the written consent of the company, this report shall not be copied (except for full copy), nor shall it be used as publicity materials or advertising.

6、报告封面仅作装饰用，不在报告正文内。

The cover of the report is for decoration only, not included in the body of the report.

7、本公司出具的纸质报告与电子版报告具备相同的效力，当两者内容有差异时，以电子版报告为准。

The paper report issued by our company has the same effect as the electronic report. In case of any difference between the two, the electronic report shall prevail.

8、本公司出具的中文和英文的报告具备相同的效力，当理解出现差异时，以中文为准。

The Chinese and English reports issued by our company have the same effect. In case of any difference in understanding, the Chinese version shall prevail.

9、查询报告时请提供本公司出具的完整的报告文档。

Please provide the complete report documents issued by our company when inquiring the report.

10、对于需要根据测试值做符合性判定的情况，相关的规范、标准、文件和客户无相关要求且无特殊说明时，本实验室出具的检验检测报告采用全数值进行且采用 ILAC-G8:09/2019 中“Simple Acceptance Rule（简单接受规则）”进行判定。

For cases where compliance is determined based on test values, when relevant specifications, standards, documents, and customers have no relevant requirements and no other special instructions, the test report issued by this laboratory is carried out in full value and adopts ILAC-G8: 09 /2019 "Simple Acceptance Rule" for judgment.

11、在中华人民共和国境内，本报告无CMA认可状态标识时，报告仅供科研、教学或内部质量控制等活动使用。

In the People's Republic of China, when there is no CMA Accredited Symbol in this report, the report is only for scientific research, teaching or internal quality control activities.

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.