Test Report

Report No.:	DNT240818S1339-2298
Testing Laboratory:	Dongguan DN Testing Co., Ltd.
Address:	No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China

The samples and sample information for the following tests are provided and confirmed by the applicant

Sample Description:	Electric four-wheeler for children
Style No(s):	SEE ATTACHMENT
Applicant	Xingtai Xifa Children's Toys Co., Ltd
Address:	High-tech Industrial Development Zone, Pingxiang County, Xingtai City, Hebei Province, China.
Manufacturer:	Xingtai Xifa Children's Toys Co., Ltd
Address:	High-tech Industrial Development Zone, Pingxiang County, Xingtai City, Hebei Province, China.
Factory	N/A
Address:	N/A
Client Specified Age Grade:	3+
Tested Age Grade:	OVER 3 YEARS OF AGE
Date of receipt:	2024-04-29
Date test:	2024-04-29 to 2024-05-06
Date of Issue:	2024-05-13
Test result:	PASS

EXECUTIVE SUMMARY:

Test Requested	Conclusion
The requirements of the tested clauses of the Standard EN IEC 62115:2020+A11:2020 “Electric toys - Safety”	PASS

Note: Compliance with this standard is also on condition that the components as specified in clause 15 shall comply with the safety requirements specified in the relevant standard

This Test Report is Issued Under the Authority of :

Reviewer Checked By: Bob Wang

Approved By: Alex Wu

REMARK

Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The resuits set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. This report shall not be reproduced except in full, without the written approval of our laboratory.

ATTACHMENT:

Style No(s):

606, 066, 699, 808, D-919, D-618, D-619, 628, 616, 6288, 9188, DTM-188, DTM-999, DTM-888, DTM-788, BLW-5198, BLW-5188, BLW-5168, BLW-5168T, BLW-5198T, BLW-5188T, 5166, ASX-701, ASX-188, DTM-088, 2830002, 3010420B, 1689, 702, 1989, 1588, 1988, 2688, 618, 619, 619T, 618T, 701T, 1589, 1788A, 1788, 8899.

All models are same except for model name and appearance.
Full tests were performed on the model 606.

RESULTS:

Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"
Rating: 6Vdc for car (6V rechargeable battery inside);
2 x 1.5V "AAA" type batteries for remote control.

Clause	Parameter	Result
5	General Conditions for the tests	P
7	Marking and Instructions	P* 1
8	Power input	NA
9	Heating and abnormal operation	P
10	Electric strength	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned	NA
12	Mechanical strength	P
13	Construction	P
14	Protection of cords and wires	P
15	Components	P* 2
16	Screws and connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
19	Radiation and similar hazards	NA
Annex E	Electric toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	NA
Annex D	Toys with protective electronic circuit	NA
Annex I	Toys generating Electromagnetic Fields (EMF)	NA

Note:
1. P = Pass
2. F = Fail
3. NA = Not applicable
4. NR = Not requested by the client
5. "*1"= According to the standard, instruction and other texts required by the standard should be written in the official language(s) of the country in which the product is to be sold.
6. "*2"= No certificate of compliance was provided by the applicant. Applicant needs to ensure that other components comply with the safety requirements as specified in the relevant standards and meet the national deviation requirement of the importing countries.

Remark: /

RESULTS:

Remark:

Clause	Parameter
9.3	The maximum temperature rises at normal operation were recorded as follows: Ambient Temperature (°C): 25.0 Location / Temperature Rise (K) / Limit (K) Internal wire / 2.8 / 45 Inside battery compartment / 1.3 / 45 Plastic enclosure outside / 1.7 / 50 Motor / 20.3 / REF
9.6	The maximum temperature rises at Lock motor condition were recorded as follows: Ambient Temperature (°C): 25.0 Location / Temperature Rise (K) / Limit (K) Internal wire / 4.2 / 45 Inside battery compartment / 4.1 / 45 Plastic enclosure outside / 0.5 / 50 Motor / 128.6 / REF

Test Sample Photos



Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

Test Sample Photos

END OF REPORT