

Test Report

Number: SHAH01850409

Applicant: JIAXING XINGBAO BABY CARRIAGE TECHNOLOGY
CO.,LTD
NO.55,HENGYE ROAD,XINCANG TOWN,
PINGHU CITY,ZHEJIANG PROVINCE,
CHINA
Attn: WEN HAO TANG

Date: 31 Jul, 2025

Sample Description:

One (1) group of submitted sample said to be :
Item Name : Volkswagen,Ride-On Car
Item No. : XB-1128
Labelled Age Group : 3+.
Country Of Origin : China.

Tests Conducted:


As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested Samples	Standard	Result
Submitted Sample	EN71-2: 2020 Flammability Test	Pass
Tested Component of Submitted Sample	EN 71-3: 2019+A1: 2021 on migration of certain elements	Pass
Submitted Sample	BS EN71-2: 2020 Flammability Test	Pass
Tested Component of Submitted Sample	BS EN 71-3: 2019+A1: 2021 on migration of certain elements	Pass
	EN 71-3: 2019+A2: 2024 on migration of certain elements	Pass
	BS EN 71-3: 2019+A2: 2024 on migration of certain elements	Pass
	Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Entry 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass
	AfPS GS 2019:01 PAK (PAH) on Polycyclic Aromatic Hydrocarbons (PAHs) content	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01850409

Tests Conducted

1 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.29, 2025

2 19 Toxic Element Migration Test (EN 71-3: 2019+A1: 2021)

(A) Test Result

As per EN 71-3:2019+A1: 2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) **	ND	10	460
Chromium (VI) (Cr VI) **	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930

Test Report

Number: SHAH01850409

Tests Conducted

Element	Result (mg/kg)	Reporting Limit	Limit
	(1)	(mg/kg)	(mg/kg)
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ⁺⁺	ND	5	12
Zinc (Zn)	ND	100	46000

Remark: mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than reporting limit)

Tested component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.29, 2025

To be continued

Test Report

Number: SHAH01850409

Tests Conducted

3 Flammability Test

As per British Standard on Safety of Toys BS EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.29, 2025

4 19 Toxic Elements Migration Test (BS EN 71-3: 2019+A1: 2021)

(A) Test Result

As per BS EN 71-3: 2019+A1: 2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930



Test Report

Number: SHAH01850409

Tests Conducted

Element	Result (mg/kg)	Reporting Limit	Limit
	(1)	(mg/kg)	(mg/kg)
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ++	ND	5	12
Zinc (Zn)	ND	100	46000

Remark : mg/kg = Milligram per kilogram
ND = Not Detected

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

Tested Component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.29, 2025

To be continued

Test Report

Number: SHAH01850409

Tests Conducted

5 EN 71-3: 2019+A2: 2024 on Migration of Certain Elements

(A) Test Result

As per EN 71-3:2019+A2: 2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(1)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ⁺⁺	ND	5	12
Zinc (Zn)	ND	100	46000

Remark: mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than detection limit)

Tested component(s): See component list in the last section of this report.

 To be continued



Test Report

Number: SHAH01850409

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.29, 2025

6 BS EN 71-3: 2019+A2: 2024 on Migration of Certain Elements

(A) Test Result

With reference to BS EN 71-3:2019+A2: 2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(1)		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ⁺⁺	ND	5	12

Test Report

Number: SHAH01850409

Tests Conducted

Element	Result (mg/kg)	Detection Limit	Limit
	(1)	(mg/kg)	(mg/kg)
Zinc (Zn)	ND	100	46000

Remark: mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than detection limit)

Tested component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.29, 2025

To be continued

Test Report

Number: SHAH01850409

Tests Conducted

7 Polycyclic Aromatic Hydrocarbons (PAHs) Content (REACH Regulation (EC) No 1907/2006 Annex XVII Entry 50)

With reference to AfPS GS 2019: 01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children/children care articles

<u>Test Item</u>	<u>Result (mg/kg)</u> (1)	<u>Detection Limit</u> (mg/kg)	<u>Limit (mg/kg)</u>
Benzo(a)pyrene	ND	0.2	0.5
Benzo(e)pyrene	ND	0.2	0.5
Benzo(a)anthracene	ND	0.2	0.5
Chrysene	ND	0.2	0.5
Benzo(b)fluoranthene	ND	0.2	0.5
Benzo(j)fluoranthene	ND	0.2	0.5
Benzo(k)fluoranthene	ND	0.2	0.5
Dibenzo(a,h)anthracene	ND	0.2	0.5

The above limit was quoted according to Annex XVII Entry 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

Remark : ND = Not detected

Tested components: See component list in the last section of this report.

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.31, 2025

To be continued



Test Report

Number: SHAH01850409

Tests Conducted

8 Polycyclic Aromatic Hydrocarbons (PAHs) Content

As Per AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatography – Mass Spectrometer (GC/MS).

(I) Test Results:

Test Item	CAS No.	Result (in mg/kg)
		(1)
1. Phenanthrene	85-01-8	ND
2. Anthracene	120-12-7	ND
3. Fluoranthene	206-44-0	ND
4. Pyrene	129-00-0	ND
Sum (4 PAHs):	--	ND
5. Naphthalene	91-20-3	ND
6. Benzo(a)Anthracene	56-55-3	ND
7. Chrysene	218-01-9	ND
8. Indeno(1,2,3-cd)Pyrene	193-39-5	ND
9. Benzo(b)Fluoranthene	205-99-2	ND
10. Benzo(k)Fluoranthene	207-08-9	ND
11. Benzo(a)Pyrene	50-32-8	ND
12. Dibenzo(a,h)Anthracene	53-70-3	ND
13. Benzo(g,h,i)Perylene	191-24-2	ND
14. Benzo(e)Pyrene	192-97-2	ND
15. Benzo(j)Fluoranthene	205-82-3	ND
Sum (15 PAHs):	--	ND
Classification of Samples: Category		2a

ND= Not detected (Less than reporting limit)

Reporting limit = 0.2 mg/kg

= Category was provided by the applicant.

To be continued



Test Report

Number: SHAH01850409

Tests Conducted

(II) Limits for PAHs in Products:

Parameter	Category 1	Category 2		Category 3	
--	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use - in toys according to Directive 2009/48/EC or - for the use by children up to 3 years of age	Materials that are not covered by Category 1, with long-term skin contact (longer than 30s) or repeated short-term skin contact if used as intended or foreseeable 2a. used by children 2b. other consumer products		Materials that are not covered by Category 1 or 2, with short-term skin contact (up to 30 s) when used as intended or foreseeable 3a. used by children 3b. other consumer products	
		2a	2b	3a	3b
Phenanthrene	--	--	--	--	--
Anthracene	--	--	--	--	--
Fluoranthene	--	--	--	--	--
Pyrene	--	--	--	--	--
Sum (4 PAHs):	<1	<5	<10	<20	<50
Naphthalene	<1	<2	<2	<10	<10
Benzo(a)Anthracene	<0.2	<0.2	<0.5	<0.5	<1
Chrysene	<0.2	<0.2	<0.5	<0.5	<1
Indeno(1,2,3-cd)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(b)Fluoranthene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(k)Fluoranthene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(a)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Dibenzo(a,h)Anthracene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(g,h,i)Perylene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(e)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(j)Fluoranthene	<0.2	<0.2	< 0.5	<0.5	<1
Sum (15 PAHs):	<1	<5	<10	<20	<50

Tested Component(s): See component list in the last section of this report

Date sample received: Jul.28, 2025

Testing period: Jul.28, 2025 To Jul.31, 2025

To be continued



Test Report

Number: SHAH01850409

Tests Conducted



To be continued

Test Report

Number: SHAH01850409

Tests Conducted

SHAH01850409



Component List:

- (1) Sky blue plastic.

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Ltd., Shanghai

