

Test Report

Number: SHAH01849904

Applicant: JIAXING XINGBAO BABY CARRIAGE TECHNOLOGY
CO.,LTD
NO.55,HENGYE ROAD,XINCANG TOWN,
PINGHU CITY,ZHEJIANG PROVINCE,CHINA

Date: 31 Jul, 2025

Sample Description:

One (1) piece of submitted sample said to be :
Item Name : Volkswagen,Ride-On Car.
Item No. : XB-1128.
Labelled Age Group : 3 Years+
Goods Exported to : EU ,UK ,USA , Canada.
Packaging Provided By Applicant : Yes.
Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH01849904

Conclusion:

<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
Submitted Samples	U.S. ASTM F963-23 Physical and Mechanical Tests Excluding Section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2	Pass
Submitted Samples	U.S. ASTM F963-23 Flammability Test of Materials other than Textile Materials	Pass
Submitted Samples	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Samples	EN71-2: 2020+A1: 2025 Flammability Test	Pass
Submitted Samples	BS EN71-1 : 2014 + A1 : 2018 - Mechanical and physical properties	Pass
Submitted Samples	BS EN71-2: 2020+A1 2025 Flammability Test	Pass
Submitted Samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test Excluding No.5	Pass
Submitted Samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	Pass
Submitted Samples	EN IEC 62115:2020+A11:2020 Safety of Electric Toys Clause 19, Annex E, Annex I, Annex J	Pass
Submitted Samples	EN IEC 62115:2020+A11:2020 Annex E: Safety of Electric Toys Incorporating Optical Radiation Sources	Pass
Submitted Samples	BS EN IEC 62115:2020+A11:2020 Safety of Electric Toys Clause 19, Annex E, Annex I, Annex J	Pass
Submitted Samples	BS EN IEC 62115:2020+A11:2020 Annex E: Safety of Electric Toys Incorporating Optical Radiation Sources	Pass

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH01849904

Tests Conducted

1 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: Over 36 Months.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Tip over test	---	3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement	Result
4.1	Material Quality (Visual check on cleanliness)	P
4.5	Sound-producing toys	P
4.6.1	Toys intended for children under 36 months (Small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	P
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



Test Report

Number: SHAH01849904

Tests Conducted

Section	Requirement	Result
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NR#
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P #
5.1.2	Tracking label on product and packaging	P
6	Instructional literature	P #
7	Producer's markings	
7.1	Name of producer/distributor	Yes
	Address	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable NR=Not Requested

= As applicant's request, section 4.25, 5.14, 6.5, 6.6, 6.9 and 7.2 were not assessed.

Date Sample Received: 25 Jul, 2025 & 31 Jul, 2025
Testing Period: 25 Jul, 2025 To 31 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

2 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date Sample Received: 25 Jul, 2025
Testing Period: 25 Jul, 2025 To 30 Jul, 2025

3 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: Over 36 Months.

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Tip over test	8.6	Three times

Clause	Testing items	Assessment
4	General requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA



Test Report

Number: SHAH01849904

Tests Conducted

Clause	Testing items	Assessment
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA



Test Report

Number: SHAH01849904

Tests Conducted

Clause	Testing items	Assessment
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass

NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that:

	Toy	Packaging
UKCA marking	Absent	Absent

Date Sample Received: 25 Jul, 2025 & 31 Jul, 2025

Testing Period: 25 Jul, 2025 To 31 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

4 **Flammability Test**

As per European Standard on Safety of Toys EN71-2: 2020+A1: 2025

Clause	Testing Items	Assessment
4.1	General Requirements	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft-Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received: 25 Jul, 2025

Testing Period: 25 Jul, 2025 To 30 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

5 Mechanical and Physical Test

As per British Standard on Safety of toys BS EN 71-1: 2014+A1: 2018.

Applicant's specified age group for testing: Over 36 Months.

The submitted samples were undergone the following abuse tests:

<u>Clause</u>	<u>Testing items</u>
8.6	Tip over test (3 times)

Clause	Testing items	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA



Test Report

Number: SHAH01849904

Tests Conducted

Clause	Testing items	Assessment
5	Toys intended for children under 36 months	
5.1	General requirements for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	P
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA



Test Report

Number: SHAH01849904

Tests Conducted

Clause	Testing items	Assessment
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass

NA = Not Applicable

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present



Test Report

Number: SHAH01849904

Tests Conducted

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. The checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
UK Importer's name	Absent	Absent
UK Importer's address	Absent	Absent
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that

	Toy	Packaging
UKCA marking	Absent	Absent

Date Sample Received: 25 Jul, 2025 & 31 Jul, 2025

Testing Period: 25 Jul, 2025 To 31 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

6 **Flammability Test**

As per British Standard on Safety of Toys BS EN71-2: 2020+A1:2025

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received: 25 Jul, 2025

Testing Period: 25 Jul, 2025 To 30 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

7 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: Over 36 Months.

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Test	Parameter
Drop test	4 x (0.909±0.005) m
Pull test	42.5±2 N
Push test	42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	P
4	Packaging	
	(a) The opening perimeter is less than 14 inches	P
	(b) The opening perimeter is more than 14 inches	P
	<u>Electrical hazard</u>	
5	Electrically operated toys	See note
6	Electrically heated toys	NA
	<u>Mechanical hazard</u>	
7	Small parts	NA
8	Metal edges	P
9	Wire frames	P
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	<u>Auditory hazards</u>	
19	Noise limit	P
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	P
	<u>Dolls, plush toys and soft toys</u>	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA



Test Report

Number: SHAH01849904

Tests Conducted

No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass

NA = Not Applicable

Note: A toy that is operated electrically must meet the requirements of Canadian Standards Association Standard C22.2 No. 149-1972, entitled Electrically Operated Toys published in English in November 1972 and in French in December 1976.

Date Sample Received: 25 Jul, 2025

Testing Period: 25 Jul, 2025 To 30 Jul, 2025

8 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

	<u>Assessment</u>	<u>Requirement</u>
Cellulose Nitrate/Celluloid	Absent	Absent

Date Sample Received: 25 Jul, 2025

Testing Period: 25 Jul, 2025 To 30 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

9 **Safety of Electric Toys**

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020 Clause 19, Annex J

Applicant's Specified Age Group for Testing: Over 36 Months.

Power source: Remote: Vehicle: 12 V, 4.5 Ah, Lead-acid rechargeable battery x 1 pc

Charger: type: Input 100-240V A.C. Output 12 V D.C. (Provided)

Electric Operated Function: Battery powered LED light, Sound, motion.

Clause	Requirement	Assessment
19	Radiation and similar hazards	P
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	P
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	P
Annex E	Safety of electric toys incorporating optical radiation sources	P
Annex I	Electric toys generationg electromagnetic fields (EMF)	P
Annex J	Safety of remote controls for electric ride-on toys	NA

Abbreviation: P = Pass NA = Not Applicable

Date Sample Received: 25 Jul, 2025

Testing Period: 25 Jul, 2025 To 31 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

10 Optical Radiation

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020 Annex E: Safety of electric toys incorporating optical radiation sources.

Applicant's Specified Age Group for Testing: Over 36 Months.

Power source: Remote: Vehicle: 12 V, 4.5 Ah, Lead-acid rechargeable battery x 1 pc

Electric Operated Function: Battery powered LED light, Sound, motion.

Clause	Requirement / Test result	Verdict
19.E.2	Light-emitting diodes (LEDs) For red LED used in the power source Measured wavelength: 630 nm Spectral emission bandwidth: 21 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0003 Wsr⁻¹ Measured radiant intensity under fault operation: 0.0004 Wsr⁻¹ Limit: 0.76 Wsr⁻¹ For red SMD LED used in the control board Measured wavelength: 630 nm Spectral emission bandwidth: 22 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0001 Wsr⁻¹ Measured radiant intensity under fault operation: 0.0004 Wsr⁻¹ Limit: 0.76 Wsr⁻¹ For White water-clear LED: Measured wavelength: Peak at 450 nm Spectral emission bandwidth: 201 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0003 Wsr⁻¹ Measured radiant intensity under fault operation: 0.0003 Wsr⁻¹ Limit: 0.19 Wsr⁻¹	P
19.E.3	Lasers	NA
19.E.4	UV-emitting lamps	NA
19.E.5	Modulated accessible emission	NA




Remark: P = Pass NA = Not Applicable



Test Report

Number: SHAH01849904

Tests Conducted







Test Report

Number: SHAH01849904

Tests Conducted



Date Sample Received: 25 Jul, 2025
Testing Period: 25 Jul, 2025 To 31 Jul, 2025

Test Report

Number: SHAH01849904

Tests Conducted

11 Safety of Electric Toys

As per British Standard on Safety of Electric Toys BS EN IEC 62115:2020+A11:2020 Clause 19, Annex J

Applicant's Specified Age Group for Testing: Over 36 Months.

Power source: Remote: Vehicle: 12 V, 4.5 Ah, Lead-acid rechargeable battery x 1 pc

Charger: type: Input 100-240V A.C. Output 12 V D.C. (Provided)

Electric Operated Function: Battery powered LED light, Sound, motion.

Clause	Requirement	Assessment
19	Radiation and similar hazards	P
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	P
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	P
Annex E	Safety of electric toys incorporating optical radiation sources	P
Annex I	Electric toys generationg electromagnetic fields (EMF)	P
Annex J	Safety of remote controls for electric ride-on toys	NA

Abbreviation: P = Pass NA = Not Applicable

Date Sample Received: 25 Jul, 2025

Testing Period: 25 Jul, 2025 To 31 Jul, 2025



Test Report

Number: SHAH01849904

Tests Conducted

12 Optical Radiation

As per British Standard on Safety of Electric Toys BS EN IEC 62115:2020+A11:2020 Annex E: Safety of electric toys incorporating optical radiation sources.

Applicant's Specified Age Group for Testing: Over 36 Months.

Power source: Remote: Vehicle: 12 V, 4.5 Ah, Lead-acid rechargeable battery x 1 pc

Electric Operated Function: Battery powered LED light, Sound, motion.

Clause	Requirement / Test result	Verdict
19.E.2	Light-emitting diodes (LEDs) For red LED used in the power source Measured wavelength: 630 nm Spectral emission bandwidth: 21 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0003 Wsr⁻¹ Measured radiant intensity under fault operation: 0.0004 Wsr⁻¹ Limit: 0.76 Wsr⁻¹ For red SMD LED used in the control board Measured wavelength: 630 nm Spectral emission bandwidth: 22 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0001 Wsr⁻¹ Measured radiant intensity under fault operation: 0.0004 Wsr⁻¹ Limit: 0.76 Wsr⁻¹ For White water-clear LED: Measured wavelength: Peak at 450 nm Spectral emission bandwidth: 201 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0003 Wsr⁻¹ Measured radiant intensity under fault operation: 0.0003 Wsr⁻¹ Limit: 0.19 Wsr⁻¹	P
19.E.3	Lasers	NA
19.E.4	UV-emitting lamps	NA
19.E.5	Modulated accessible emission	NA



Remark: P = Pass NA = Not Applicable



Test Report

Number: SHAH01849904

Tests Conducted



Test Report

Number: SHAH01849904

Tests Conducted



Date Sample Received: 25 Jul, 2025
Testing Period: 25 Jul, 2025 To 31 Jul, 2025

Test Report

Number: SHAH01849904

Tests Conducted

Photo



End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

