

TEST REPORT

Number : WUXH00123995

Applicant : ZHEJIANG JIAJIA RIDE-ON CO.,LTD
XINCANG INDUSTRIAL ZONE PINGHU CITY,
ZHEJIANG,CHINA.

Date : Jan 18, 2022

Sample Description:

One(1) Group Of Submitted Sample Said To Be :
Item Name : Children's Car.
Item No. : JJ2022.
Labelled Age Group : For 37-96 months.
Packaging Provided By Applicant : Yes(Artwork).
Goods Exported To : EU.
Country Of Origin : China.

Tests Conducted:

As Requested By The Applicant, For Details Refer To Attached Page(s).

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Peter Chen
General Manager



TEST REPORT

Number : WUXH00123995

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Sample	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Sample	EN71-2: 2020 Flammability Test	Pass
Submitted Sample	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Tested Components Of Submitted Sample	EN 71-3:2019+A1:2021 on migration of certain elements	Pass
Tested Components Of Submitted Sample	EN 71-3:2019 on migration of certain elements	Pass
Tested Components Of Submitted Sample	EN 71-3: 2019 on migration of certain elements & EU 2019/1922 amending 2009/48/EC (effective from May, 20,2021) for Aluminium (Al) migration	Pass
Submitted Sample	EN IEC 62115:2020+A11:2020 Safety of Electric Toys Excluding Clause 15.4, Clause 19, Annex D,Annex E,Annex I,Annex J	Pass (Subjected to Remark enclosed)

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Peter Chen
General Manager



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For 37-96 months

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Protective Components	8.4.2.3	60 N
Drop Test	8.5	850 mm x 5times
Tip Over Test	8.6	3times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N
Flexibility of Metallic Wires	8.13	70 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Clause	Testing Items	Assessment
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Clause	Testing Items	Assessment
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Absent	Present
CE-marking	Absent	Absent

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022

2 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For 37-96 months

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Protective Components	8.4.2.3	60 N
Drop Test	8.5	850 mm x 5times
Tip Over Test	8.6	3times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N
Flexibility of Metallic Wires	8.13	70 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Clause	Testing Items	Assessment
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Clause	Testing Items	Assessment
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass

NA = Not Applicable



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Absent	Present
CE-marking	Absent	Absent

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Absent	Absent
Address of authorised representative in Great Britain	Absent	Absent
Product identification code	Absent	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that:

	Toy	Packaging
UKCA marking	Absent	Absent

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

3 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022

4 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Remark : P = Pass NA = Not Applicable

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022

5 19 Toxic Element Migration Test

(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(6)	(7)	(8)	(9)	(10)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(11)	(12)	(13)	(14)	(15)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	16	5.2	19	2.5	180000
Organic tin **	ND	ND	NDA	NDA	NDA	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(16)	(17)	(18)	(19)	(20)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	11	18	11	18	12	2.5	180000
Organic tin **	NDA	NDA	NDA	NDA	NDA	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(21)	(22)	(23)	(24)	(25)		
Aluminium (Al)	ND	ND	ND	1037	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	8.0	12	15	ND	ND	2.5	180000
Organic tin **	NDΔ	NDΔ	NDΔ	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(26)	(27)	(28)	(29)	(30)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Aluminium (Al)	ND	ND	ND	ND	ND	1477	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) #	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000

Remark : mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "Δ", Organic tin contents were not directly determined and were derived from migration results of total tin.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than reporting limit)
 # = The reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).
 Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019+A1:2021.

Tested component(s): See component list in the last section of this report.



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

6 19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

<u>Element</u>	<u>Result (mg/kg)</u>					<u>Limit (mg/kg)</u>
	(1)	(2)	(3)	(4)	(5)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Limit (mg/kg)
	(6)	(7)	(8)	(9)	(10)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)					Limit (mg/kg)
	(11)	(12)	(13)	(14)	(15)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025#	< 0.025#	< 0.025	< 0.025#	< 0.025#	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	16	< 10	19	180000
Organic tin **	< 3.0	< 3.0	< 3.0Δ	< 3.0Δ	< 3.0Δ	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

<u>Element</u>	<u>Result (mg/kg)</u>					<u>Limit (mg/kg)</u>
	(16)	(17)	(18)	(19)	(20)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025#	< 0.025#	< 0.025	< 0.025#	< 0.025#	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	11	18	11	18	12	180000
Organic tin **	< 3.0Δ	< 3.0Δ	< 3.0Δ	< 3.0Δ	< 3.0Δ	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

<u>Element</u>	<u>Result (mg/kg)</u>					<u>Limit (mg/kg)</u>
	(21)	(22)	(23)	(24)	(25)	
Aluminium (Al)	< 300	< 300	< 300	1037	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	< 0.025#	< 0.025#	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	12	15	< 10	< 10	180000
Organic tin **	< 3.0Δ	< 3.0Δ	< 3.0Δ	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Limit (mg/kg)
	(26)	(27)	(28)	(29)	(30)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)					Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	< 0.025	< 0.025#	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Element	Result (mg/kg)					Limit (mg/kg)
	(36)	(37)	(38)	(39)	(40)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025#	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)		Limit (mg/kg)
	(41)	(42)	
Aluminium (Al)	< 300	1477	70000/28130◎
Antimony (Sb)	< 10	< 10	560
Arsenic (As)	< 10	< 10	47
Barium (Ba)	< 10	< 10	18750
Boron (B)	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	0.053
Cobalt (Co)	< 10	< 10	130
Copper (Cu)	< 10	< 10	7700
Lead (Pb)	< 10	< 10	23
Manganese (Mn)	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	94
Nickel (Ni)	< 10	< 10	930
Selenium (Se)	< 10	< 10	460
Strontium (Sr)	< 100	< 100	56000
Tin (Sn)	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	46000



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Remark: mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

⊙ = The new Aluminium (Al) migration limit [2250mg/kg for Category (I), 560mg/kg for Category (II), 28130mg/kg for Category (III)] was quoted from directive (EU) 2019/1922 amending 2009/48/EC effective from 20 May 2021.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was calculated by summation of the migration values of Methyl tin, Dimethyl tin, Dibutyl tin, Tributyl tin, Tetra-butyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Monobutyl tin and Triphenyl tin. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019.

Tested Component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

7 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: For 37-96 months

Battery Type: Vehicle: 12 V, 7Ah, Lead-acid rechargeable battery x 1pc;

Sound: 3 V, LR6 x 2 pcs

Remote: 3 V, LR 03 x 2 pcs

Charger Type: Input 100-240 V A.C., Output 12 V D.C. (Provided)

Model: HK150V-120100

Normal Use Operation: Battery powered motion, sound and LED light.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	See remark(1)
7.2.2	Electric toys with replaceable batteries	P
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	P
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Clause	Requirement	Assessment
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	P
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	See remark(2)
15.1.1	General	--
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	See remark(2)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark(2)



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Clause	Requirement	Assessment
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	--
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	P
19	Radiation and similar hazards	See remark(3)
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	See remark(3)
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	See remark(3)
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	See remark (3)
Annex E	Safety of electric toys incorporating optical radiation sources	See remark (3)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generationg electromagnetic fields (EMF)	See remark (3)
Annex J	Safety of remote controls for electric ride-on toys	See remark (3)
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation: P = Pass F = Fail A = Applicable NA = Not Applicable



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Remark:

- (1) Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Absent	Present

- (2) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

Applicant needs to ensure that battery charger for toys shall comply with IEC 60335-2-29:2016 and Annex AA of that standard.

- (3) As requested by the applicant, Annex D, Annex E, Annex I, Annex J was not assessed.

- (4) Artwork of packaging was provided for testing.

Date Sample Received: Dec 15, 2021

Testing Period: Dec 15, 2021 To Jan 17, 2022




TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

Photo



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

The Sample Were Submitted By Client's, Only For Reference.



TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)



Components List:

- (1) Purple Plastic(Body).
- (2) Yellow Plastic(Body).
- (3) Coffee Plastic(Body).
- (4) Pink Plastic(Body).
- (5) Grey Plastic(Body).
- (6) Blue Plastic(Body).
- (7) Deep Blue Plastic(Body).
- (8) Orange Plastic (Body).
- (9) White Plastic(Body).
- (10) Rice White Plastic(Body).
- (11) Green Plastic(Body).
- (12) Transparent Plastic(Body).
- (13) Coffee Soft Plastic (The Wire Skin).
- (14) Red Soft Plastic (The Wire Skin).
- (15) Deep Soft Plastic (The Wire Skin).
- (16) Green Soft Plastic (The Wire Skin).

TEST REPORT

Number : WUXH00123995

Tests Conducted (As Requested By The Applicant)

- (17) Deep Green Soft Plastic (The Wire Skin).
- (18) Blue Soft Plastic (The Wire Skin).
- (19) Deep Blue Soft Plastic (The Wire Skin).
- (20) White Soft Plastic (The Wire Skin).
- (21) Black Soft Plastic (The Wire Skin).
- (22) Yellow Soft Plastic (The Wire Skin).
- (23) Orange Soft Plastic (The Wire Skin).
- (24) Silver Coating On Plastic(Front Fence,Wheel Hub,Instrument Panel,Steering Wheel,gear Lever).
- (25) Black Plastic(Body).
- (26) Transparent Plastic(Front Light,Tail Light,Rearview Mirror).
- (27) Red Transparent Plastic(Tail Light).
- (28) Coffee Transparent Plastic(Front Window,Door Window).
- (29) Black Plastic(Instrument Panel).
- (30) Black Plastic(Steering Wheel).
- (31) Black Plastic(gear Lever).
- (32) Red Transparent Plastic(Button).
- (33) Light Grey Plastic(Button).
- (34) Black Plastic(Button).
- (35) Black Plastic(Accelerator Pedal).
- (36) Black Plastic(Seat).
- (37) Black Plastic(Safety Belt Adjuster).
- (38) Black Woven Fabric(Safety Belt).
- (39) Black Plastic(Wheel).
- (40) Black Plastic Excluding Coating(Wheel Hub).
- (41) White Plastic(Coupling Of Wheel).
- (42) Black Coating On Metal(Chassis).

End of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

