



Report No.: MTL24111900303R01R3

TEST REPORT

Prepared for :

PINGHU SHUANGXI BABY CARRIER MANUFACTURE CO.,LTD.
XINCANG TOWN,PINGHU CITY,ZHEJIANG PROVINCE,CHINA.

Product: RIDE ON CAR

Brand Name: N/A

Model Name: SX1928

Date of Test: Nov. 19, 2024 to Nov. 25, 2024

Date of Report: Nov. 29, 2024

Report Number: MTL24111900303R01R3

Prepared By :

Shenzhen MTL Testing Technology Co., Ltd.
305, Building A, Shenghengji Industrial Park, No.137, Fuyuan 1st Road,
Zhancheng Community, Fuhai Street, Bao'an District, Shenzhen,
Guangdong, China



Report No.:MTL24111900303R01R3

TEST RESULT CERTIFICATION

Applicant . PINGHU SHUANGXI BABY CARRIER MANUFACTURE CO.,LTD.

Address . XINCANG TOWN,PINGHU CITY,ZHEJIANG PROVINCE,CHINA.

Manufacturer PINGHU SHUANGXI BABY CARRIER MANUFACTURE CO.,LTD.

Address XINCANG TOWN,PINGHU CITY,ZHEJIANG PROVINCE,CHINA.

Product name : RIDE ON CAR

Product model **SX1928**

Brand Name . N/A

Date of Sample Received : Nov. 19, 2024

Testing Period : Nov. 19, 2024 to Nov. 25, 2024

Tested Age Grade : 37- -95 months

Labeled Age Grading : 37- -95 months

Appropriate Age Grade : 37- -95 months

Prepared by:

Project Engineer

Reviewed by:

Project Manager

Approved by:

Technical Director





**** Modified History ****

Revision	Description	Issued Data	Remark
Revision 1.0	Initial Test Report Release		



Test Requested		Conclusion
1.	For compliance with the European standard on Safety of toys:-	-
	EN 71-1:2014+A1:2018-Safety of toys-Part1: Mechanical and Physical Properties	Pass
	EN 71-2:2020 - Safety of toys - Part 2: Flammability	Pass
	EN 71-3:2019+A1:2021 - Migration of certain elements (All conclusive testing)	Pass

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

**Test Results:****EUROPEAN STANDARD ON SAFETY OF TOYS****EN 71-1:2014+A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

AS SPECIFIED IN EN 71-1:2014+A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clause	Description	Result
4	General requirements	—
4.1	Material cleanliness	Pass
4.2	Assembly	Pass
4.3	Flexible plastics sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	Pass
4.10	Parts moving against each other:	Pass
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges(Not applicable to products with a hinged part that has a mass less than 250g.)	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures:	—
4.14.1	Toys which a child can enter	N/A
4.14.2	Masks and helmets	N/A
4.15	Toys intended to bear the mass of a child:	Pass
4.16	Heavy immobile toys	N/A
4.17	Projectiles	—
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	Pass
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23	Magnets	—
4.24	Yoyo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy disguise costumes	N/A



4.27	Flying toys	N/A
5	Toys intended for children under 36 months	—
5.1	General requirements:	N/A
5.1a	Small part requirement on toys & removable	N/A
	Components (Test method 8.2)	N/A
5.1b	Torque test (Test method 8.3)	N/A
	Tension test (Test method 8.4)	N/A
	Drop test (Test method 8.5)	N/A
	Tip over test (Test method 8.6)	N/A
	Impact test (Test method 8.7)	N/A
	Compression test (Test method 8.8)	N/A
	Sharp edge (Test method 8.11)	N/A
	Sharp point (Test method 8.12)	N/A
	Tension test for magnets (Test method 8.34)	N/A
5.1c	Potential hazardous metal points and wires with a cross section of 2mm or less	N/A
5.1d	Large and bulky toys	N/A
5.1e	Glued wooden toys and toys with glued on plastic decals	N/A
5.1f	The casing of toys intended for children too young to sit up unaided	N/A
5.1g	Foam toys and toys containing accessible foam components	N/A
5.2	Soft-filled toys and soft-filled parts of a toy	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cable in toys	N/A
5.5	Liquid filled toys	N/A
5.6	Speed limitation of electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be used fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	Packaging	Pass
7	Warnings, markings and instructions for use	—
7.1	General Requirements	Pass
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text	—



	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex Balloon	N/A
7.4	Aquatic toys	N/A
7.5	Functional Toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7	Projectiles	N/A
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10	Roller skates, inline skates and toy skateboards and certain other ride-on toys	Pass
7.11	Toys intended to be strung across a cradle, cot, or perambulator	N/A
7.12	Liquid filled teethingers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	N/A
7.15	Toys bicycle	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy scooters	N/A
7.19	Rocking horses and similar toys	N/A
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toys with electrical cables exceeding 300 mm in length	N/A
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N/A
7.23	Toys intended to be attached to a cradle, cot or perambulator	N/A
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	N/A
7.26	Improvised projectiles	N/A

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

**EN 71-2:2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY**

AS SPECIFIED IN EN 71-2:2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

Clause	Description	Result
4.1	General requirements	Pass
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	N/A
4.4	Toy intended to be entered by child	N/A
4.5	Soft filled toys	N/A

**EN 71-3:2019+A1:2021 - Migration of certain elements****Category III: Scraped-off toy material**

Method: With reference to EN 71-3:2019+A1:2021 .Preparation of the sample and migration procedure with reference to EN 71-3:2019+A1:2021, metal elements analysis is performed by Inductively Coupled Argon Plasma Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS) , organic tins analysis is performed by Gas Chromatography- (GC/MS) Mass Spectrometer and Cr (III) and Cr(VI) analysis is performed by Ion Chromatograph-Inductively Coupled Plasma Mass Spectrometer (IC-ICP-MS)

Test Item(s)	Unit	Result(s)					MDL	Permissible Limit
		1	2	3	4	5		
Soluble Aluminium(Al)	(mg/kg)	ND	ND	ND	ND	ND	50	28130
Soluble Antimony(Sb)	(mg/kg)	ND	ND	ND	ND	ND	10	560
Soluble Arsenic(As)	(mg/kg)	ND	ND	ND	ND	ND	10	47
Soluble Barium(Ba)	(mg/kg)	ND	ND	ND	ND	ND	50	18750
Soluble Boron(B)	(mg/kg)	ND	ND	ND	ND	ND	50	15000
Soluble Cadmium(Cd)	(mg/kg)	ND	ND	ND	ND	ND	5	17
Soluble Chromium (III)(Cr (III)) ⁺⁺	(mg/kg)	ND	ND	ND	ND	ND	1	460
Soluble Chromium (VI)(Cr (VI)) ⁺⁺	(mg/kg)	ND	ND	ND	ND	ND	0.010	0.053
Soluble Cobalt(Co)	(mg/kg)	ND	ND	ND	ND	ND	10	130
Soluble Copper(Cu)	(mg/kg)	ND	ND	ND	ND	ND	50	7700
Soluble Lead(Pb)	(mg/kg)	ND	ND	ND	ND	ND	2.3	23
Soluble Manganese(Mn)	(mg/kg)	ND	ND	ND	ND	ND	50	15000
Soluble Mercury(Hg)	(mg/kg)	ND	ND	ND	ND	ND	10	94
Soluble Nickel(Ni)	(mg/kg)	ND	ND	ND	ND	ND	10	930
Soluble Selenium(Se)	(mg/kg)	ND	ND	ND	ND	ND	10	460
Soluble Strontium(Sr)	(mg/kg)	ND	ND	ND	ND	ND	50	56000
Soluble Tin(Sn)	(mg/kg)	ND	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin ⁺⁺	(mg/kg)	ND	ND	ND	ND	ND	--	12
Soluble Zinc(Zn)	(mg/kg)	ND	ND	ND	ND	ND	50	46000

Test Item(s)	Unit	Result(s)					MDL	Permissible Limit
		6	7	8	9	10		
Soluble Aluminium(Al)	(mg/kg)	ND	ND	ND	ND	ND	50	28130
Soluble Antimony(Sb)	(mg/kg)	ND	ND	ND	ND	ND	10	560
Soluble Arsenic(As)	(mg/kg)	ND	ND	ND	ND	ND	10	47
Soluble Barium(Ba)	(mg/kg)	ND	ND	ND	ND	ND	50	18750
Soluble Boron(B)	(mg/kg)	ND	ND	ND	ND	ND	50	15000
Soluble Cadmium(Cd)	(mg/kg)	ND	ND	ND	ND	ND	5	17
Soluble Chromium (III)(Cr (III)) ⁺⁺	(mg/kg)	ND	ND	ND	ND	ND	1	460
Soluble Chromium (VI)(Cr (VI)) ⁺⁺	(mg/kg)	ND	ND	ND	ND	ND	0.010	0.053
Soluble Cobalt(Co)	(mg/kg)	ND	ND	ND	ND	ND	10	130



Soluble Copper(Cu)	(mg/kg)	ND	ND	ND	ND	ND	50	7700
Soluble Lead(Pb)	(mg/kg)	ND	ND	ND	ND	ND	2.3	23
Soluble Manganese(Mn)	(mg/kg)	ND	ND	ND	ND	ND	50	15000
Soluble Mercury(Hg)	(mg/kg)	ND	ND	ND	ND	ND	10	94
Soluble Nickel(Ni)	(mg/kg)	ND	ND	ND	ND	ND	10	930
Soluble Selenium(Se)	(mg/kg)	ND	ND	ND	ND	ND	10	460
Soluble Strontium(Sr)	(mg/kg)	ND	ND	ND	ND	ND	50	56000
Soluble Tin(Sn)	(mg/kg)	ND	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin ⁺⁺	(mg/kg)	ND	ND	ND	ND	ND	--	12
Soluble Zinc(Zn)	(mg/kg)	ND	ND	ND	ND	ND	50	46000

Test Item(s)	Unit	Result(s)		MDL	Permissible Limit
		11	12		
Soluble Aluminium(Al)	(mg/kg)	ND	ND	50	28130
Soluble Antimony(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic(As)	(mg/kg)	ND	ND	10	47
Soluble Barium(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium (III)(Cr (III)) ⁺⁺	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)(Cr (VI)) ⁺⁺	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin ⁺⁺	(mg/kg)	ND	ND	--	12
Soluble Zinc(Zn)	(mg/kg)	ND	ND	50	46000

Note:

mg/kg = milligram per kilogram

ND = Not Detected (lower than MDL)

MDL = Method Detection Limit

1% = 10000 mg/kg = 10000 ppm

⁺⁺ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively. - Organic tin test result was expressed as tributyl tin.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium - migration value of Chromium(VI).



Report No.:MTL24111900303R01R3

Specimen Description:

- 1.Black plastic
- 2.Clear plastic, headlights
- 3.Red plastic
- 4.Black rubber, wheels
- 5.decal
- 6.White plastic
- 7.Black plastic, seat
- 8.Black plastic, tyre
- 9.Black coating
- 10.Black plastic
- 11.Blue plastic
- 12.Pink plastic



Photograph of Sample



FIGURE 1



FIGURE 2



FIGURE 3



FIGURE 4



FIGURE 5



FIGURE 6



FIGURE 7

Product:RIDE ON CAR

Model: SX1928

Manufacturer: PINGHU SHUANGXI BABY CARRIER MANUFACTURE CO.,LTD.

Address: XINCANG TOWN, PINGHU CITY, ZHEJIANG PROVINCE, CHINA.

Ages: 37- 95 months



Warning. Not suitable for children under 3 years old. Small parts. Choking hazard.

FIGURE 8

End of Report



Statement:

1. The test report is considered invalidated without approval signature, special seal on the perforation.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of MTL, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which MTL hasn't verified.
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.