

# TEST REPORT

**APPLICANT** : PINGHU XH CHILDREN PRODUCTS CO., LTD

**ADDRESS** : NO.186, TONGCHE ROAD, XINCANG TOWN, PINGHU CITY,  
ZHEJIANG PROVINCE

**TESTED SAMPLE DESCRIPTION** : ELECTRIC RIDE-ON CAR

**TESTED ITEM NO.** : AUDI TT RS ROADSTER

**MANUFACTURER** : PINGHU XH CHILDREN PRODUCTS CO., LTD

**AGE REQUESTED ON APPLICATION FORM** : 37-95 MONTHS

**LABELED AGE GRADE** : 37-95 MONTHS

**AGE GRADE APPLIED IN TESTING** : OVER 3 YEARS

**SAMPLE RECEIVED DATE** : 28-Jun-2022; 12-Aug-2022; 24-Aug-2022

**TEST PERIOD** : 28-Jun-2022 to 25-Aug-2022

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED                                       | RESULT                        |
|------------------------------------------------------|-------------------------------|
| BS EN IEC 62115:2020+A11:2020 Electric toys - Safety | PASS<br>(Subjected to remark) |

The above sample(s) and sample information was/were submitted and identified on behalf of the applicant. Eurofins will not be liable for the authenticity of the information. This test report is valid for the tested sample only. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.


\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

SIGNED FOR AND ON BEHALF OF  
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO., LTD.



Jamie Zhang  
Toy Testing Manager



**TESTED SAMPLE PHOTO(S)****ELECTRIC RIDE-ON CAR****EFSN22062192-P-0102**

**SAMPLE PHOTO(S)**

Below photo(s) was (were) provided by the customer for reference only

**EFSN22062192-P-0102**

**SAMPLE PHOTO(S)**

Below photo(s) was (were) provided by the customer for reference only

**EFSN22062192-P-0102**

## TEST RESULT

### **BS EN IEC 62115:2020+A11:2020 Electric toys – Safety**

Power Source: 12V, 1 x 4.5Ah/20hR rechargeable battery for car; 3.0V, 2 x AAA for controller

Electric Operated Function: LED, motion, sound

| Clause  | Requirement                                                                                                    | Result          |
|---------|----------------------------------------------------------------------------------------------------------------|-----------------|
| 7       | Marking and instructions                                                                                       | P§              |
| 8       | Power input                                                                                                    | NA              |
| 9       | Heating and abnormal operation                                                                                 | P§              |
| 10      | Electric strength                                                                                              | P§              |
| 11      | Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid              | NA              |
| 12      | Mechanical strength                                                                                            | P               |
| 13      | Construction                                                                                                   | P§              |
| 14      | Protection of cords and wires                                                                                  | P               |
| 15      | Components                                                                                                     | P<br>See remark |
| 16      | Screws and connections                                                                                         | P               |
| 17      | Clearances and creepage distances                                                                              | P               |
| 18      | Resistance to heat and fire                                                                                    | P               |
| 19      | Optical radiation<br>Annex E toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps | P§              |
|         | Other electromagnetic radiation<br>Annex I Toys generating Electromagnetic Fields (EMF)                        | P               |
| Annex D | Toys with protective electronic circuit influence from electromagnetic phenomena (EMP).                        | P               |
| Annex J | Safety of remote controls for electric ride-on toys                                                            | P§              |

P = Pass      NA = Not applicable

§The testing was conducted on the re-submitted sample.

Remark: Components used in toys including Battery chargers as specified in Clause 15.1, 15.4 shall comply with relevant IEC safety standards and meet the national deviation of the importing countries.

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co., Ltd.**

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China  
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

## TEST RESULT

### Details of test results:

| Clause | Requirement                                                                                                                                  |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------|
| 9      | Heating and abnormal operation                                                                                                               |
| 9.3    | The unit was(were) operated under normal operation, the maximum temperature rises were recorded as follows:<br>AMBIENT TEMPERATURE(°C): 22.3 |
|        | LOCATION                                                                                                                                     |

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co., Ltd.**

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: [info.hk@eurofins.com](mailto:info.hk@eurofins.com) • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

## TEST RESULT

| Clause  | Requirement                                                                 |
|---------|-----------------------------------------------------------------------------|
| Annex E | Light-emitting diodes (LEDs) (19.E.2)                                       |
|         | For white (head lamp) LED:                                                  |
|         | Measured wavelength: 500 nm                                                 |
|         | Spectral emission bandwidth: 221 nm                                         |
|         | Measurement distance: 200 mm                                                |
|         | Measured radiant intensity under normal operation: 0.0367 Wsr <sup>-1</sup> |
|         | Limit: 0.13 Wsr <sup>-1</sup>                                               |
|         | For red (tail light) LED:                                                   |
|         | Measured wavelength: 635 nm                                                 |
|         | Spectral emission bandwidth: 19 nm                                          |
|         | Measurement distance: 200 mm                                                |
|         | Measured radiant intensity under normal operation: 0.0018 Wsr <sup>-1</sup> |
|         | Limit: 0.76 Wsr <sup>-1</sup>                                               |
|         | For red (instrument panel) LED:                                             |
|         | Measured wavelength: 630 nm                                                 |
|         | Spectral emission bandwidth: 16 nm                                          |
|         | Measurement distance: 200 mm                                                |
|         | Measured radiant intensity under normal operation: 0.0004 Wsr <sup>-1</sup> |
|         | Limit: 0.76 Wsr <sup>-1</sup>                                               |
|         | For red (controller) LED:                                                   |
|         | Measured wavelength: 629 nm                                                 |
|         | Spectral emission bandwidth: 13 nm                                          |
|         | Measurement distance: 200 mm                                                |
|         | Measured radiant intensity under normal operation: 0.0005 Wsr <sup>-1</sup> |
|         | Limit: 0.76 Wsr <sup>-1</sup>                                               |
|         | Modulated accessible emission (19.E.5)                                      |
|         | Frequency: 7.7Hz                                                            |
|         | instruction sheet                                                           |

**Other Information / Remark:**

N/A

\*\*\*END OF THE REPORT\*\*\*

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)