

Test Report

Number: SHAH01268694

Applicant: PINGHU SHUANGXI BABY CARRIER MANUFACTURE
CO., LTD
XINCANG TOWN, PINGHU CITY, ZHEJIANG
PROVINCE, CHINA
Attn: QIUPING XU

Date: 15 Dec, 2020

Sample Description:

ONE(1) group of submitted sample said to be : RIDE ON CAR
Item Name : RIDE ON CAR
Item No. : SX2028
Quantity of Submitted Sample : 3
Age Group for testing : 37-95

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample Set	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties Excluding Labelling Requirement of clause 4.2, 4.15.1.2, 7.1, 7.2 and 7.10	Pass
	EN71-2: 2011+A1: 2014 Flammability Test	Pass
	U.S. ASTM F963-17-Physical And Mechanical Tests Excluding Section 4.25, 5.15, 6.5, 6.6 and 7.2	Pass
	U.S. ASTM F963-17- Flammability Test of Materials Other Than Textile Materials	Pass
	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
	EN IEC 62115:2020+A11:2020- Safety of Electric Toys Excluding the Clause 7, 15.1.2, 15.4, 19, Annex C, D, E, I, J	Pass (Subjected to Remark)
Tested components of submitted sample	EN 71-3:2019 on migration of certain elements	Pass
	EN 71-3: 2019 on migration of certain elements & EU 2019/1922 amending 2009/48/EC (effective from May, 20,2021) for Aluminium (Al) migration	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01268694

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Tested components of submitted sample	U.S. ASTM F963-17 for total Lead content	Pass
	U.S. ASTM F963-17 section 4.3.5.2(2)(b) for soluble elements content for non-surface coating materials	Pass
	Phthalates content requirement in Annex XVII Items 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as Directive 2005/84/EC)	Pass
	Phthalates content requirement in Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (formerly known as Directive 2005/84/EC)	Pass
	Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Item 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass
	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass
	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01268694

Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For ages from 37 to 95 months.

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Protective Components	8.4.2.3	60 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material	P
4.2	Assembly	#
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P #
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA



Test Report

Number: SHAH01268694

Tests Conducted

Clause	Testing Items	Assessment
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	#
7.2	Toys not intended for children under 36 months	#
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	#
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

To be continued



Test Report

Number: SHAH01268694

Tests Conducted

Remark: P = Pass NA = Not Applicable

= As the applicant's request, the labelling requirement of clause 4.2, 4.15.1.2, 7.1, 7.2 and 7.10 were not assessed.

Date Sample Received: Oct.12, 2020 & Oct.29, 2020 & Nov.27, 2020

Testing Period: Oct.12, 202 to Nov.27, 2020

2 **Flammability Test**

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Oct.12, 2020 & Oct.29, 2020

Testing Period: Oct.12, 202 to Oct.29, 2020

To be continued



Test Report

Number: SHAH01268694

Tests Conducted

3 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: For ages from 37 to 95 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -		
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact Test	Section 1500.53(b)	4 x 3.0 ft
Tip over Test	Section 1500.53(b)	3 times
Torque Test	Section 1500.53(e)	4 in-lbf
Tension Test	Section 1500.53(f)	15 lbf
Compression Test	Section 1500.53(g)	30 lbf

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	Material Quality	P
4.5	Sound-Producing Toys	P
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	P
4.8	Projections	P
4.9	Accessible Points	P
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	P
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	P
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	P
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	P
4.18	Holes, Clearance, and Accessibility of Mechanisms	P
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NC #1
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA



Test Report

Number: SHAH01268694

Tests Conducted

Section	Testing Items	Assessment
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	#1
6	Instructional Literature	#1
7	Producer's Markings	#2
	- Name of Producer/Distributor	No
	- Address	No

Remark: The submitted samples were undergone the tests in accordance with Section 8.5 through Section 8.18 and 8.21 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass

NA = Not Applicable

#1 = As applicant's request, section 4.25, 5.8, 5.15, 6.4, 6.5, 6.6, and 7.2 were not assessed.

#2 = The final product or its packaging must be marked with the name and address of the producer or distributor as specified in section 7.1 of U.S. ASTM F963.

Date Sample Received: Oct.12, 2020 & Oct.29, 2020 & Nov.27, 2020

Testing Period: Oct.12, 2020 to Nov.27, 2020

4 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Ignited But Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: Oct.12, 2020 & Oct.29, 2020

Testing Period: Oct.12, 2020 to Oct.29, 2020

To be continued



Test Report

Number: SHAH01268694

Tests Conducted

5 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging:
Pinghu Shuangxi Baby Carrier Manufacture Co., Ltd.
20201118
Pinghu, Zhejiang, China
HLX1118

Tracking Label was Found on the Product:
Pinghu Shuangxi Baby Carrier Manufacture Co., Ltd.
20201118
Pinghu, Zhejiang, China
HLX1118

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: Oct.12, 2020 & Oct.29, 2020 & Nov.27, 2020 & Dec.1, 2020 & Dec.8, 2020
Testing Period: Oct.12, 2020 to Dec.8, 2020

6 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11: 2020

Applicant's Specified Age Group for Testing: For ages from 37 to 95 months.

Power source : 3 V, LR03 size x 2 pcs in remote control (Not provided)
12 V, 14 Ah, Lead-acid rechargeable battery x 1pc (Provided)

Charger type : Input 110-240 V A.C., Output 12 V D.C.(Provided)
Charger model : FLH-D1210

Electric operated function: Battery powered motion, sound and LED light.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	NA
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	See remark (1)
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	--
9.2	Test condition	--
9.3	Normal operation	P

Test Report

Number: SHAH01268694

Tests Conducted

Clause	Requirement	Assessment
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	P
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	NA
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	--
15.1.1	General	--
15.1.2	Switches and automatic controls	See remark (1)
15.1.3	Other components	See remark (2)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark (1)
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	NA
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	P
19	Radiation and similar hazards	--

Test Report

Number: SHAH01268694

Tests Conducted

Clause	Requirement	Assessment
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	See remark (1)
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	See remark (1)
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	See remark (1)
Annex D	Electric toys with protective electronic circuits	See remark (1)
Annex E	Safety of electric toys incorporating optical radiation sources	See remark (1)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generationg electromagnetic fields (EMF)	See remark (1)
Annex J	Safety of remote controls for electric ride-on toys	See remark (1)
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation : P = Pass

A = Applicable

NA = Not Applicable

Remark:

(1)= As requested by the applicant, the Clause 7, 15.1.2, 15.4, 19, Annex C, D, E, I, J were not assessed.

(2)= Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

Date Sample Received: Oct.12, 2020 & Oct.29, 2020 & Nov.27, 2020 & Dec.1, 2020 & Dec.8, 2020

Testing Period: Oct.12, 202 to Dec.8, 2020

To be continued



Test Report

Number: SHAH01268694

Tests Conducted
7 19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Limit (mg/kg)
	(1)#	(2)#	(3)#	(4)#	(5)#	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)					Limit (mg/kg)
	(6)#	(7)#	(8)#	(9)#	(10)#	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	70000/28130◎
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	39	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

To be continued



Test Report

Number: SHAH01268694

Tests Conducted

Remark: mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

© = The new Aluminium (Al) migration limit [2250mg/kg for Category (I), 560mg/kg for Category (II), 28130mg/kg for Category (III)] was quoted from directive (EU) 2019/1922 amending 2009/48/EC effective from 20 May 2021.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Tested Components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: Oct.12, 2020

Testing Period: Oct.12, 202 to Nov.20, 2020

To be continued

Test Report

Number: SHAH01268694

Tests Conducted

8 Total Lead (Pb) Content

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1002-08.3 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

(II) Non-surface coating

<u>Tested component</u>	<u>Result in ppm</u>	<u>Limit (ppm)</u>
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Oct.12, 2020

Testing Period: Oct.12, 202 to Nov.20, 2020

9 Soluble Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(b) of the ASTM standard consumer safety specification on toy safety F963-17, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result (ppm)</u>										<u>Limit (ppm)</u>
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested components: See component list in the last section of this report.

Date Sample Received: Oct.12, 2020

Testing Period: Oct.12, 202 to Nov.20, 2020

To be continued



Test Report

Number: SHAH01268694

Tests Conducted

10 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%w/w)					Limit (%w/w)
		(1)@	(2)	(3)	(4)	(5)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)					Limit (%w/w)
		(6)	(7)	(8)	(9)	(10)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: Detection Limit = 0.01%(w/w)
ND = Not Detected

@ = As requested by the applicant, the surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested Components: See component list in the last section of this report.

Date Sample Received: Oct.12, 2020
Testing Period: Oct.12, 202 to Nov.18, 2020

11 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%w/w)					Limit (%w/w)
		(1)@	(2)	(3)	(4)	(5)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	ND	ND	0.1

To be continued

Test Report

Number: SHAH01268694

Tests Conducted

		(6)	(7)	(8)	(9)	(10)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles.

Remark: Detection Limit = 0.01%(w/w)

ND = Not Detected

@ = As requested by the applicant, the surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested Components: See component list in the last section of this report.

Date Sample Received: Oct.12, 2020

Testing Period: Oct.12, 2020 to Nov.18, 2020

12 Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children /children care articles:

<u>Compound</u>	<u>Result (mg/kg)</u>										<u>Requirement (mg/kg)</u>
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(Max.)
Benzo(a)pyrene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5

Remark : The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

ND = Not Detected

Detection limit = 0.2 mg/kg

To be continued

Test Report

Number: SHAH01268694

Tests Conducted

Tested components: See component list in the last section of this report.

Date Sample Received: Oct.12, 2020

Testing Period: Oct.12, 202 to Nov.19, 2020

13 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method CPSC-CH-E1002-08.3 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(1)	<10	100
(2)	<10	100
(3)	<10	100
(4)	<10	100
(5)	<10	100
(6)	<10	100
(7)	<10	100
(8)	<10	100
(9)	<10	100
(10)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Oct.12, 2020

Testing Period: Oct.12, 202 to Nov.20, 2020

14 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>	<u>Result (%)</u>					<u>Limit (%) (Max.)</u>
	(1)	(2)	(3)	(4)	(5)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

To be continued

Test Report

Number: SHAH01268694

Tests Conducted

Test item	Result (%)					Limit (%) (Max.)
	(6)	(7)	(8)	(9)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Component(s): See component list in the last section of this report.



Picture of sample

Date Sample Received: Oct.12, 2020
Testing Period: Oct.12, 202 to Nov.18, 2020

To be continued

Test Report

Number: SHAH01268694

Tests Conducted

Components List:

- (1) White adhesive plastic film with underlying coatings. (sticker)
- (2) Black foam.(wheel)
- (3) Black plastic.(cover of electrical machinery)
- (4) Black plastic.(steering wheel)
- (5) Transparent plastic. (dashboard)
- (6) Black plastic. (About bracket)
- (7) Green soft plastic.(wire skin connected steering wheel)
- (8) Transparent blue plastic. (rear view)
- (9) Black plastic. (empennage)
- (10) Black plastic. (cover of wheel)

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.

