

Test Report

Number: SHAH0179841602S1

Applicant: PINGHU LITTLE STAR TOYS CO.,LTD
NO.1888 CANGDONG ROAD, XINCANG
TOWN, PINGHU CITY, ZHEJIANG, CHINA

Date: 12 Jun, 2025

*This Is To Supersede Report No.
SHAH0179841602 Dated Apr 18,
2025*

Sample Description:

One (1) piece of submitted sample said to be :
Item Name : Ride On Car.
Item No. : XMX655/XMX655B.
Labelled Age Group : 3 years+
Packaging Provided By Applicant : Yes.
Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample A	Australian / New Zealand Standard AS/NZS ISO 8124.1:2023 Safety Aspects Related to Mechanical And Physical Properties	Pass
Submitted Sample A	Consumer Goods (Toys for Children up to and including 36 Months of Age) Safety Standard 2023	Pass
Submitted Sample A	Australian / New Zealand Standard on Safety of Toys AS/NZS ISO 8124.2:2023 flammability test	Pass
Tested Components Of Submitted Samples	AS/NZS ISO 8124.3:2021+Amd 1:2023 on migration of certain elements	Pass
Tested Components Of Submitted Samples	Australian Consumer Protection Notice No. 1 of 2009 for Lead and certain elements in children`s toys	Pass
	New Zealand Unsafe Goods (Lead in children's toys) Notice 2009 for Lead in children`s toys	Pass
Tested Components Of Submitted Samples	Australian Competition and Consumer Act 2010 with Consumer Protection Notice No. 11, 2011 - Permanent ban on children's products with Diethylhexyl Phthalate (DEHP)	Pass
Submitted Sample A	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Sample A	EN71-2: 2020 Flammability Test	Pass

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH0179841602S1

Conclusion:

<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components Of Submitted Samples	EN 71-3: 2019+A1: 2021 on migration of certain elements	Pass
Tested Components Of Submitted Samples	EN 71-3: 2019+A2: 2024 on migration of certain elements	Pass
Submitted Sample A	BS EN71-1 : 2014 + A1 : 2018 - Mechanical and physical properties	Pass
Submitted Sample A	BS EN71-2: 2020 Flammability Test	Pass
Tested Components Of Submitted Samples	BS EN 71-3: 2019+A1: 2021 on migration of certain elements	Pass
Tested Components Of Submitted Samples	BS EN 71-3: 2019+A2: 2024 on migration of certain elements	Pass
Tested Components Of Submitted Samples	Azocolourants content requirement in Annex XVII Entry 43 of the REACH Regulation (EC) No. 1907/2006 & Amendment (EC) No. 552/2009 and (EU) 2020/2096	Pass
Tested Components Of Submitted Samples	REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 51 & Amendments No. 552/2009 & (EU) 2018/2005 on Phthalates Content	Pass
Tested Components Of Submitted Samples	REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 52 and Amendments No. 552/2009 on Phthalates Content	Pass
Tested Component(31) Of Submitted Samples	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII entry 23 of the REACH Regulation (EC) No. 1907/2006	Pass See Remark#
Tested Components Of Submitted Samples	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII entry 23 of the REACH Regulation (EC) No. 1907/2006	Pass
Submitted Sample A	EN IEC 62115:2020+A11:2020 Safety of Electric Toys	Pass (Subjected To Remark Enclosed)
Submitted Sample A	EN IEC 62115:2020+A11:2020 Safety of Electric Toys	Pass (Subjected To Remark Enclosed)

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH0179841602S1

Tests Conducted

1 Physical and Mechanical Test On Sample A

As per the Australian / New Zealand Standard AS/NZS ISO 8124.1:2023 Safety Aspects Related to Mechanical and Physical Properties.

Applicant's Specified Age Group for Testing: Over 3 years

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 of AS/NZS ISO 8124.1:2023 before the assessment of the relevant requirement in Clause 4:

<u>Section</u>	<u>Test</u>	<u>Parameter</u>
5.24.2	Drop test	4x93±5 cm
5.24.3	Tip-over test	3 times
5.24.4	Dynamic strength	--
5.24.5	Torque test	0.45±0.02 Nm
5.24.6	Tension test	70±2 N
5.24.7	Compression test	136±2 N

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	General	P
4.2	Reasonably foreseeable abuse	P
4.3	Material	P
4.4	Small parts	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	P
4.7	Points	P
4.8	Projections	P
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	P
4.11	Cords	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	P
4.14	Springs	P
4.15	Stability and overload requirements	P
4.16	Enclosures	NA
4.17	Items that cover the face and simulated protective equipment	NA
4.18	Projectile toys	NA
4.19	Flying toys	NA
4.20	Aquatic toys	NA
4.21	Braking	P
4.22	Toy bicycles	NA



Test Report

Number: SHAH0179841602S1

Tests Conducted

Section	Testing Items	Assessment
4.23	Speed limitation of electrically driven ride-on toys	P
4.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toys skateboards	NA
4.28	Percussion caps specifically designed for use in toys	NA
4.29	Acoustic requirements	P
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	NA
4.32	Yo-yo balls	NA
4.33	Straps intended to be worn fully or partially around the neck	NA
4.34	Sledges and toboggans with cords for pulling	NA
4.35	Jaw entrapment in handles and steering wheels	NA
4.36	Assembly	P
4.37	Functional toys	NA
4.38	Toys intended to come into contact with food	NA
4.39	Inflatable toys	NA
Annex B	Safety-labelling guidelines and manufacturer's markings	P
Annex D	Toy gun marking	NA

Remark: P = Pass

NA = Not applicable

Date sample received: 12 Mar, 2025 & 14 Apr, 2025

Testing period: 12 Mar, 2025 to 14 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

2 Physical and Mechanical Test On Sample A

Test Standard: Consumer Goods (Toys for Children up to and including 36 Months of Age) Safety Standard 2023

Applicant's Specified Age Group for Testing: Over 3 years

Clause	Testing items	Assessment
10a	(Modified) Normal Use	NA
10b	Reasonably foreseeable abuse	NA
10c	(Modified) Small parts (For children under 36 months)	NA
10d	(Modified) Squeeze toys, rattles, fasteners and certain other toys and components of toys	NA
10e	(Modified) Small balls	NA
10f	(Modified) Pompoms	NA
10g	(Modified) Pre-school play figures	NA
10h	(Modified) Toy pacifiers	NA
10i	(Modified) Mouth-actuated toys	NA
19	(Modified) Electric Toy Standard (Small part battery shall not be removable without the aid of a tool)	NA

Remark: NA = Not applicable

Date sample received: 12 Mar, 2025

Testing period: 12 Mar, 2025 to 03 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

3 Flammability Test On Sample A

Test standard: Australian / New Zealand Standard on Safety of Toys AS/NZS ISO 8124.2:2023

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Remark: P = Pass Na = Not Applicable

Date sample received: 12 Mar, 2025

Testing period: 12 Mar, 2025 to 03 Apr, 2025

4 Toxic Elements Analysis (Any Toy Material Except Modelling Clay and Putty, Finger Paint and Slime) (AS/NZS ISO 8124.3:2021+Amd 1:2023)

With reference to AS/NZS ISO 8124.3:2021+Amd 1:2023, acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Sol. Barium (Ba)	ND	ND	154	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Sol. Barium (Ba)	6	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)	(28)	(29)	(30)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(43)	(44)	(45)	(46)	(47)	(48)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(49)	(50)	(51)	(52)	(53)	(54)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(55)	(56)	(57)	(58)	(59)	(60)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(61)	(62)	(63)	(64)	(65)	(66)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(67)	(68)	(69)	(70)	(71)	(72)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(73)		
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Remark: ND = Not detected (less than detection limit)
Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

- 5 Toxic Elements Analysis (Australian Consumer Protection Notice No. 1 of 2009 and New Zealand Unsafe Goods (Lead in children's toys) Notice 2009)

As per standard AS/NZS ISO 8124.3: 2003, acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Sol. Barium (Ba)	ND	ND	154	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Sol. Barium (Ba)	6	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)	(28)	(29)	(30)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(43)	(44)	(45)	(46)	(47)	(48)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(49)	(50)	(51)	(52)	(53)	(54)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(55)	(56)	(57)	(58)	(59)	(60)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(61)	(62)	(63)	(64)	(65)	(66)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	ND	2.5	25



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(67)	(68)	(69)	(70)	(71)		
Sol. Barium (Ba)	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	(72)	(73)		
Sol. Barium (Ba)	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	2.5	25

Remark: ND = Not detected (Less than reporting limit)
Sol. = Soluble

Tested components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

6 Australian Consumer Protection Notice No. 11, 2011 on Diethylhexyl Phthalate (DEHP) Content

With reference to ISO 8124-6:2023 method A or method C, and determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis (Internal / external standard method).

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(1)	(2+3)	(4+5)	(6+7)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(8+9)	(10+11)	(12+13)	(14+15)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(16+17)	(18+19)	(20+21)	(22+23)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(24+25)	(26)	(27)	(28)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(29)	(30)	(31)	(32+33)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(34)	(35+36)	(38+39 +40)	(41+42 +43)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	Result (% w/w)			Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(44+45 +46)	(47+48 +49)	(50+51)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(52+5 3+54)	(55+5 6+57)	(58+5 9+60)	(61+6 2+63)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

Test Item	Result (% w/w)				Detection Limit (%, w/w)	Requirement (%, w/w) (Max.)
	(64+6 5+66)	(67+6 8+69)	(70+7 1+72)	(73)		
Diethylhexyl phthalate (DEHP)	ND	ND	ND	ND	0.01	1

The above limit was quoted according to Australian Competition and Consumer Act 2010 with Consumer Protection Notice No. 11, 2011 - Permanent ban on children's products for prohibition on sale of certain products containing specified phthalate.

Remark: ND = Not detected

Tested components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

7 Mechanical and Physical Test On Sample A

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.
Applicant's Specified Age Group for Testing: Over 3 years

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Tip Over Test	8.6	3times

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Testing Items	Assessment
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA



Test Report

Number: SHAH0179841602S1

Tests Conducted

Remark: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that:

	Toy	Packaging
UKCA marking	Present	Present

Date Sample Received: 12 Mar, 2025 & 14 Apr, 2025

Testing Period: 12 Mar, 2025 To 14 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

8 Flammability Test On Sample A

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received : 12 Mar, 2025

Testing Period : 12 Mar, 2025 To 03 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

9 19 Toxic Element Migration Test (EN 71-3: 2019+A1: 2021)

(A) Test Result

As per EN 71-3:2019+A1: 2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	154	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND#	ND#	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	141	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)	(28)	(29)	(30)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	2.8	2.9	4.5	3.2	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND Δ	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(43)	(44)	(45)	(46)	(47)	(48)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(49)	(50)	(51)		
Aluminium (Al)	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(52)	(53)	(54)	(55)	(56)	(57)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(58)	(59)	(60)	(61)	(62)	(63)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(64)	(65)	(66)	(67)	(68)	(69)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(70)	(71)	(72)	(73)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000

Remark: mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than reporting limit)
 # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).
 Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetra-butyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3: 2019+A1: 2021.



Test Report

Number: SHAH0179841602S1

Tests Conducted

Tested component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

10 EN 71-3: 2019+A2: 2024 on Migration of Certain Elements

(A) Test Result

As per EN 71-3:2019+A2: 2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	154	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND#	ND#	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	141	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)	(28)	(29)	(30)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	2.8	2.9	4.5	3.2	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND Δ	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(43)	(44)	(45)	(46)	(47)	(48)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(49)	(50)	(51)		
Aluminium (Al)	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(52)	(53)	(54)	(55)	(56)	(57)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(58)	(59)	(60)	(61)	(62)	(63)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(64)	(65)	(66)	(67)	(68)	(69)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(70)	(71)	(72)	(73)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000

Remark: mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than detection limit)
 # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).
 Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetra-butyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3: 2019+A2: 2024.



Test Report

Number: SHAH0179841602S1

Tests Conducted

Tested component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

11 Mechanical and Physical Test On Sample A

As per British Standard on Safety of toys BS EN 71-1: 2014+A1: 2018.

Applicant's specified age group for testing: Over 3 years

The submitted samples were undergone the following abuse tests:

<u>Clause</u>	<u>Testing items</u>
8.6	Tip over test (3 times)

Clause	Testing items	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Testing items	Assessment
5	Toys intended for children under 36 months	
5.1	General requirements for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	P
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Testing items	Assessment
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the BS EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present



Test Report

Number: SHAH0179841602S1

Tests Conducted

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. The checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
UK Importer's name	Present	Present
UK Importer's address	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that

	Toy	Packaging
UKCA marking	Present	Present

Date sample received: 12 Mar, 2025 & 14 Apr, 2025

Testing period: 12 Mar, 2025 to 14 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

12 Flammability Test On Sample A

As per British Standard on Safety of Toys BS EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received : 12 Mar, 2025

Testing Period : 12 Mar, 2025 To 03 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

13 19 Toxic Elements Migration Test (BS EN 71-3: 2019+A1: 2021)

(A) Test Result

As per BS EN 71-3: 2019+A1: 2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.
Category (III): Scraped-off toy material

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	154	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND#	ND#	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	141	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)	(28)	(29)	(30)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	2.8	2.9	4.5	3.2	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND Δ	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(43)	(44)	(45)	(46)	(47)	(48)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(49)	(50)	(51)		
Aluminium (Al)	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(52)	(53)	(54)	(55)	(56)	(57)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(58)	(59)	(60)	(61)	(62)	(63)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(64)	(65)	(66)	(67)	(68)	(69)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(70)	(71)	(72)	(73)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000

Remark : mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was calculated by summation of the migration values of Methyl tin, Dimethyl tin, Dibutyl tin, Tributyl tin, Tetraethyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Monobutyl tin and Triphenyl tin. Other Organic tin compounds may be also be present in sample as stated in BS EN 71-3: 2019+A1: 2021.



Test Report

Number: SHAH0179841602S1

Tests Conducted

Tested Component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

14 BS EN 71-3: 2019+A2: 2024 on Migration of Certain Elements

(A) Test Result

With reference to BS EN 71-3:2019+A2: 2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	154	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND#	ND#	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	141	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)	(28)	(29)	(30)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(35)	(36)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	2.8	2.9	4.5	3.2	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND Δ	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(37)	(38)	(39)	(40)	(41)	(42)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(43)	(44)	(45)	(46)	(47)	(48)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(49)	(50)	(51)		
Aluminium (Al)	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(52)	(53)	(54)	(55)	(56)	(57)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(58)	(59)	(60)	(61)	(62)	(63)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(64)	(65)	(66)	(67)	(68)	(69)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH0179841602S1

Tests Conducted

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(70)	(71)	(72)	(73)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000

Remark: mg/kg = milligram per kilogram
⁺⁺ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than detection limit)
 # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).
 Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetra-butyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in BS EN 71-3: 2019+A2: 2024.



Test Report

Number: SHAH0179841602S1

Tests Conducted

Tested component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

- 15 Detection of Amines Derived From Azocolourants and Azodyes (REACH Regulation (EC) No 1907/2006 Annex XVII Entry 43)

By Gas Chromatographic - Mass Spectrometric (GC-MS) and High Performance Liquid Chromatographic (HPLC) analysis.

Test Method: EN ISO 14362-1: 2017 for textile material

No.	Test Item	CAS No.	Result (ppm)	
			Method T	Method D
			(31)	(31)
1	4-Aminodiphenyl	92-67-1	ND	ND
2	Benzidine	92-87-5	ND	ND
3	4-Chloro-o-Toluidine	95-69-2	ND	ND
4	2-Naphthylamine	91-59-8	ND	ND
5	o-Aminoazotoluene	97-56-3	ND	ND
6	2-Amino-4-Nitrotoluene	99-55-8	ND	ND
7	p-Chloroaniline	106-47-8	ND	ND
8	2,4-Diaminoaniso	615-05-4	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	ND	ND
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	ND	ND
14	p-Cresidine	120-71-8	ND	ND
15	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	ND	ND
16	4,4'-Oxydianiline	101-80-4	ND	ND
17	4,4'-Thiodianiline	139-65-1	ND	ND
18	o-Toluidine	95-53-4	ND	ND
19	2,4-Toluylenediamine	95-80-7	ND	ND
20	2,4,5-Trimethylaniline	137-17-7	ND	ND
21	o-Anisidine	90-04-0	ND	ND
22	p-Aminoazobenzene	60-09-3	ND	ND
23	2,4-xylidine	95-68-1	ND	ND
24	2,6-xylidine	87-62-7	ND	ND



Test Report

Number: SHAH0179841602S1

Tests Conducted

Requirement = 30ppm(Max.)

The requirement was quoted according to Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Amendment (EC) No. 552/2009 and (EU) 2020/2096, Annex XVII Entry 43 as regards Azocolourants.

Remark: ND = Not detected

Detection limit = 5 ppm

ppm = parts per million = mg/kg

Method T: Direct buffer extraction as per EN ISO 14362-1: 2017 Section 10.2

Method D: Colourant extraction with Xylene as per EN ISO 14362-1: 2017 Section 10.1

The result of additional amines (23-24) are reported for reference only.

Tested components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025

16 REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 51 & Amendments No. 552/2009 & (EU) 2018/2005 on Phthalates Content

With reference to ISO 8124-6: 2023 method A or C, followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis (Internal/ external standard method).

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(1)	(2+3)	(4+5)	(6+7)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(8+9)	(10+11)	(12+13)	(14+15)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(16+17)	(18+19)	(20+21)	(22+23)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(24+25)	(26)	(27)	(28)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(29)	(30)	(31)	(32+33)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(34)	(35+36)	(38+39+40)	(41+42+43)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)			Reporting Limit (%w/w)	Limit (%w/w)
		(44+45+46)	(47+48+49)	(50+51)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(52+53+54)	(55+56+57)	(58+59+60)	(61+62+63)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(64+6 5+66)	(67+6 8+69)	(70+7 1+72)	(73)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	ND	--	0.1

The above limit was quoted according to Annex XVII Entry 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for Phthalate content in articles.

Remark: ND = Not detected (Less than reporting limit)

@ = The surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025

17 REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 52 and Amendments No. 552/2009 on Phthalates Content

With reference to ISO 8124-6: 2023 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis (Internal/ external standard method).

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(1)	(2+3)	(4+5)	(6+7)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(8+9)	(10+ 11)	(12+ 13)	(14+ 15)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(16+ 17)	(18+ 19)	(20+ 21)	(22+ 23)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(24+ 25)	(26)	(27)	(28)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(29)	(30)	(31)	(32+ 33)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(34)	(35+ 36)	(38+ 39+4 0)	(41+ 42+4 3)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1



Test Report

Number: SHAH0179841602S1

Tests Conducted

Test Item	CAS No.	Result (%w/w)			Reporting Limit (%,w/w)	Limit (%,w/w)
		(44+45 +46)	(47+48 +49)	(50+51)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%,w/w)	Limit (%,w/w)
		(52+53 +54)	(55+56 +57)	(58+59 +60)	(61+62 +63)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	--	0.1

Test Item	CAS No.	Result (%w/w)			Reporting Limit (%,w/w)	Limit (%,w/w)
		(64+65 +66)	(67+68 +69)	(70+71 +72) (73)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	--	0.1

The above limit was quoted according to Annex XVII Entry 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for Phthalate content in toys and childcare articles.

Remark: ND = Not detected (Less than reporting limit)

@ = As requested by the applicant, the surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

18 Cadmium (Cd) Content (EU REACH ANNEX XVII Entry 23)

With reference to methods IEC 62321-5:2013, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result in %</u>
(1)	ND
(2+3)	ND
(4+5+6)	ND
(7+8+9)	ND
(10+11+12)	ND
(13+14+15)	ND
(16+17+18)	ND
(19+20+21)	ND
(22+23)	ND
(24+25)	ND
(26)	ND
(27)	ND
(28)	ND
(29)	ND
(30)	ND
(31)	ND
(32+33+34)	ND
(35+36)	ND
(38+39+40)	ND
(41+42+43)	ND
(44+45+46)	ND
(47+48+49)	ND
(50+51)	ND
(52+53+54)	ND
(55+56+57)	ND
(58+59+60)	ND
(61+62+63)	ND
(64+65+66)	ND
(67+68+69)	ND
(70+71+72)	ND
(73)	ND



Test Report

Number: SHAH0179841602S1

Tests Conducted

Requirement:	
<u>Category</u>	<u>Limit (%)</u>
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: ND = Not detected (<0.0005%)

= The tested component (31) was not paint, coating, plastic, metal in jewellery & brazing filler, but the testing results of tested component (31) did not exceed the Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII entry 23 of the REACH Regulation (EC) No. 1907/2006.

Tested components: See component list in the last section of this report.

Date Sample Received: 12 Mar, 2025 & 26 Apr, 2025

Testing Period: 12 Mar, 2025 To 18 Apr, 2025; 26 Apr, 2025 To 12 Jun, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

19 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: Over 3 years

Battery Type: Vehicle: 24 V, 4.5 Ah Lead-acid rechargeable battery X 1 pc;

Remote: 3 V, AAA size X 2 pcs(Not Provided)

LED:3V,AA size X 2 pcs(Not Provided)

Charger Type: Input 100-240 V A.C., Output 24 V D.C. (Provided)

Normal Use Operation: Battery powered motion, sound and LED light.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	See remark(1)
7.2.2	Electric toys with replaceable batteries	P
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	P
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	P
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Requirement	Assessment
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	P
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	--
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	P
		See remark (2)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark (3)
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	P
19	Radiation and similar hazards	--
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	See remark(3)



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Requirement	Assessment
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	P
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	See remark(3)
Annex E	Safety of electric toys incorporating optical radiation sources	See remark(3)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generating electromagnetic fields (EMF)	P
Annex J	Safety of remote controls for electric ride-on toys	P
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation: P = Pass NA = Not Applicable

Remark:

- (1) Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.
Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present

- (2) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.
- (3) The following report were submitted for verification:
For clause 15.4 battery chargers:
IEC 60335-2-29 test report: Document No.: NBES230800465701, Issue by: Prepared By: SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch. ,Date: 2023-10-13.
For Annex D Electric toys with protective electronic circuits:
EN IEC 62115:2020+A11:2020 Annex D test report :Document No.: 2501B1339SHA-001, Issue by: Intertek Testing Services (Shanghai FTZ) Co., Ltd. Date: 2025-04-11.
For Annex E Safety of electric toys incorporating optical radiation sources:
EN IEC 62115:2020+A11:2020 Annex E test report :Document No.: SHAH01797047, Issue by: Intertek Testing Services Ltd., Shanghai. Date: Apr 02.2025.

Date sample received : 12 Mar, 2025 & 14 Apr, 2025

Testing period : 12 Mar, 2025 To 14 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

20 Safety of Electric Toys

As per BrotoSh Standard on Safety of Electric Toys BS EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: Over 3 years

Battery Type: Vehicle: 24 V, 4.5 Ah Lead-acid rechargeable battery X 1 pc;

Remote: 3 V, AAA size X 2 pcs(Not Provided)

LED:3V,AA size X 2 pcs(Not Provided)

Charger Type: Input 100-240 V A.C., Output 24 V D.C. (Provided)

Normal Use Operation: Battery powered motion, sound and LED light.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	See remark(1)
7.2.2	Electric toys with replaceable batteries	P
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	P
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	P
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Requirement	Assessment
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	P
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	P
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	P
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	P
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	--
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	P
		See remark (2)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark (3)
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	P
19	Radiation and similar hazards	--
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	See remark(3)



Test Report

Number: SHAH0179841602S1

Tests Conducted

Clause	Requirement	Assessment
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	P
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	See remark(3)
Annex E	Safety of electric toys incorporating optical radiation sources	See remark(3)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generating electromagnetic fields (EMF)	P
Annex J	Safety of remote controls for electric ride-on toys	P
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation: P = Pass NA = Not Applicable

Remark:

(1)

Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present

(2) Components shall comply with the safety requirements specified in the relevant IEC standards as far as they reasonably apply.

(3) The following report were submitted for verification:

For clause 15.4 battery chargers:

IEC 60335-2-29 test report: Document No.: NBES230800465701, Issue by: Prepared By: SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch. ,Date: 2023-10-13.

For Annex D Electric toys with protective electronic circuits:

BS EN IEC 62115:2020+A11:2020 Annex D test report :Document No.: 2501B1339SHA-001, Issue by: Intertek Testing Services (Shanghai FTZ) Co., Ltd. Date: 2025-04-11.

For Annex E Safety of electric toys incorporating optical radiation sources:

BS EN IEC 62115:2020+A11:2020 Annex E test report :Document No.: SHAH01797047, Issue by: Intertek Testing Services Ltd., Shanghai. Date: Apr 02.2025.

Date sample received : 12 Mar, 2025 & 14 Apr, 2025

Testing period : 12 Mar, 2025 To 14 Apr, 2025



Test Report

Number: SHAH0179841602S1

Tests Conducted

Photo

SHAH01798416S1

A



SHAH01798416S1



Test Report

Number: SHAH0179841602S1

Tests Conducted





Test Report

Number: SHAH0179841602S1

Tests Conducted





Test Report

Number: SHAH0179841602S1

Tests Conducted

Components List:

- (1) Silver coating on plastic(on frame light).
- (2) Black coating on metal(on chassis).
- (3) Red coating on metal(damping device).
- (4) Red plastic(body).
- (5) Black plastic(foam, front fence, door).
- (6) Light black plastic(on bonnet).
- (7) Transparent plastic(front light).
- (8) Dark red translucence plastic(front light).
- (9) Transparent plastic(frame light).
- (10) Red translucence plastic(tail light).
- (11) Transparent plastic(button cover on instrument panel).
- (12) Black plastic(steering wheel).
- (13) Red plastic(button on steering wheel).
- (14) Red plastic(door lock).
- (15) Grey plastic(on music player).
- (16) Black plastic(seat).
- (17) Black plastic(adjuster of safety belt).
- (18) Black plastic(accelerator pedal).
- (19) Black plastic(wheels).
- (20) Black plastic(wheel hub).
- (21) Grey plastic(coupling of wheel).
- (22) White plastic(coupling of wheel).
- (23) Black plastic(charger).
- (24) Black plastic(button on remote control).
- (25) White plastic(remote control).
- (26) Black plastic with white printing(button on frame/ instrument panel).
- (27) Red plastic with white printing(button on instrument panel).
- (28) White adhesive plastic film with multi-color printing(body sticker, instrument panel sticker).
- (29) Transparent adhesive plastic film with black, white printing(body sticker).
- (30) Black soft plastic with white printing(charger wire).
- (31) Black webbing(safety belt).
- (32) Red soft plastic(wire covering inner bonnet).
- (33) Yellow soft plastic(wire covering inner bonnet).
- (34) Green soft plastic(wire covering inner bonnet).
- (35) Blue soft plastic(wire covering inner bonnet).
- (36) Purple soft plastic(wire covering inner bonnet).
- (37) Silver metal excluding coating(on chassis).
- (38) Pink plastic.
- (39) Purple plastic.
- (40) Forest green plastic.
- (41) Green plastic.
- (42) Pink plastic.
- (43) Dark blue plastic.
- (44) Yellow plastic.
- (45) Dark yellow plastic.
- (46) Red plastic.
- (47) Deep yellow plastic.
- (48) Blue plastic.
- (49) Black plastic.
- (50) White plastic.
- (51) Light blue plastic.
- (52) Blue plastic.
- (53) Dark blue plastic.
- (54) Light blue plastic.



Test Report

Number: SHAH0179841602S1

Tests Conducted

- (55) Black plastic.
- (56) Grey plastic.
- (57) Light grey plastic.
- (58) Green plastic.
- (59) Bright blue plastic.
- (60) Red plastic.
- (61) Purple plastic.
- (62) Pink plastic.
- (63) Grey plastic.
- (64) Yellow plastic.
- (65) Dark blue plastic.
- (66) Orange plastic.
- (67) Blue plastic.
- (68) White plastic.
- (69) Green plastic.
- (70) Ginger plastic.
- (71) Light blue plastic.
- (72) Yellow plastic.
- (73) Beige plastic.

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.



To: PINGHU LITTLE STAR TOYS CO.,LTD

Date: 12 Jun, 2025


Re: Report Revision Notification

Intertek Testing Services Report Number SHAH0179841602 Dated Apr 18, 2025.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number **SHAH0179841602S1**.

Thank you for your attention.

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager

