



TEST REPORT

PINGHU DAKE BABY CARRIER CO., LTD

Technical Report: (3225)286-0504REVISED

Dec.19,2025

This report is amendment of and supersedes the previous (3225)286-0504 dated Dec.19,2025

Date of Received: Oct.13,2025

Page 1 of 64

Test period: Oct.13,2025~Dec.19,2025

Date of Revision: Jan.05,2026

PINGHU DAKE BABY CARRIER CO., LTD

NO.,88, QINSHA SECTION, PINGLANG ROAD,XINCANG,

PINGHU ZHEJIANG

SAMPLE INFORMATION:

Sample Description:	RIDE ON TOY	Sample Quantity:	3PCS
Vendor:	N/A	Style No(s):	DK-CA003
Manufacturer:	N/A	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	37-95MONTHS	Ref #:	N/A
Appropriate Age Grade:	37-95 MONTHS	Country of Origin:	CHINA
Client Specified Age Grade:	N/A	Assortment No.:	N/A
Tested Age Grade:	37-95 MONTHS	Country of Destination:	EU,UK,AU
UPC Code:	N/A	Color :	N/A

EXECUTIVE SUMMARY:

TEST REQUESTED	CONCLUSION
The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.	PASS
The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020	PASS
The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020 + A1:2025	PASS
Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy.	PASS
The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", BS EN71: Part 1:2014+A1:2018, clauses 1-7.	PASS
The flammability requirements of the European Standard "Safety of Toys", BS EN 71: Part 2: 2020	PASS
The flammability requirements of the European Standard "Safety of Toys", BS EN 71: Part 2: 2020 + A1:2025	PASS
Labeling requirements of UKCA mark & UK Toys (Safety) Regulation 2011 labeling	PASS
The mechanical and physical properties requirements of the tested subclauses of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124.1: 2023.	PASS
The mechanical hazards and labeling requirements of Australia Competition and Consumer Act 2010 and Australia Trade Practices Act 1974.	NA
The flammability requirements of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124.2:2023.	PASS
The labeling requirements of the tested subclauses of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124.1: 2023.	PASS
Consumer Protection Notice No. 1 Of 2009 Consumer Product Safety Standard For Lead And Certain Elements In Children' s Toys Of Trade Practices Act 1974	PASS
The requirements of the tested clauses of the Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"	PASS
The requirements of the tested clauses of the Standard BS EN IEC 62115:2020+A11:2020 "Electric toys - Safety"	PASS



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

The requirements of the tested clauses of the Standard AS/NZS 62115:2020+A11:2020 "Electric toys - Safety"	PASS
Aromatic Amines Content from Azo Colorants - Regulation (EC) No. 1907/2006 Annex XVII Entry 43, Points 1 & 2	PASS
Phthalates Content - Reference to regulation (EC) No. 1907/2006 Annex XVII Entry 51 & 52	PASS
Total Cadmium Content in Plastic Material - European Parliament and Council Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Entry 23	PASS
Migration of Certain Elements - Australian/New Zealand Standard AS/NZS ISO 8124.3:2021+Amd.1:2023	PASS
Total Cadmium Content in Paints on Painted Article - European Parliament and Council Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Annex XVII, Entry 23	PASS
Di(2-Ethylhexyl) Phthalate (DEHP) Content - Australia Competition and Consumer Act 2010, Consumer Protection Notice No. 11 of 2011	PASS
Migration of Certain Elements - EN 71-3:2019+A2:2024	PASS
Migration of Certain Elements - BS EN 71-3:2019+A2:2024	PASS

Note:

- 1.The sample is tested as "From 3-8 years of age".
 - 2.Only PDF version artwork / packaging has been reviewed.
- Revised reason: add test.

BVCPS (ZHEJIANG) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO. : 86-574-87091375 / 87091399
E-MAIL : lilyli.li@bureauveritas.com;amy.pan@bureauveritas.com

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd



Seb wang
LAB Manager
(HARDLINE AND TOY DIVISION)



Peter Xi
Technical support

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN 71:Part 1:2014+A1:2018, European Union Guidance Documents, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines and Age Determination Guidelines: Relating Children's Ages to Toy Characteristics and Play Behavior, September, 2002	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation				
NM	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause				
M	The samples are IN COMPLIANCE WITH the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	M
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	M
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	M
4.10.3	Hinges	M
4.10.4	Springs	N/A
4.11	Mouth actuated toys and other toys intended to be put in the mouth	N/A
4.12 & 7.3	Balloons	N/A
4.13 & 7.9	Cord of toy kites and other flying toys	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2 & 7.8	Masks and helmets	N/A
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	M
4.15.1.3	Toys propelled by child – Strength	M
4.15.1.4	Toys propelled by child – Stability	M
4.15.1.5	Toys propelled by child – Braking	N/A
4.15.1.6	Toys propelled by child - Transmission	M
4.15.1.7	Toys propelled by child – insertion mark	N/A
4.15.1.8	Electrically-driven ride-on toys	M
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	N/A
4.15.2.3	Toy bicycles – Braking	N/A
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	N/A
4.15.4 & 7.16	Toys not propelled by child	N/A
4.15.5 & 7.18	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17.2	All projectiles	N/A
4.17.3 & 7.7	Projectile toys with stored energy	N/A
4.17.4 & 7.26	Certain projectiles toys without stored energy	N/A
4.18 & 7.4	Aquatic toys and inflatable toys	N/A
4.19 & 7.13 & 7.14	Percussion caps	N/A
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	M

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22 & 7.2	Small balls	N/A
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	N/A
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	N/A
4.24	Yo-yo ball	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27.1	Flying toys – General	N/A
4.27.2 & 7.25.1	Rotors and propellers on flying toys	N/A
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	N/A
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	N/A
5.1a	Small parts – as received	N/A
5.1b	Small parts, sharp points, sharp edges – after tests	N/A
5.1c	Cross section <2mm metal points & wires	N/A
5.1e	Toys contain glue	N/A
5.1f	Casing of toys	N/A
5.2	Fillings, coverings and seams	N/A
5.3	Adhesion of plastic sheeting	N/A
5.4.2	Cords and chains in toys intended for children under 18 months	N/A
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	N/A
5.4.4	Fixed loops, tangled loops and nooses	N/A
5.4.5	Cords and chains on pull along toys	N/A
5.4.6 & 7.21	Electrical cables	N/A
5.4.7	Cross-sectional dimension of certain cords	N/A
5.4.8	Self-retracting cords	N/A
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	N/A
5.5 & 7.12	Liquid filled toys	N/A
5.6	Electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size	N/A
5.9 & 7.17	Monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15 & 7.24	Sledges with cords for pulling	N/A
6	Packaging	N/A

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	N/A

2009/48/EC General Labeling Requirement

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.3	8.4.2.1, 8.25
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.4	8.20, 8.36, 8.38, 8.39, 8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.5	8.15
4.7	8.11	4.15.1.5	8.26.1	4.20	8.28	5.6	8.29
4.8	8.12, 8.13	4.15.1.8	8.29	4.21	8.30	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.24	8.37	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3				

FLAMMABILITY (EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

FLAMMABILITY (EN 71 PART 2: 2020+A1:2025)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the BS EN71: Part 1:2014+A1:2018, European Union Guidance Documents, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines and Age Determination Guidelines: Relating Children's Ages to Toy Characteristics and Play Behavior, September, 2002	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation
NM	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause
M	The samples are IN COMPLIANCE WITH the requirement of this Subclause
N/A	Not Applicable
NR	Not Requested
NE	Not Evaluated
NP	None Present
P	Present
R	Refer to Comment Section of this report

Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

**MECHANICAL & PHYSICAL PROPERTIES
 (BS EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	M
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	M
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	M
4.10.3	Hinges	M
4.10.4	Springs	N/A
4.11	Mouth actuated toys and other toys intended to be put in the mouth	N/A
4.12 & 7.3	Balloons	N/A
4.13 & 7.9	Cord of toy kites and other flying toys	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2 & 7.8	Masks and helmets	N/A
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	M
4.15.1.3	Toys propelled by child – Strength	M
4.15.1.4	Toys propelled by child – Stability	M
4.15.1.5	Toys propelled by child – Braking	N/A
4.15.1.6	Toys propelled by child - Transmission	M
4.15.1.7	Toys propelled by child – insertion mark	N/A
4.15.1.8	Electrically-driven ride-on toys	M
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	N/A
4.15.2.3	Toy bicycles – Braking	N/A
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	N/A
4.15.4 & 7.16	Toys not propelled by child	N/A
4.15.5 & 7.18	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17.2	All projectiles	N/A
4.17.3 & 7.7	Projectile toys with stored energy	N/A
4.17.4 & 7.26	Certain projectiles toys without stored energy	N/A
4.18 & 7.4	Aquatic toys and inflatable toys	N/A
4.19 & 7.13 & 7.14	Percussion caps	N/A
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	M

**MECHANICAL & PHYSICAL PROPERTIES
(BS EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22 & 7.2	Small balls	N/A
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	N/A
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	N/A
4.24	Yo-yo ball	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27.1	Flying toys – General	N/A
4.27.2 & 7.25.1	Rotors and propellers on flying toys	N/A
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	N/A
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	N/A
5.1a	Small parts – as received	N/A
5.1b	Small parts, sharp points, sharp edges – after tests	N/A
5.1c	Cross section <2mm metal points & wires	N/A
5.1e	Toys contain glue	N/A
5.1f	Casing of toys	N/A
5.2	Fillings, coverings and seams	N/A
5.3	Adhesion of plastic sheeting	N/A
5.4.2	Cords and chains in toys intended for children under 18 months	N/A
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	N/A
5.4.4	Fixed loops, tangled loops and nooses	N/A
5.4.5	Cords and chains on pull along toys	N/A
5.4.6 & 7.21	Electrical cables	N/A
5.4.7	Cross-sectional dimension of certain cords	N/A
5.4.8	Self-retracting cords	N/A
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	N/A
5.5 & 7.12	Liquid filled toys	N/A
5.6	Electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size	N/A
5.9 & 7.17	Monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15 & 7.24	Sledges with cords for pulling	N/A
6	Packaging	N/A

**MECHANICAL & PHYSICAL PROPERTIES
(BS EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	N/A

UKCA mark & UK Toys (Safety) Regulation 2011 labeling

Requirement	Result
UKCA Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.3	8.4.2.1, 8.25
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.4	8.20, 8.36, 8.38, 8.39, 8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.5	8.15
4.7	8.11	4.15.1.5	8.26.1	4.20	8.28	5.6	8.29
4.8	8.12, 8.13	4.15.1.8	8.29	4.21	8.30	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.24	8.37	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3				

FLAMMABILITY (BS EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

FLAMMABILITY (BS EN 71 PART 2: 2020+A1:2025)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age-grading guidelines of the Annex A of the AS/NZS Standard, "Safety of toys", AS/NZS ISO 8124.1:2023	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request BVHK to determine an appropriate age grade, the labeled age grade will be used for testing.

MECHANICAL & PHYSICAL PROPERTIES – (AS/NZS ISO 8124.1:2023)

Subclause	Requirement	Result
4.1	Normal use	M
4.2	Reasonably foreseeable abuse	M
4.3	Material	M
4.4	Small parts	N/A
4.5	Shape, size and strength of certain toys	N/A
4.6	Edges	M
4.7	Points	M
4.8	Projections	M
4.9	Metal wires and rods	N/A
4.10	Plastic film or plastic bags in packaging and in toys	N/A
4.11	Cords	N/A
4.12	Folding mechanisms	M
4.13	Holes, clearances and accessibility of mechanisms	M
4.14	Springs	NA
4.15	Stability and overload requirements	M
4.16	Enclosures	N/A
4.17	Simulated protective equipment	N/A
4.18	Projectile toys	N/A
4.19	Rotors and propellers	N/A
4.20	Aquatic toys	N/A
4.21	Braking	N/A
4.22	Toy bicycles	N/A
4.23	Speed limitation of electrically driven ride-on toys	M
4.24	Toys containing a heat source	N/A
4.25	Liquid-filled toys	N/A
4.26	Mouth-actuated toys	N/A
4.27	Toy roller skates, toy inline skates and toy skateboards	N/A
4.28	Percussion caps specifically designed for use in toys	N/A
4.29	Acoustic requirement	M
4.30	Toy scooters	N/A
4.31	Magnets and magnetic components	N/A
4.32	Yo-yo balls	N/A
4.33	Straps intended to be worn fully or partially around the neck	N/A
4.34	Sledges and toboggans with cords for pulling	N/A
4.35	Jaw entrapment in handles and steering wheels	N/A
4.36	Assembly	M
4.37	Functional toys	N/A
4.38	Toys intended to come into contact with food	N/A
4.39	Inflatable toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

FLAMMABILITY (AS/NZS ISO 8124.2: 2023)

Subclause	Requirement	Result
4.1	Celluloid (cellulose nitrate)	NP
4.1	Surface flash on a piled surface	NA
4.1	Highly flammable solids	NP
4.1	Flammable Gases	NA
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 - 30 mm/s)	NA
4.5	Soft - filled toys	NA

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section P = Present NP = Not Present

Age grading & manufacturer's markings

Requirement	Annex B	Result
Age grading	B.2.2	37-95M
Manufacturer's markings	B.4	PINGHU DAKE BABY CARRIER CO., LTD NO.,88, QINSHA SECTION, PINGLANG LINE, XINCANG TOWN, PINGHU ZHEJIANG



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD

Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 17 of 64

**AUSTRALIA COMPETITION AND CONSUMER ACT 2010 AND
AUSTRALIA TRADE PRACTICES ACT 1974
MECHANICAL HAZARDS, LEAD AND CERTAIN ELEMENTS & LABELING**

Citation	Evaluation	Reporting
LABELING REQUIREMENTS		
Competition and Consumer Act 2010 / Consumer Protection Notice No. 19 of 2011	Undeclared knives or cutters in art, craft and stationery sets	NA
SAFETY REQUIREMENTS		
Trade Practices Act 1974 / Consumer Protection No. 1 of 2009	Toys	M
Australia Consumer Goods (Toys for Children up to and including 36 Months of Age) Safety Standard 2023	Toys for children up to and including 36 months of age	NA
Competition and Consumer Act 2010 / Consumer Protection Notice No. 13 of 2011	Inflatable toys, novelties or furniture containing beads	NA
Competition and Consumer Act 2010 / Consumer Protection Notice No. 20 of 2011	Yo-yo water balls	NA
Competition and Consumer Act 2010 / Consumer Protection Notice No. 15 of 2011	Novelty cigarettes	NA
Competition and Consumer Act 2010 / Consumer Protection Notice No. 18 of 2011	Toy-like novelty cigarette lighters	NA
Australia Competition and Consumer Act 2010 / Consumer Protection Notice No. 5 of 2012	Small, high powered magnets	NA

NA – Not Applicable M – Meet NM – Not Meet

The requirements of the tested clauses of the Standard EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Standard EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Applicants' specified Age Group for Testing: over 3 years of age

Power source: Remote control battery:2 x 1.5V AAA;rechargeable batteries: DC 24V

Electric Operated Function:motor, sound and LED

Standard EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Clause	Parameter	Result
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General Conditions for the tests	M
6	Criteria for reduced Testing	--
6.1	General	NA
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and Instructions	--
7.1	General	M
7.2	Markings on electric toys	M
7.2.1	Identification	M
7.2.2	Electric toys with replaceable batteries	M
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	M
7.2.7	Durability	M
7.3	Instructions and markings on packaging	M
7.3.1	General	M
7.3.2	Transformer toys and power supply toys	M
7.3.3	Electric toys that are used with replaceable batteries	M
7.3.3.1	General	M
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	M
7.6	Temperature warnings	NA



Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
8	Power input	NA
9	Heating and abnormal operation	--
9.1	General	M
9.2	Testing condition	M
9.3	Normal operation	M
9.4	Normal operation with insulation short-circuited	M
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	Electric toys with accessible moving parts locked	M
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection	NA
9.9	Fault condition in electronic circuits	M
9.10	Compliance criteria	M
10	Electric strength	--
10.1	Electric strength at operating temperature	M
10.2	Electric strength under humid conditions	M
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	--
12.1	Enclosures	M
12.2	Attachment strength	NA
13	Construction	--
13.1	Nominal supply voltage	M
13.2	Transformers, power supplies and battery chargers	M
13.3	Thermal cut-outs	NA
13.4	Batteries	M
13.4.1	Small batteries	M
13.4.2	Other batteries	M
13.4.3	Electrolyte leakage	M
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	M
13.4.6	Battery compartment fasteners	M
13.5	Plug and sockets	M
13.6	Charging batteries	M
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment	NA
13.10	Speed limitation of ride-on electric toys	M



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 20 of 64

Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
14	Protection of cords and wires	--
14.1	Edges and moving parts	M
14.2	Fixed parts	M
15	Components	--
15.1	General	--
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	NA
15.2	Prohibited components	M
15.3	Transformers and power supplies	NA
15.4	Battery chargers	M
15.5	Batteries	NA
16	Screws and connections	--
16.1	Fixings	M
16.2	Connections	M
17	Clearances and creepage distances	M
18	Resistance to heat and fire	--
18.1	Resistance to heat	M
18.2	Resistance to fire	M
18.2.1	General	M
18.2.2	Non-metallic parts	M
18.2.3	Insulating material	M
19	Radiation and similar hazards	--
19.1	General	M
19.2	Optical radiation	M
19.3	Other electromagnetic radiation	M
Annex A	Experimental sets	NA
Annex B	Needle-flame test	M
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	M
Annex E	Electric toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	M
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	NA
Annex G	Examples of calculations on LEDs	NA
Annex H	Explanation of the principles used for the requirements of Annex E	NA
Annex I	Toys generating Electromagnetic Fields (EMF)	M
Annex J	Safety of remote controls for electric ride-on toys	M



Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
Annex K	Flow charts showing the application of Clause9	--

M = Meet

NA = Not applicable

NM/R = Not Meet-refer to Comment Section

NR = Not requested by the client

-----Below is blank-----

The requirements of the tested clauses of the Standard BS EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Standard BS EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Applicants' specified Age Group for Testing: over 3 years of age

Power source: Remote control battery:2 x 1.5V AAA;rechargeable batteries: DC 24V

Electric Operated Function:motor, sound and LED

Standard BS EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Clause	Parameter	Result
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General Conditions for the tests	M
6	Criteria for reduced Testing	--
6.1	General	NA
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and Instructions	--
7.1	General	M
7.2	Markings on electric toys	M
7.2.1	Identification	M
7.2.2	Electric toys with replaceable batteries	M
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	M
7.2.7	Durability	M
7.3	Instructions and markings on packaging	M
7.3.1	General	M
7.3.2	Transformer toys and power supply toys	M
7.3.3	Electric toys that are used with replaceable batteries	M
7.3.3.1	General	M
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	M

Standard BS EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	--
9.1	General	M
9.2	Testing condition	M
9.3	Normal operation	M
9.4	Normal operation with insulation short-circuited	M
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	Electric toys with accessible moving parts locked	M
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection	NA
9.9	Fault condition in electronic circuits	M
9.10	Compliance criteria	M
10	Electric strength	--
10.1	Electric strength at operating temperature	M
10.2	Electric strength under humid conditions	M
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	--
12.1	Enclosures	M
12.2	Attachment strength	NA
13	Construction	--
13.1	Nominal supply voltage	M
13.2	Transformers, power supplies and battery chargers	M
13.3	Thermal cut-outs	NA
13.4	Batteries	M
13.4.1	Small batteries	M
13.4.2	Other batteries	M
13.4.3	Electrolyte leakage	M
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	M
13.4.6	Battery compartment fasteners	M
13.5	Plug and sockets	M
13.6	Charging batteries	M
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment	NA



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 24 of 64

Standard BS EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Clause	Parameter	Result
13.10	Speed limitation of ride-on electric toys	M
14	Protection of cords and wires	--
14.1	Edges and moving parts	M
14.2	Fixed parts	M
15	Components	--
15.1	General	--
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	NA
15.2	Prohibited components	M
15.3	Transformers and power supplies	NA
15.4	Battery chargers	M
15.5	Batteries	NA
16	Screws and connections	--
16.1	Fixings	M
16.2	Connections	M
17	Clearances and creepage distances	M
18	Resistance to heat and fire	--
18.1	Resistance to heat	M
18.2	Resistance to fire	M
18.2.1	General	M
18.2.2	Non-metallic parts	M
18.2.3	Insulating material	M
19	Radiation and similar hazards	--
19.1	General	M
19.2	Optical radiation	M
19.3	Other electromagnetic radiation	M
Annex A	Experimental sets	NA
Annex B	Needle-flame test	M
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	M
Annex E	Electric toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	M
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	NA
Annex G	Examples of calculations on LEDs	NA
Annex H	Explanation of the principles used for the requirements of Annex E	NA
Annex I	Toys generating Electromagnetic Fields (EMF)	M

Standard BS EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
Annex J	Safety of remote controls for electric ride-on toys	M
Annex K	Flow charts showing the application of Clause9	--

M = Meet

NA = Not applicable

NM/R = Not Meet-refer to Comment Section

NR = Not requested by the client

-----Below is blank-----

The requirements of the tested clauses of the Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Applicants' specified Age Group for Testing: over 3 years of age

Power source: Remote control battery:2 x 1.5V AAA;rechargeable batteries: DC 24V

Electric Operated Function:motor, sound and LED

Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General Conditions for the tests	M
6	Criteria for reduced Testing	--
6.1	General	NA
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and Instructions	--
7.1	General	M
7.2	Markings on electric toys	M
7.2.1	Identification	M
7.2.2	Electric toys with replaceable batteries	M
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	M
7.2.7	Durability	M
7.3	Instructions and markings on packaging	M



Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
7.3.1	General	M
7.3.2	Transformer toys and power supply toys	M
7.3.3	Electric toys that are used with replaceable batteries	M
7.3.3.1	General	M
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	M
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	--
9.1	General	M
9.2	Testing condition	M
9.3	Normal operation	M
9.4	Normal operation with insulation short-circuited	M
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	Electric toys with accessible moving parts locked	M
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection	NA
9.9	Fault condition in electronic circuits	M
9.10	Compliance criteria	M
10	Electric strength	--
10.1	Electric strength at operating temperature	M
10.2	Electric strength under humid conditions	M
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	--
12.1	Enclosures	M
12.2	Attachment strength	NA
13	Construction	--
13.1	Nominal supply voltage	M
13.2	Transformers, power supplies and battery chargers	M
13.3	Thermal cut-outs	NA
13.4	Batteries	M
13.4.1	Small batteries	M
13.4.2	Other batteries	M
13.4.3	Electrolyte leakage	M



Standard EN IEC 62115:2020+A11:2020 “Electric toys - Safety”

Clause	Parameter	Result
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	M
13.4.6	Battery compartment fasteners	M
13.5	Plug and sockets	M
13.6	Charging batteries	M
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment	NA
13.10	Speed limitation of ride-on electric toys	M
14	Protection of cords and wires	--
14.1	Edges and moving parts	M
14.2	Fixed parts	M
15	Components	--
15.1	General	--
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	NA
15.2	Prohibited components	M
15.3	Transformers and power supplies	NA
15.4	Battery chargers	M
15.5	Batteries	NA
16	Screws and connections	--
16.1	Fixings	M
16.2	Connections	M
17	Clearances and creepage distances	M
18	Resistance to heat and fire	--
18.1	Resistance to heat	M
18.2	Resistance to fire	M
18.2.1	General	M
18.2.2	Non-metallic parts	M
18.2.3	Insulating material	M
19	Radiation and similar hazards	--
19.1	General	M
19.2	Optical radiation	M
19.3	Other electromagnetic radiation	M
Annex A	Experimental sets	NA
Annex B	Needle-flame test	M
Annex C	Automatic controls and switches	NA

Standard EN IEC 62115:2020+A11:2020 "Electric toys - Safety"

Clause	Parameter	Result
Annex D	Electric toys with protective electronic circuits	M
Annex E	Electric toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	M
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	NA
Annex G	Examples of calculations on LEDs	NA
Annex H	Explanation of the principles used for the requirements of Annex E	NA
Annex I	Toys generating Electromagnetic Fields (EMF)	M
Annex J	Safety of remote controls for electric ride-on toys	M
Annex K	Flow charts showing the application of Clause9	--

M = Meet
 NA = Not applicable

NM/R = Not Meet-refer to Comment Section
 NR = Not requested by the client

-----Below is blank-----

Tested Component(s) Breakdown List

Test Item	Description	Location	Style
1	Grey plastic	Article	-
2	Blue plastic	Article	-
3	Green plastic	Article	-
4	White plastic	Article	-
5	Red plastic	Article	-
6	Black plastic	Article	-
7	Deep yellow plastic	Article	-
8	Bright white plastic	-	-
9	Pink plastic	-	-
10	Deep green plastic	-	-
11	Sky blue plastic	-	-
12	Deep rose red plastic	-	-
13	Purple plastic	-	-
14	Yellow plastic	-	-
15	Rose red plastic	-	-
16	Blue plastic	-	-
17	Orange plastic	-	-
18	Deep red plastic	-	-
19	Light green plastic	-	-
20	Deep orange plastic	-	-
21	Bright black plastic	-	-
22	Green/ black/ grey plastic	-	-
23	Grey coating	On plastic	-
24*	White coating	On plastic	-
25	Black coating	On metal	-
26	Black plastic	Body	-
27	Black frosted plastic	steering wheel	-
28	Brown plastic	Body	-
29	Black soft plastic with glue	Screen	-
30	Multicolor soft plastic with adhesive	-	-
31	Transparent plastic	Car lights	-
32	Bright black plastic	Wheel side	-
33	White plastic	Car tail	-
34	Grey plastic	Screen	-
35	Snow plastic	Bottom	-
36	Black soft plastic	Sheath	-
37	White plastic	Interface	-
38	Black soft plastic	Wire jacket	-
39	Red soft plastic	Wire jacket	-
40	White soft plastic	Wire jacket	-



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 30 of 64

41	Red transparent plastic	Tail lamp	-
42	Red plastic	Car head	-
43	Bright red plastic	Spring	-
44	Black leatheroid	Seat	-
45	Grey foam	Seat	-
46	Black foam	Wheel	-
47	White foam with glue	Logo bottom	-
48	White non-woven	Seat	-
49	White plastic	Wheel side	-
50	White soft plastic	Wire jacket	-
51	White plastic	Plug	-
52	Black plastic	Big plug	-
53	Black plastic	Small plug	-
54	Black soft plastic with white print	wire jacket	-
55	Transparent plastic	Plug lamp	-
56	White plastic	Remote control	-
57	Brown transparent plastic	Remote control lamp	-
58	White glue mark	-	-
59	Black embroidery thread	-	-
60	Black tape	-	-
61	Black leatheroid with black embroidery thread	-	-
62	White plastic	inner Port	-
63	Red plastic	inner Port	-
64	Black plastic	inner Port	-
65	Deep blue plastic	inner Port	-
66	Blue plastic	inner Port	-
67	Blue soft plastic	Wire jacket	-
68	Yellow soft plastic	Wire jacket	-
69	Green soft plastic	Wire jacket	-
70	White soft plastic	Wire jacket	-
71	Orange soft plastic	Wire jacket	-
72	Tan soft plastic	Wire jacket	-
73	Deep red soft plastic	Wire jacket	-
74	Red soft plastic	Wire jacket	-
75	Black soft plastic	Wire jacket	-
76	Black soft plastic	Sheath	-
77	White plastic	Ribbon	-
78	Transparent soft plastic	Sheath	-
79	Blue pcbboard	Inner	-
80	White soft plastic	On pcbboard	-
81	Bright black plastic	On pcbboard	-
82	Grey plastic	On motor	-

Aromatic Amines Content from Azo Colorants - Regulation (EC) No. 1907/2006 Annex XVII Entry 43, Points 1 & 2

Test Method : I: For textile and others: EN ISO 14362-1:2017.
 II: For leather: ISO 17234-1: 2024.
 III: For textile and others: EN ISO 14362-3:2017 ; For leather: ISO 17234-2: 2011

Maximum Limit:		30mg/kg			
-----------------------	--	----------------	--	--	--

Tested Item(s)	Test Method	Result		Unit	Conclusion
		Detected Analyte(s)	Conc.		
60	I- Colorant extraction	ND	ND	mg/kg	PASS
60	I-Direct reduction	ND	ND	mg/kg	PASS
61	I- Colorant extraction	ND	ND	mg/kg	PASS
61	I-Direct reduction	ND	ND	mg/kg	PASS

Note / Key:

ND = Not Detected

mg/kg = milligram per kilogram

Detection Limit (mg/kg):Each 5

Remark:

- *Azo colorants that are able to form p-aminoazobenzene, generate aniline and 1,4-phenylenediamine under the condition of test method I. If aniline and/or 1,4-phenylenediamine is not found by test method I, test result for 4-aminoazobenzene (CAS no. 60-09-3) is considered as "Not detected". Otherwise, the test method III will be employed to verify the presence of 4-aminoazobenzene.
- The list of amines in azo dyestuff is summarized in table of Appendix.

List of Aromatic Amines Content From Azo Colorants - Regulation (EC) No. 1907/2006 Annex XVII Entry 43, Points 1 & 2					
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	o-Toluidine	95-53-4	12	4,4'-Oxydianiline	101-80-4
2	o-Anisidine	90-04-0	13	Benzidine	92-87-5
3	4-Chloroaniline	106-47-8	14	4,4'-Methylenedianiline	101-77-9
4	p-cresidine	120-71-8	15	4,4'-Methylenedi-o-toluidine	838-88-0
5	2,4,5-Trimethylaniline	137-17-7	16	3,3'-Dimethylbenzidine	119-93-7
6	4-Chloro-o-toluidine	95-69-2	17	4,4'-Thiodianiline	139-65-1
7	4-Methyl-m-phenylenediamine	95-80-7	18	3,3'-Dichlorobenzidine	91-94-1
8	4-Methoxy-m-phenylenediamine	615-05-4	19	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4
9	2-Naphthylamine	91-59-8	20	3,3'-Dimethoxybenzidine	119-90-4
10	4-Aminobiphenyl	92-67-1	21	o-Aminoazotoluene	97-56-3
11	*4-Aminoazobenzene	60-09-3	22	5-Nitro-o-toluidine	99-55-8

Phthalates Content – Reference to regulation (EC) No. 1907/2006 Annex XVII Entry 51 & 52

Test Method : Reference to EN 14372:2004.

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	1 + 2 + 3	4 + 5 + 6	7 + 8 + 9	10 + 11 + 12
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0 &68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0 &68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND
Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	13 + 14 + 15	16 + 17 + 18	19 + 20 + 21	22
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0 &68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0 &68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 33 of 64

Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	23 + 24	25	26 + 27 + 28	29 + 31 + 32
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0 & 68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0 & 68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND
Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	30	33 + 34 + 35	36 + 37 + 38	39 + 40 + 41
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0 & 68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0 & 68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 34 of 64

Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	42 + 43 + 49	44	45 + 46 + 47	48
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0&68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0&68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND
Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	50 + 51 + 52	53 + 54 + 55	56 + 57 + 62	58
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0&68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0&68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND
Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 35 of 64

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	63 + 64 + 65	66 + 67 + 68	69 + 70 + 71	72 + 73 + 74
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0 & 68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0 & 68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND
Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	75 + 76 + 77	78 + 80	79	81 + 82
A. For toys and childcare articles							
DBP	84-74-2	%	<0.1	ND	ND	ND	ND
BBP	85-68-7	%	<0.1	ND	ND	ND	ND
DEHP	117-81-7	%	<0.1	ND	ND	ND	ND
DiBP	84-69-5	%	<0.1	ND	ND	ND	ND
B. Additional requirements for toys and childcare articles, which can be placed in mouth by the children (See remark)							
DnOP	117-84-0	%	<0.1	ND	ND	ND	ND
DINP	28553-12-0 & 68515-48-0	%	<0.1	ND	ND	ND	ND
DIDP	26761-40-0 & 68515-49-1	%	<0.1	ND	ND	ND	ND
Sum of DBP, BBP, DEHP, DiBP		%	<0.1	ND	ND	ND	ND
Sum of DNOP, DIDP, DINP		%	<0.1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Note / Key: ND = Not Detected Conc. = Concentration
Detection Limit (%): Each 0.005 % = percentage

Remark:

The list of phthalates is summarized in table of Appendix

List of Phthalates Content – Reference To Regulation (EC) No. 1907/2006 Annex XVII Entry 51 & 52					
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	DBP	84-74-2	5	DINP	28553-12-0 0&68515-48-0
2	BBP	85-68-7	6	DIDP	26761-40-0 & 68515-49-1
3	DEHP	117-81-7	7	DiBP	84-69-5
4	DnOP	117-84-0	-	-	-

Total Cadmium Content in Plastic Material - European Parliament and Council Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Entry 23

Test Method : EN 1122: 2001, Method B

Maximum Limit:	100 mg/kg
----------------	-----------

Test Item(s)	Result	Unit	Conclusion
1 + 2 + 3	ND	mg/kg	PASS
4 + 5 + 6	ND	mg/kg	PASS
7 + 8 + 9	ND	mg/kg	PASS
10 + 11 + 12	ND	mg/kg	PASS
13 + 14 + 15	ND	mg/kg	PASS
16 + 17 + 18	ND	mg/kg	PASS
19 + 20 + 21	ND	mg/kg	PASS
22	ND	mg/kg	PASS
26 + 27 + 28	ND	mg/kg	PASS
29 + 31 + 32	ND	mg/kg	PASS
30	ND	mg/kg	PASS
33 + 34 + 35	ND	mg/kg	PASS
36 + 37 + 38	ND	mg/kg	PASS
39 + 40 + 41	ND	mg/kg	PASS
42 + 43 + 49	ND	mg/kg	PASS
44	ND	mg/kg	PASS
45 + 46 + 47	ND	mg/kg	PASS
48	ND	mg/kg	PASS
50 + 51 + 52	ND	mg/kg	PASS
53 + 54 + 55	ND	mg/kg	PASS
56 + 57 + 62	ND	mg/kg	PASS
58	ND	mg/kg	PASS

63 + 64 + 65	ND	mg/kg	PASS
66 + 67 + 68	ND	mg/kg	PASS
69 + 70 + 71	ND	mg/kg	PASS
72 + 73 + 74	ND	mg/kg	PASS
75 + 76 + 77	ND	mg/kg	PASS
78 + 80	ND	mg/kg	PASS
79	ND	mg/kg	PASS
81 + 82	ND	mg/kg	PASS

Note / Key:

mg/kg = milligram per kilogram

Detection Limit (mg/kg): 10

ND = Not Detected

MDL = Method Detection Limit

Migration of Certain Elements - Australian/New Zealand Standard AS/NZS ISO 8124.3:2021+Amd.1:2023

Test Method: Australian/New Zealand Standard AS/NZS ISO 8124.3:2021+Amd.1:2023

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		1	2	3
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		4	5	6
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury	60	ND	ND	ND



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 38 of 64

(Hg)				
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		7	8	9
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		10	11	12
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		13	14	15
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 39 of 64

Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		16	17	18
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		19	20	21
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 40 of 64

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		22	23	25
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		26	27	28
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		29	30	31
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND

Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		32	33	34
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		35	36	37
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 42 of 64

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		38	39	40
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		41	42	43
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		44	45	46
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium	60	ND	ND	ND



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 43 of 64

(Cr)				
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		47	48	49
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		50	51	52
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		53	54	55
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)		
		Sample ID		
		56	57	58
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Lead (Pb)	90	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Test Item(s)	Limit:	Result (mg/kg)	
		Sample ID	
		59	60
Soluble Antimony (Sb)	60	ND	ND
Soluble Arsenic (As)	25	ND	ND
Soluble Barium (Ba)	1000	ND	ND
Soluble Cadmium (Cd)	75	ND	ND
Soluble Chromium	60	ND	ND

(Cr)			
Soluble Lead (Pb)	90	ND	ND
Soluble Mercury (Hg)	60	ND	ND
Soluble Selenium (Se)	500	ND	ND
Conclusion		PASS	PASS

Note / Key :

ND = Not detected

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg) :

For Accessible Surface Coating and Substrate Materials (Excluding Modelling Clay, Putty, Finger Paint and Slime Materials) - Sb : 6.0 ; As : 2.5 ; Ba : 100 ; Cd : 7.5 ; Cr : 6.0 ; Pb : 9.0 ; Hg : 6.0 ; Se : 50

For Modelling Clay and Putty Materials - Sb : 6.0 ; As : 2.5 ; Ba : 35 ; Cd : 5.0 ; Cr : 2.5 ; Pb : 9.0 ; Hg : 2.5 ; Se : 50 ; B : 375

For Finger Paint Materials - Sb : 1.0 ; As : 1.0 ; Ba : 35 ; Cd : 1.5 ; Cr : 2.5 ; Pb : 2.5 ; Hg : 1.0 ; Se : 5.0

For Slime Materials - Sb : 1.0 ; As : 1.0 ; Ba : 35 ; Cd : 1.5 ; Cr : 2.5 ; Pb : 2.5 ; Hg : 1.0 ; Se : 5.0 ; B : 125

Remark :

- Test Item(s) was (were) tested according to Australian/New Zealand Standard AS/NZS ISO 8124.3: 2021+A1:2023.

- C denotes as reported result(s) was (were) adjusted by analytical correction shown in Key(s) section.

- For component (24),The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was (were) not subject to migration of certain elements of Australian/New Zealand Standard, " Safety of Toys, AS/NZS ISO 8124.3: 2021+A1:2023 ", as specified in Section 7 - Selection of test portions.

Total Cadmium Content in Paints on Painted Article - European Parliament and Council Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) with its Latest Amendment, Annex XVII, Entry 23

Test Method : EN 1122: 2001, Method B

Maximum Limit:	1000 mg/kg
-----------------------	-------------------

Test Item(s)	Result	Unit	Conclusion
23 + 24	ND	mg/kg	PASS
25	ND	mg/kg	PASS

Note / Key:

mg/kg = milligram per kilogram

Detection Limit (mg/kg):10

ND = Not Detected

MDL = Method Detection Limit

Di(2-Ethylhexyl) Phthalate (DEHP) Content - Australia Competition and Consumer Act 2010, Consumer Protection Notice No. 11 of 2011

Test Method : Extraction with solvent, analysed by Gas Chromatography Mass Spectrometer.

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	1 + 2 + 3	4 + 5 + 6	7 + 8 + 9	10 + 11 + 12
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	13 + 14 + 15	16 + 17 + 18	19 + 20 + 21	22
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	23 + 24	25	26 + 27 + 28	29 + 31 + 32
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	30	33 + 34 + 35	36 + 37 + 38	39 + 40 + 41
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	42 + 43 + 49	44	45 + 46 + 47	48
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<1	ND	0.0127	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result			
	-	-	-	50 + 51 + 52	53 + 54 + 55	56 + 57	58
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<1	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected ">" = Greater than % = percent 1 % = 10 000 mg/kg
mg/kg = milligram(s) per kilogram = ppm = No. = Number(s)
part(s) per million Detection Limit (%) - 0.005

Remark :

- Accessible plastics on children's toys, childcare articles and eating utensils are applicable to be tested with the exclusion for single use (disposable) plastic cutlery, large toys such as cubby houses, slides and swings, childcare article with restraints to hold the child such as change table, prams and car seats, clothing and footwear, sporting goods and floatation aids and aquatic toys for specific purpose of assisting a supervised child to float or swim in water.

Migration of Certain Elements - EN 71-3:2019+A2:2024

Test Method:EN 71-3:2019+A2:2024

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		1	2	3	4	5
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 48 of 64

Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		6	7	8	9	10
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		11	12	13	14	15
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 49 of 64

Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		16	17	18	19	20
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		21	22	23	25	26
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 50 of 64

Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		27	28	29	30	31
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		32	33	34	35	36
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 51 of 64

Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		37	38	39	40	41
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 52 of 64

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		42	43	44	45	46
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		47	48	49	50	51
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 53 of 64

Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		52	53	54	55	56
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)			
		Sample ID			
		57	58	59	60
Boron (B)	15000	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46

Strontium (Sr)	56000	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS

Key(s):

Type I = Dry, brittle, powder-like or pliable toy material(s)

Type II = Liquid or sticky toy material(s)

Type III = Scraped-off toy material(s)

Remark(s) :

- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- European Standard EN 71 Part 3: 2019 + A1: 2021 is currently harmonized under European Parliament and Council Directive 2009/48/EC and will be superseded when European Standard EN 71-3: 2019 + A2: 2024 is harmonized.

Remark: For component (24),The received sample(s) contained accessible material(s) of less than 10 milligrams by weight on one single sample, therefore such material(s) was not subject to the EN 71 Pt.3 Migration of certain elements (2009/48/EC / EN 71-3:2019+A2:2024)

Migration of Certain Elements – BS EN 71-3:2019+A2:2024

Test Method:BS EN 71-3:2019+A2:2024

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		1	2	3	4	5
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 55 of 64

Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		6	7	8	9	10
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		11	12	13	14	15
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 56 of 64

Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		16	17	18	19	20
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		21	22	23	25	26
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 57 of 64

Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		27	28	29	30	31
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		32	33	34	35	36
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 58 of 64

Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		37	38	39	40	41
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025
Page 59 of 64

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		42	43	44	45	46
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		47	48	49	50	51
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 60 of 64

Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)				
		Sample ID				
		52	53	54	55	56
Boron (B)	15000	<1500	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46	<46
Strontium (Sr)	56000	<5600	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS	PASS

Analyte	Limit: Type III	Result (mg/kg)			
		Sample ID			
		57	58	59	60
Boron (B)	15000	<1500	<1500	<1500	<1500
Aluminium (Al)	28130	<2813	<2813	<2813	<2813
Chromium III (Cr III)	460	<46	<46	<46	<46
Chromium VI (Cr VI)	0.053	<0.02	<0.02	<0.02	<0.02
Manganese (Mn)	15000	<1500	<1500	<1500	<1500
Cobalt (Co)	130	<13	<13	<13	<13
Nickel (Ni)	930	<93	<93	<93	<93
Copper (Cu)	7700	<770	<770	<770	<770
Zinc (Zn)	46000	<4600	<4600	<4600	<4600
Arsenic (As)	47	<4.7	<4.7	<4.7	<4.7
Selenium (Se)	460	<46	<46	<46	<46



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**

Dec.19,2025

Page 61 of 64

Strontium (Sr)	56000	<5600	<5600	<5600	<5600
Cadmium (Cd)	17	<1.7	<1.7	<1.7	<1.7
Tin (Sn)	180000	<18000	<18000	<18000	<18000
Organic tin	12	<1.2	<1.2	<1.2	<1.2
Antimony (Sb)	560	<56	<56	<56	<56
Barium (Ba)	18750	<1875	<1875	<1875	<1875
Mercury (Hg)	94	<9.4	<9.4	<9.4	<9.4
Lead (Pb)	23	<2.3	<2.3	<2.3	<2.3
Conclusion		PASS	PASS	PASS	PASS

Key(s):

Type I = Dry, brittle, powder-like or pliable toy material(s)

Type II = Liquid or sticky toy material(s)

Type III = Scraped-off toy material(s)

Remark(s) :

- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- European Standard BS EN 71 Part 3: 2019 + A1: 2021 is currently harmonized under European Parliament and Council Directive 2009/48/EC and will be superseded when European Standard BS EN 71-3: 2019 + A2: 2024 is harmonized.

Remark: For component (24),The received sample(s) contained accessible material(s) of less than 10 milligrams by weight on one single sample, therefore such material(s) was not subject to the BS EN 71 Pt.3 Migration of certain elements (2009/48/EC / BS EN 71-3:2019+A1:2021)

-----Below is blank-----



**BUREAU
VERITAS**

PINGHU DAKE BABY CARRIER CO., LTD
Technical Report: **(3225)286-0504REVISED**
Dec.19,2025
Page 62 of 64

SAMPLE REFERENCE PHOTO:







003

[illegible]

-- END OF REPORT --