

1.- Instalación del entorno virtual

```
Símbolo del sistema
Microsoft Windows [Versión 10.0.18363.1556]
(c) 2019 Microsoft Corporation. Todos los derechos reservados.

C:\Users\Hp 745 G2>pip install virtual env
```

2.- Creación del entorno virtual

```
Símbolo del sistema
Microsoft Windows [Versión 10.0.18363.1556]
(c) 2019 Microsoft Corporation. Todos los derechos reservados.

C:\Users\Hp 745 G2>cd C:\Users\Hp 745 G2\Desktop\TuFolderPreferido

C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>virtualenv env
created virtual environment CPython3.10.2.Final.0-64 in 22120ms
creator CPython3Windows(dest=C:\Users\Hp 745 G2\Desktop\TuFolderPreferido\env, clear=False, no_vcs_ignore=False, global=False)
seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wheel=bundle, via=copy, app_data_dir=C:\Users\Hp 745 G2\AppData\Local\pypa\virtualenv)
added seed packages: pip==22.0.3, setuptools==60.6.0, wheel==0.37.1
activators BashActivator,BatchActivator,FishActivator,NushellActivator,PowerShellActivator,PythonActivator

C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>
```

3.- Activación del entorno virtual

```
Símbolo del sistema

C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>.\env\Scripts\activate

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>
```

4.- Revisar paquetes instalados (En este punto no aparece nada)

```
Símbolo del sistema

C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>.\env\Scripts\activate

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip freeze

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>
```

5.- Instalar paquete “dateutil”

```
Símbolo del sistema

C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>.\env\Scripts\activate

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip freeze

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip install python-dateutil
Collecting python-dateutil
  Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
Collecting six>=1.5
  Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, python-dateutil
Successfully installed python-dateutil-2.8.2 six-1.16.0

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>
```

6.- Revisar paquetes instalados

```
Símbolo del sistema

C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>.\env\Scripts\activate

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip freeze

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip install python-dateutil
Collecting python-dateutil
  Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
Collecting six>=1.5
  Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, python-dateutil
Successfully installed python-dateutil-2.8.2 six-1.16.0

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip freeze
python-dateutil==2.8.2
six==1.16.0

(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>
```

7.- Desactivar el entorno virtual

```
Simbolo del sistema
C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>.env\Scripts\activate
(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip freeze
(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip install python-dateutil
Collecting python-dateutil
  Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
Collecting six>=1.5
  Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, python-dateutil
Successfully installed python-dateutil-2.8.2 six-1.16.0
(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>pip freeze
python-dateutil==2.8.2
six==1.16.0
(env) C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>deactivate
C:\Users\Hp 745 G2\Desktop\TuFolderPreferido>
```