Loss Solutions Group, LLC
Toll Free 866.899.8756
Fax 860.639.5158
www.LossSolutionsGroup.com

August 28, 2025

Ms. Tricia Melton
Travelers Insurance
PO Box 430
Buffalo, NY 14240-0430

RE:	Insured:	Kandie White
	Claim Number:	I6D2772
	LSG Matter Number:	787200.12396-00
	Date of Loss:	July 18, 2025

Dear Ms. Melton,

Thank you for choosing Loss Solutions Group as your equipment loss consultant. This report serves to provide an analysis of the above-referenced claim.

Assignment:

Loss Solutions Group was contacted by Ms. Tricia Melton of Travelers Insurance. The scope of this assignment was to address the extent of damage, salvage value, and repair / replacement costs associated with the insured's damaged underground septic system, necessitating the replacement of the insured's thousand (1,000) gallon tank, pump, horns, and alarm. The loss occurred due to a reported power anomaly event on July 18, 2025.

Findings and Analysis:

Loss Solutions Group contacted the insured, Ms. Kandie White (803-517-6506), to advise her of our involvement in reviewing this claimed event. During our conversation, Ms. White described noticing standing water around the septic tank and down the yard on July 18, 2025, immediately following a severe storm the previous day. Initially suspecting an overflow requiring pumping, she learned from the pumping company that the alarm, pump, and other electrical components had melted and sustained severe electrical damage, necessitating replacement. Evans Grading Service confirmed that a power anomaly event caused the damage, requiring replacement of the electrical equipment and a one thousand (1,000) gallon septic tank chamber, which had a large crack in it reportedly related to the claimed event. Evans Grading Service replaced the tank, pump, horns, and alarm, with an electrician (Hatcher's Electrical Handyman Services) performing the electrical rewiring.

© 2022 by Loss Solutions Group, LLC. All rights reserved.

Loss Solutions Group contacted the insured's plumbing and grading vendor, Evans Grading Service (803-322-6740), and spoke with the owner, Mr. Kenny Evans, to discuss the claimed event. Mr. Evans reported that upon arrival, they found a one thousand (1,000) gallon septic tank chamber cracked, with its pump, alarm, and horns completely damaged due to a severe electrical event caused by a storm around July 18, 2025. He confirmed that the damage necessitated replacing the septic tank, pump, horns, and alarm, all similar in like kind and quality to the originals, with an electrician handling the rewiring of the system to restore functionality.

Loss Solutions Group contacted the insured's electrical vendor, Hatcher's Electrical Handyman Services (803-367-3856), and spoke with Mr. Daral Hatcher to discuss the claimed event. The vendor reported that upon arrival, they found the septic tank's wiring melted due to a power anomaly event caused by a severe storm around July 18, 2025. The event required rewiring of the pump, horns, and alarm. Mr. Hatcher explained that these electrical connections, housed in a small waterproof electrical box, were severely damaged and necessitated replacing the box and rewiring the system with components similar in like kind and quality to restore full functionality to the insured.

Scope of Damage

Loss Solutions Group submits that the insured sustained significant damage to their underground septic system, necessitating replacement of the insured's one thousand (1,000) gallon tank, pump, horns, and alarm, due to a reported power anomaly event on July 18, 2025.

Age & Condition

The insured reported that the affected equipment was around twenty-five (25) years old and in average condition at the time of the claimed event.

Reparability

Loss Solutions Group has reviewed the information provided, and we have discussed the damage with the vendors involved. We submit that the already completed replacement path was warranted due to the damage reportedly sustained during the claimed event.

Cost Analysis

Loss Solutions Group has researched the costs using alternate vendor resources, historical references, similar equipment costs, and vendor experience and we have discussed the pricing with the vendor involved. The following is a breakdown of the associated costs.

EVANS GRADING SERVICE (803-329-3015) INVOICE # 5062

Loss Solutions Group has reviewed the amount of $6,350.00 for the replacement of the insured's septic tank, horns, and alarm.

© 2022 by Loss Solutions Group, LLC. All rights reserved.

Included in the cost is an amount for a one thousand (1,000) gallon septic chamber tank, new liberty pump (1000 gpm), horns, and alarm. We submit these components were required to complete the repair and the costs are fair and reasonable.

Loss Solutions Group has reviewed the labor costs for the vendor to diagnose the damage and to perform the repairs. We submit that these amounts are fair and reasonable to complete the scope of work as presented to us.

HATCHER'S ELECTRICAL HANDYMAN SERVICES (803-367-3856) INVOICE # 0000471

Loss Solutions Group has reviewed the amount of $2,200.00 for the replacement of the insured's septic tank's electrical wiring and electrical box.

Included in the cost is an amount for two (2) forty foot (40') runs of 12 THHN AWG cable, new wiring conduits for roughly forty feet (40'), and a new waterproof electrical enclosure box to keep connections weatherproof. We submit these components were required to complete the repair and the costs are fair and reasonable.

Loss Solutions Group has reviewed the labor costs for the vendor to diagnose the damage and to perform the repairs. We submit that these amounts are fair and reasonable to complete the scope of work as presented to us.

RCV

Loss Solutions Group submits an amount of $8,550.00 (RCV) as being fair and reasonable to return the insured to a pre-loss condition. A further breakdown of the pricing is available in the attached spreadsheet.

Salvage

Loss Solutions Group submits that there is little to no salvage value associated with this claimed event.

Summary:

Loss Solutions Group's findings herein are based upon all information that was available at the time of this writing. The opinions are based upon reviewed documentation, interviews, research, experience, historical references, training and education.

1. The insured, Kandie White, claimed that her one thousand (1,000) gallon tank, pump, horns, and alarm were damaged due to a reported power anomaly event on July 18, 2025. A total cost of $8,550.00 was presented.

2. The insured reported that the affected equipment was around twenty-five (25) years old and in average condition at the time of the claimed event.

© 2022 by Loss Solutions Group, LLC. All rights reserved.

3. Loss Solutions Group has reviewed the provided information and we have discussed the damages with the vendors involved. We submit that the already completed replacement path was warranted due to the damages reportedly sustained during the claimed event.

4. Loss Solutions Group submits an amount of $8,550.00 (RCV) as being fair and reasonable to return the insured to a pre-loss condition.

5. Loss Solutions Group submits that there is little to no salvage value associated with this claimed event.

If you have any questions or if you need any additional information, please feel free to contact Tanner Beuret at (866) 899-8756 ext. 755, or via email at tbeuret@losssolutionsgroup.com. Team Leader Nick Ramos can be reached at (866) 899-8756 ext. 724, or via email at nramos@losssolutionsgroup.com.

Best regards,

Tanner Beuret
Technical Consultant
Loss Solutions Group, LLC

© 2022 by Loss Solutions Group, LLC. All rights reserved.

INSURED: KANDIE WHITE
LSG MATTER #: 787200.12396-00
CLAIM #: I6D2772
DATE OF LOSS: 7/18/2025
CAUSE OF LOSS: POWER ANOMALY

EVANS GRADING SERVICE (803-329-3015) INVOICE # 5062											
REF #	ITEM	CLAIM PRESENTED			LSG RESEARCHED RCV			AGE (YEARS)	USEFUL LIFE (YEARS)	CONDITION	NOTES
		QTY	UNIT COST	TOTAL	QTY	UNIT COST	TOTAL				
1	REPLACE 1000 GAL PUMP CHAMBER AND PUMP AND CONNECT BACK UP TO SYSTEM.	1	$ 6,350.00	$ 6,350.00	0	$ -	$ -	N/A	N/A	N/A	THIS COST WAS PROVIDED TO US IN A LUMP SUM COST, WITH HELP FROM THE VENDOR WE WERE ABLE TO BREAK THIS COST DOWN AS FOLLOWS.
2	MATERIALS	0	$ -	$ -	1	$ 2,350.00	$ 2,350.00	25	50	AVERAGE	1000 GAL SEPTIC CHAMBER TANK, NEW LIBERTY 253 PUMP, HORNS, AND ALARM.
3	BACKHOE	0	$ -	$ -	1	$ 500.00	$ 500.00	N/A	N/A	N/A	THE USE OF A BACKHOE TO DIG THE NEW PIT FOR THE 1000 GAL SEPTIC CHAMBER
4	LABOR HOURS	0	$ -	$ -	32	$ 100.00	$ 3,200.00	N/A	N/A	N/A	LABOR HOURS FOR FOUR TECHNICIANS FOR ONE FULL DAY OF WORK.
5	TRACTOR	0	$ -	$ -	1	$ 300.00	$ 300.00	N/A	N/A	N/A	THE USE OF A TRACTOR ONCE COMPLETE TO LEVEL OUT THE AREA.
SUB-TOTAL				**$ 6,350.00**			**$ 6,350.00**				
SALES TAX				$ -			$ -				
TOTAL				**$ 6,350.00**			**$ 6,350.00**				

© 2022 by Loss Solutions Group, LLC. All rights reserved.

INSURED: KANDIE WHITE
LSG MATTER #: 787200.12396-00
CLAIM #: I6D2772
DATE OF LOSS: 7/18/2025
CAUSE OF LOSS: POWER ANOMALY

HATCHER'S ELECTRICAL HANDYMAN SERVICES (803-367-3856) INVOICE # 0000471												
REF #	ITEM	CLAIM PRESENTED			LSG RESEARCHED RCV			AGE (YEARS)	USEFUL LIFE (YEARS)	CONDITION	NOTES
		QTY	UNIT COST	TOTAL	QTY	UNIT COST	TOTAL				
1	REMOVE OLD AND INSTALLED NEW WIRING FOR SEPTIC TANK	1	$ 2,200.00	$ 2,200.00	0	$ -	$ -	N/A	N/A	N/A	THIS COST WAS PROVIDED TO US IN A LUMP SUM COST, WITH HELP FROM THE VENDOR WE WERE ABLE TO BREAK THIS COST DOWN AS FOLLOWS.
2	NEW WIRING	0	$ -	$ -	1	$ 100.00	$ 100.00	25	50	AVERAGE	TWO (2), FORTY (40) FOOT RUNS OF TWELVE (12) THHN AWG CABLE.
3	NEW WIRING CONDUIT	0	$ -	$ -	1	$ 110.00	$ 110.00	25	50	AVERAGE	NEW CONDUITS FOR NEW WIRING. ROUGHLY FORTY (40) FEET
4	WEATHERPROOF ELECTRICAL BOX	0	$ -	$ -	1	$ 100.00	$ 100.00	25	50	AVERAGE	WATERPROOF ELECTRICAL ENCLOSURE.
5	LABOR HOURS	0	$ -	$ -	14	$ 135.00	$ 1,890.00	N/A	N/A	N/A	TWO ELECTRICIANS FOR SEVEN (7) HOURS EACH TO REMOVE AND REPLACE EXISTING ELECTRICAL WIRE, ELECTRICAL CONDUITS, AND NEW ELECTRICAL ENCLOSURE.
SUB-TOTAL				**$ 2,200.00**			**$ 2,200.00**				
SALES TAX				$ -			$ -				
TOTAL				**$ 2,200.00**			**$ 2,200.00**				

TOTAL PRESENTED	**$ 8,550.00**

TOTAL RESEARCHED RCV	**$ 8,550.00**

© 2022 by Loss Solutions Group, LLC. All rights reserved.

PRODUCT 108

K

EVANS GRADING SERVICE
139 OLD FRIENDSHIP ROAD
CATAWBA, SOUTH CAROLINA 29704

INVOICE

(803) 329-3015 Fax (803) 328-3613

5062

TO Calvine White
2356 Olewoods Dr.
Rock Hill, S.C. 29732

DATE 7-28-2025
CUSTOMER ORDER NO.
SALESPERSON
VIA

TERMS:
Job # 2356 OLEwoods Dr

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	Cave in existing damaged Pump Chamber		
	Install new 1000 gal Pump Chamber + Riser.		
	Install new Liberty 253 pump. Floats and alarm.		
	Tie back into existing septic Tank from pump Tank.		
	Tie back into existing pumpline.		
	price $6,350.00		
	Thank		

Hatcher's Electrical Handyman Services

803-367-3856

916 Eastwood Dr
Rock Hill , Sc
29730
United States

Description	Rate	Qty	Line Total
Hatcher's Electrical Handyman Services 916 Eastwood Dr. Rock Hill, SC 29730	$2,200.00	1	$2,200.00

Subtotal	$2,200.00
Taxes	$0.00
Total	$2,200.00
Amount Paid	$0.00
Amount Due	$2,200.00

Notes

Installed wiring for septic tank----$2200.00

Thank you for your business

Have a great day

Darrell Hatcher

Amount Due

$2,200.00

Billed To
Calvin White
2356 Olewoods Dr.
Rock Hill, SC
29732

Invoice Number
0000471

Date of Issue
Aug 3, 2025

Due Date
Aug 7, 2025

Powered by FreshBooks

CLAIM PHOTOWEB - IMAGE VI

Not secure photoweb.prod.travp.net/newdisplayimage.aspx?claim_num=I6D2772&ENDOFQUERYSTRING=0&InstanceID=46

https://ws2.replace... NC QH2.0 Winter St... Mitigation Dispatch... Virginia-Carolina Cl... What to Recycle | C... Grades and Attenda... All Bookmarks

I6D2772000_1.pdf 9 / 10 100%

Item 001 - Septic Pump

Claim Search

Powered by CLAIM SYSTEMS

Search 10:00 AM 8/15/2025

CLAIM PHOTOWEB - IMAGE VI

Not secure photoweb.prod.travp.net/newdisplayimage.aspx?claim_num=I6D2772&ENDOFQUERYSTRING=0&InstanceID=46

https://ws2.replace... NC QH2.0 Winter St... Mitigation Dispatch... Virginia-Carolina Cl... What to Recycle | C... Grades and Attenda... All Bookmarks

I6D2772000_1.pdf 10 / 10 100%

Item 001 - Septic Pump

Item 001 - Arcing

Claim Search

Powered by CLAIM SYSTEMS

Search 10:00 AM 8/15/2025


CLAIM PHOTOWEB - IMAGE VI
Not secure
photoweb.prod.travp.net/newdisplayimage.aspx?claim_num=I6D2772&ENDOFQUERYSTRING=0&InstanceID=46
I6D2772000_1.pdf
8 / 10
100%
Item 001 - Septic Pump
ESTIMATE
ESTIMATE
ESTIMATE
ESTIMATE
Claim Search
Powered by CLAIM SYSTEMS
Search
9:59 AM
8/15/2025

11:05

◂ Camera

99

Rock Hill

July 19 6:10 PM

LIVE

11:05
◀ Camera

99

Rock Hill

July 19 6:10 PM

LIVE

NEMA SUPPLY

Search for products | Search | 877.787.6162 info@nemasupply.com

BRANDS | ENCLOSURES (BULK DISCOUNTS) | WIREWAY AND TROUGH | RACKS & CABINETS | ELECTRICAL CONTROLS AND PROTECTION | CUSTOM ENCLOSURES | CLEARANCE (NEW)

Integra

Integra Premium Series Polycarbonate Enclosure with Hinge Opaque Locking Latch Cover

IN STOCK SKU: H8064HLL

Typically Ships in 1-2 Business Days

Contact Us for Expedited Shipping

$80.99

Pay in 4 interest-free installments of $20.25 with shop Pay Learn more

Available Sizes

6X6X2 | 6X6X4 | 8X6X4 | 8X8X4 | 10X8X2 | 10X8X4 | 10X8X6 | 12X10X4 | 12X10X6 | 12X12X6 | 14X12X6 | 16X14X7 | 18X16X8 | 18X16X10

– 1 + Add to cart

Click Here to chat!

Request information

+ SPECIFICATIONS –

Specifications

Ends 8/24 SUMMER SAVINGS UP TO 50% OFF SHOP NOW

VEVOR Affordable. Reliable. Home Improvement. | winch | EN | Delivery to United States... | Hello, Sign in Account & Order

Categories | Deals | Bulk Savings | Best Sellers | Clearance | DIY Projects & Ideas | Member Club | Product Recall

Home > Electrical > Extension Cords & Power Strips > Extension Cord Reels

SAVE $5

VEVOR 1-Inch Flexible Electrical Conduit, 100 ft, PVC Liquid-Tight Conduit Non-Metallic with 5 Straight and 5 90-Degree Conduit Connector Fittings, for Air Conditioning Motor Controller Pump, IP65

5.0 ★★★★★ 11 Reviews

$119.99

Earn at least 2% points on purchases or save up to 15%. FREE to join

FREE Shipping

Delivery to 76248. Get it as soon as Mon. Aug. 25 Details

In Stock

– 1 +

Buy Now
Faster dispatch

Add to Cart | PayPal

Security & Privacy >
• 100% Secure payment

We use cookies to improve your online experience.By continuing browsing this website,we assume you agree our use of cookies and Privacy & Security.

TrustedSite

Agree


LOWE'S
Keller Lowe's 10 PM
76248
What can we help you find?
Sign In
Cart
Shop All
Installations
Deals
Mylow
New
Holiday Decorations
Appliances
Bathroom
Building Supplies
Flooring
New & Trending
Google
Save up to $70 on Nest smart home devices.
See what a smarter home can do.
Shop Now
Sponsored
Electrical / Electrical Wire & Cable / TFFN & THHN Wire
100+ bought last week
Southwire 100-ft 12 -AWG Black Stranded Copper THHN wire (By-the-roll)
Item #11611 | Model #22964184
Shop Southwire
4.6
289
$69.00
$65.55 When you choose 5% savings on eligible purchases every day.
Learn How
Buy Now, Pay Later
$23.00 with 3 monthly payments. Learn How
Feedback
Jacket Color: Black
Cable Length (Feet): 100
100
Pickup
Delivery
12 STRANDED THHN
100 FEET
30.48 m
Southwire

Best Freight Rates Every Time!

Store Locations | Order Status | Contact Us

TANK DEPOT

Call An Expert
(864) 668-2332
Monday-Friday: 7am-7pm CST

What can we help you find today?

Welcome
Sign In / Register

Water Tanks | Storage Tanks | Industrial Tanks | Septic | Marine and RV Tanks | Fuel and Oil Tanks | Tank Add-Ons | Manufacturers

Home > 1000 Gallon Two Compartment Septic Tank with Loose Plumbing and Low Profile Design - IAPMO Certified

Accuracy of the images may vary. Refer to the specifications table to ensure precision.

Shop all Norwesco

1000 Gallon Two Compartment Septic Tank with Loose Plumbing and Low Profile Design - IAPMO Certified

SKU#: N-43510 | Manufacturer Part#: 43510

$1,902.00

As low as $93/mo or 0% APR with affirm. Check your purchasing power

Delivery | Pickup in Store

Delivering to **76092** Change

CLOSEST AVAILABLE	Est. Ready Date*	Est. Shipping Cost	
Distance Away **747 miles** Griffin, GA 1	09/29/2025	Calculate Freight	Add to cart

+ View More Options

BEST DELIVERY TIME	Est. Ready Date*	Est. Ship	
Distance Away **870 miles** Tank Depot - Duncan SC 1	08/27/2025	Calculate Freight	Add to cart

Got any questions? We're happy to help!

GRAINGER | Catalog | Find A Branch | KeepStock | Help | 1-800-GRAINGER | Register | Sign In

All Products | Enter keyword, item, model or part # | Bulk Order | My Account

Product Categories > Pumps > Pump Control Panels, Switches & Alarms > Liquid Level Alarms > ZOELLER High Water Alarm: High Level... | Email | Print

Roll over image to zoom.

Product Image Feedback | Compare

ZOELLER High Water Alarm: High Level, 115V AC, Auto, 82 dB, Audio/Visual, 1 Alarm Inputs, 4X, Cable

Item 2VJ64 Mfr. Model 10-0682

Web Price $431.20 / each

Qty 1 | Add to Cart

Ship | Pickup

Expected to arrive Tue. Aug 26.

Ship to 75201 | Change

Shipping Weight 3.85 lbs

Ship Availability Terms

Add to List

Product Details

Catalog Page 2514

Brand ZOELLER	NEMA Enclosure Rating 4X
Manufacturer Part Number 10-0682	Environment Indoor/Outdoor
Detection Type High Level	Reset Type Automatic
For Vessel Type Holding Tanks, Lift Pump Chambers, Sump Pump Basins	Includes Battery Backup Battery Backup Included
Voltage 115V AC	Power Cord Length 6 ft
Alert Output Audio, Visual	Switch Type Tether Float
Alarm Volume 82 dB	Sensor Cord Length 20 ft
Alarm Inputs 1	Includes Cable
	UNSPSC 40151512
	Country of Origin USA (subject to change)

Product Description

Liquid-level alarms monitor water levels in sump pits, tanks, and other containers. They send alerts when liquid levels are too high or too low.

Product Details Feedback

Compliance & Restrictions

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Customers Also Viewed

SJE-RHOMBUS Water Alarm: High Level, 120V AC, Auto, 85 dB, Audio/Visual, 1 Alarm Inputs, 3R
Item 4SEJ37
Compare
Web Price $273.13 / each
Qty 1 | Add to Cart

ZOELLER Water Alarm: High Level, 115V AC, Manual, 87 dB, Audio/Visual, 1 Alarm Inputs, 1
Item 53MD95

Customers Also Purchased

1000 GALLON NORWESCO SEPTIC TANK

underground septic tank, waste tank, sewage tank

Hover to zoom

- Features 2 - 20" manholes with 1 compartment
- Rib design and placement provide superior structural integrity to the tank.
- Lightweight - can be transported to the job site in a pickup truck and carried by just two people
- Rotationally molded rugged, one-piece tank with no seams to leak

Municipal and County code may vary from your state approval. Please make sure you consult with your local sanitation department or plumber on requirements.

Images may be inaccurate. See specs table below to ensure accuracy.

$1,900

Quick Summary	
PART#	**MPN:** 44473 / **Store ID:** X2073701
DIMENSIONS	102" Length x 60" Width x 63" Height
LIQUID ACCESS	1 Inlet , 1 Outlet , 2 Manway / Lid
WEIGHT / SHIP CLASS	300 lbs. / Ship Class 300
SHIPS FROM	GA, MN, NY, OH, OK, UT, WA
DRAWING	Norwesco 44473 Drawing

Riser & Extension Options

- [ ] **6" Tank Manhole Extension - Qty - 2** +$199.99
- [ ] **15" Tank Manhole Extension - Qty - 2** +$249.99
- [ ] **24" Tank Manhole Extension - Qty - 2** +$279.99
- [ ] **25" Tank Riser and 12" Lid - Qty - 2**

Chat