

# Column Reference Guide

## CMS RAW FIELD MAPPING & DATA DICTIONARY

Project Context: Medicare Utilization & Payment Analysis Documentation Reference

| RAW CMS COLUMN             | READABLE ALIAS          | DESCRIPTION / DATA RULES                                                                                                         |
|----------------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Rndrng_NPI                 | provider_id             | 10-digit National Provider Identifier - unique provider key registered in NPPES.                                                 |
| Rndrng_Privr_Last_Org_Name | provider_last_name      | Last name of the individual provider or the official organization name.                                                          |
| Rndrng_Privr_First_Name    | provider_first_name     | First name of the individual provider; blank/NULL for organizational providers.                                                  |
| Rndrng_Privr_MI            | provider_middle_initial | Middle initial of the individual provider; blank/NULL for organizational providers.                                              |
| Rndrng_Privr_Crdntls       | provider_credentials    | Self-reported credential suffix (e.g. MD, NP, DPM); blank/NULL for organizational providers. Free text, not standardized by CMS. |
| Rndrng_Privr_Ent_Cd        | provider_entity_type    | Identifies provider registration type: I = Individual, O = Organization.                                                         |
| Rndrng_Privr_St1           | street_address_1        | First line of the provider's street address, as reported in NPPES.                                                               |
| Rndrng_Privr_St2           | street_address_2        | Second line of the provider's street address; blank/NULL when not applicable.                                                    |
| Rndrng_Privr_City          | city                    | City where the provider is located, as reported in NPPES.                                                                        |
| Rndrng_Privr_State_Abrvtn  | state                   | 2-letter state postal abbreviation where the provider is located.                                                                |

| RAW CMS COLUMN                | READABLE ALIAS          | DESCRIPTION / DATA RULES                                                                                                                                                                  |
|-------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rndrng_Privr_State_FIPS       | state_fips_code         | FIPS code for the provider's state.                                                                                                                                                       |
| Rndrng_Privr_Zip5             | zip_code                | 5-digit zip code - stored as VARCHAR to preserve leading zeros.                                                                                                                           |
| Rndrng_Privr_RUCA             | ruca_urban_code         | Rural-Urban Commuting Area code assigned by CMS based on the provider's zip code, crosswalked to USDA 2010 RUCA standards. See README methodology for Urban/Rural classification details. |
| Rndrng_Privr_RUCA_Desc        | ruca_description        | Description of the Rural-Urban Commuting Area (RUCA) code.                                                                                                                                |
| Rndrng_Privr_Cntry            | country                 | Country code where the provider is located (defaults to 'US' for states and territories).                                                                                                 |
| Rndrng_Privr_Type             | provider_specialty      | CMS specialty label derived from the code associated with the provider's largest volume of services.                                                                                      |
| Rndrng_Privr_Mdcr_Prtcptg_Ind | is_medicare_participant | Identifies whether the provider participates in Medicare and/or accepts assignment of Medicare allowed amounts.                                                                           |
| HCPCS_Cd                      | procedure_code          | Healthcare Common Procedure Coding System alphanumeric code used to identify medical services.                                                                                            |
| HCPCS_Desc                    | procedure_description   | CMS/AMA description. Technical note: Level II descriptions are truncated to 256 bytes, meaning a shared description may occasionally appear across multiple codes.                        |
| HCPCS_Drug_Ind                | is_drug_procedure       | Y = drug/biological listed on the Medicare Part B Drug ASP File, N = non-drug.                                                                                                            |
| Place_Of_Srvc                 | service_location_type   | Identifies setting submitted on claims: F = Facility, O = Office/Non-facility.                                                                                                            |

| RAW CMS COLUMN     | READABLE ALIAS           | DESCRIPTION / DATA RULES                                                                                                                                                                                                           |
|--------------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tot_Benes          | total_patients           | Number of distinct beneficiaries receiving the service. CMS suppresses records derived from 10 or fewer beneficiaries.                                                                                                             |
| Tot_Srvcs          | total_services_performed | Total number of services provided; metrics used to count can vary from service to service.                                                                                                                                         |
| Tot_Bene_Day_Srvcs | total_service_days       | Number of distinct beneficiary/per day services. Removes line service double-counting to identify unique service dates.                                                                                                            |
| Avg_Sbmtcd_Chrg    | avg_billed_charge        | Average of the provider-set billed charges submitted for the service (chargemaster pricing).                                                                                                                                       |
| Avg_Mdcr_Alowd_Amt | avg_allowed_amount       | Average allowed amount (sum of Medicare payment, beneficiary deductible, coinsurance, and third-party liabilities).                                                                                                                |
| Avg_Mdcr_Pymt_Amt  | avg_medicare_payment     | Average net amount Medicare paid after subtracting deductible/coinsurance liabilities and general sequestration reductions.                                                                                                        |
| Avg_Mdcr_Stdzd_Amt | avg_standardized_payment | Average Medicare payment with geographic variation removed. Standardization eliminates differences due to local wages or input prices so cross-region comparisons reflect variations in practice patterns or patient care choices. |