Gradient Descent For Multiple Variables

Gradient Descent for Multiple Variables

The gradient descent equation itself is generally the same form; we just have to repeat it for our 'n' features:

$$
\begin{aligned}
&\text{repeat until convergence: } \{ \\
&\theta_0 := \theta_0 - \alpha \frac{1}{m} \sum_{i=1}^{m} (h_\theta(x^{(i)}) - y^{(i)}) \cdot x_0^{(i)} \\
&\theta_1 := \theta_1 - \alpha \frac{1}{m} \sum_{i=1}^{m} (h_\theta(x^{(i)}) - y^{(i)}) \cdot x_1^{(i)} \\
&\theta_2 := \theta_2 - \alpha \frac{1}{m} \sum_{i=1}^{m} (h_\theta(x^{(i)}) - y^{(i)}) \cdot x_2^{(i)} \\
&\dots \\
&\}
\end{aligned}
$$

In other words:

$$
\begin{aligned}
&\text{repeat until convergence: } \{ \\
&\theta_j := \theta_j - \alpha \frac{1}{m} \sum_{i=1}^{m} (h_\theta(x^{(i)}) - y^{(i)}) \cdot x_j^{(i)} \qquad \text{for j} := 0 \dots \text{n} \\
&\}
\end{aligned}
$$

The following image compares gradient descent with one variable to gradient descent with multiple variables:



✓ Complete

Go to next item