


```
% Invalid input detected at '^' marker.

R1#
R1#show ip ibnte
R1#show ip inter
R1#show ip interface br
R1#show ip interface brief
Interface                IP-Address      OK? Method Status          Protocol
FastEthernet0/0          20.25.7.1       YES NVRAM    up              up
GigabitEthernet1/0       20.25.98.1      YES NVRAM    up              up
Loopback0                 8.8.8.8         YES NVRAM    up              up
R1#
```

solarwinds | Solar-PuTTY free tool © 2019-2024 SolarWinds



```
Oct 9 10:51:34.271: %LINEPROTO-3-UPDOWN: Line protocol on Interface GigabitEthernet1/0, changed state to up
R2#
R2#show ip inter
R2#show ip interface br
R2#show ip interface brief
Interface                IP-Address      OK? Method Status          Protocol
FastEthernet0/0          20.25.7.2       YES NVRAM    up              up
GigabitEthernet1/0       unassigned      YES NVRAM    up              up
GigabitEthernet1/0.10    10.20.25.1      YES NVRAM    up              up
R2#
```

solarwinds | Solar-PuTTY free tool © 2019-2024 SolarWinds

```
GigabitEthernet1/0.10 10.20.25.1 YES NVRAM up up
R2#show ip nat tr
R2#show ip nat translations
Pro Inside global      Inside local      Outside local      Outside global
udp 20.25.7.2:4523      10.20.25.10:4500  20.25.98.2:4500    20.25.98.2:4500
tcp 20.25.7.2:4099      10.20.25.10:61345 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4100      10.20.25.10:61346 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4101      10.20.25.10:61348 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4102      10.20.25.10:61349 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4097      10.20.25.10:61350 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4103      10.20.25.10:61351 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4098      10.20.25.10:62421 10.7.98.2:443      10.7.98.2:443
tcp 20.25.7.2:4096      10.20.25.10:62422 10.7.98.2:443      10.7.98.2:443
R2#
```

Name	Source	Destination	Schedule	Service	Action	NAT	Security Profiles	Log	Bytes
lan-jump (port3) → lan-web (port4) 1									
JUMP-A-WEB	Jump-server	Web-server	always	SG-JUMP-A-WEB	ACCEPT	Disabled	SSL no-inspection	All	0 B
VPN-REMOTE → lan-jump (port3) 4									
DENY-SSH-BASICO	grp_vpn_basico VPN-POOL	Jump-server	always	SSH	DENY			All	0 B
VPN-PRIV-A-JUMP	grp_vpn_priv VPN-POOL	Jump-server	always	SG-VPN-PRIV	ACCEPT	Disabled	SSL no-inspection	All	117.51 kB
VPN-BASICO-A-JUMP	grp_vpn_basico VPN-POOL	Jump-server	always	SG-VPN-BASICO	ACCEPT	Disabled	SSL no-inspection	All	0 B
test	VPN-POOL	Jump-server	always	ALL	ACCEPT	Disabled	SSL no-inspection	UTM	0 B
VPN-REMOTE → lan-web (port4) 1									
DENY-SSH-BASICO2	grp_vpn_basico VPN-POOL	Web-server	always	SSH	DENY			All	0 B
Implicit 1									
Implicit Deny	all	all	always	ALL	DENY			Disabled	581 B

+ Create New Edit Delete Search Q			
Tunnel	Interface Binding	Status	Ref.
Custom 1			
VPN-REMOTE	WAN-ISP (port2)	1 dialup connection(s)	6

Name	Type	Members	IP/Netmask	Administrative Access	DHCP Clients	DHCP Ranges	Ref
802.3ad Aggregate 1							
fortilink	802.3ad Aggregate		Dedicated to FortiSwitch	PING Security Fabric Connection		10.255.1.2-10.255.1.254	2
Physical Interface 11							
lan-jump (port3)	Physical Interface		10.7.98.1/255.255.255.248	PING			6
lan-web (port4)	Physical Interface		10.7.98.9/255.255.255.248	PING			3
port1	Physical Interface		192.168.23.152/255.255.255.0	PING HTTPS SSH HTTP FMG-Access			0
port5	Physical Interface		0.0.0.0/0.0.0.0				0
port6	Physical Interface		0.0.0.0/0.0.0.0				0
port7	Physical Interface		0.0.0.0/0.0.0.0				0
port8	Physical Interface		0.0.0.0/0.0.0.0				0
port9	Physical Interface		0.0.0.0/0.0.0.0				0
port10	Physical Interface		0.0.0.0/0.0.0.0				0
WAN-ISP (port2)	Physical Interface		20.25.98.2/255.255.255.252	PING			3
Tunnel Interface 1							
NAT interface (nafroot)	Tunnel Interface		0.0.0.0/0.0.0.0				0

Firewall Group 7					
Email Access	DNS IMAP IMAPS POP3 +3				0
Exchange Server	DCE-RPC DNS HTTPS				0
SG-JUMP-A-WEB	HTTPS RDP SSH				1
SG-VPN-BASICO	HTTPS				1
SG-VPN-PRIV	HTTPS RDP				1
Web Access	DNS HTTP HTTPS				0
Windows AD	DCE-RPC DNS KERBEROS LDAP +3				0

Name	Details	Interface	Type	Ref
IP Range/Subnet				
FABRIC_DEVICE	0.0.0.0/0		Address	0
FIREWALL_AUTH_PORTAL_ADDRESS	0.0.0.0/0		Address	0
Jump-server	10.7.98.2/32	lan-jump (port3)	Address	6
SSLVPN_TUNNEL_ADDR1	10.212.134.200 - 10.212.134.210		Address	1
VPN-POOL	10.20.25.130 - 10.20.25.170		Address	5
VPN-REMOTE_range	10.20.25.130 - 10.20.25.170		Address	0
Web-server	10.7.98.10/32	lan-web (port4)	Address	2
all	0.0.0.0/0		Address	0
none	0.0.0.0/32		Address	0
FQDN				

```
docker0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    ether c6:11:df:f8:f8:c4 txqueuelen 0 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 2 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.20.25.11 netmask 255.255.255.128 broadcast 10.20.25.127
    inet6 fe80::c567:a814:6433:c3ae prefixlen 64 scopeid 0x20<link>
    ether 00:0c:29:f0:6f:ad txqueuelen 1000 (Ethernet)
    RX packets 43849 bytes 45601166 (43.4 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 29448 bytes 4256184 (4.0 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 477 bytes 57887 (56.5 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 477 bytes 57887 (56.5 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

tun0: flags=4305<UP,POINTOPOINT,RUNNING,NOARP,MULTICAST> mtu 1412
    2
    inet 10.20.25.132 netmask 255.255.255.255 destination 10.20.25.13
    inet6 fe80::a38b:8bcc:368f:4361 prefixlen 64 scopeid 0x20<link>
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen
    500 (UNSPEC)
    RX packets 3548 bytes 1961318 (1.8 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 3412 bytes 400019 (398.4 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

vpnc: Accepting expected ESP packet with seq 3531
vpnc: Accepting expected ESP packet with seq 3532
vpnc: Accepting expected ESP packet with seq 3533
vpnc: Accepting expected ESP packet with seq 3534
vpnc: Accepting expected ESP packet with seq 3535
vpnc: Accepting expected ESP packet with seq 3536
vpnc: Accepting expected ESP packet with seq 3537
vpnc: Accepting expected ESP packet with seq 3538
vpnc: Accepting expected ESP packet with seq 3539
vpnc: Accepting expected ESP packet with seq 3540
vpnc: Accepting expected ESP packet with seq 3541
vpnc: Accepting expected ESP packet with seq 3542
vpnc: Accepting expected ESP packet with seq 3543
vpnc: Accepting expected ESP packet with seq 3544
vpnc: Accepting expected ESP packet with seq 3545
vpnc: Accepting expected ESP packet with seq 3546
vpnc: Accepting expected ESP packet with seq 3547
vpnc: Accepting expected ESP packet with seq 3548
vpnc: Accepting expected ESP packet with seq 3549
```

```
vpnc: Accepting expected ESP packet with seq 3531
vpnc: Accepting expected ESP packet with seq 3532
vpnc: Accepting expected ESP packet with seq 3533
vpnc: Accepting expected ESP packet with seq 3534
vpnc: Accepting expected ESP packet with seq 3535
vpnc: Accepting expected ESP packet with seq 3536
vpnc: Accepting expected ESP packet with seq 3537
vpnc: Accepting expected ESP packet with seq 3538
vpnc: Accepting expected ESP packet with seq 3539
vpnc: Accepting expected ESP packet with seq 3540
vpnc: Accepting expected ESP packet with seq 3541
vpnc: Accepting expected ESP packet with seq 3542
vpnc: Accepting expected ESP packet with seq 3543
vpnc: Accepting expected ESP packet with seq 3544
vpnc: Accepting expected ESP packet with seq 3545
vpnc: Accepting expected ESP packet with seq 3546
vpnc: Accepting expected ESP packet with seq 3547
vpnc: Accepting expected ESP packet with seq 3548
vpnc: Accepting expected ESP packet with seq 3549
```

```
□
```

