What Missionary Control Left in the Language of Two 1880s isiXhosa Newspapers

Emmanuel Azubuike (2698752) George Ayensu (2722188) Banele Mkhize (2663814)
University of the Witwatersrand, Johannesburg, South Africa

Abstract

Where did missionary control leave its trace in the earliest isiXhosa press: in what the papers covered (salience) or how they used words (framing)? We compare the missionary *Isigidimi sama-Xosa* with *Imvo Zabantsundu*, founded free of missionary control. Salience separates the papers: Imvo uses parliamentary vocabulary 3.3 times as often; Isigidimi religious vocabulary four times as often. Neither survives correction for 15 tests; the religious gap exceeds era drift and matches the archive's account, the parliamentary gap exceeds drift on its point estimate only. Framing evidence is weaker: embedding spaces differ globally and no single concept is robustly shifted; a lean of political words towards religious contexts in Isigidimi survives correction at narrow windows but rests on one word. Historical text costs modern tokenizers 2–12% more subwords per character; spelling alone raises it only for the African-language model. The papers differ in what they printed; whether missionary control changed how political language was used is below our test's detection floor at this corpus size.

Introduction and Background

Where did missionary control leave its trace in the language of the earliest isiXhosa press? The IsiXhosa Intellectual Traditions archive (Schoots et al., 2023a) holds South Africa's earliest African-language newspapers. *Isigidimi sama-Xosa* was a missionary paper; *Imvo Zabantsundu*, founded in 1884 by Isigidimi's former editor J. T. Jabavu (Schoots, 2023b, p. 71), was the first African-owned paper, free "from any missionary control" (Schoots et al., 2023a, p. 55). The archive's authors see Isigidimi's origin "revealed in the frequency of church and Bible stories" (Schoots et al., 2023a, p. 57). We add a controlled test, using the communication-research distinction between *agenda-setting*, what is covered (McCombs & Shaw, 1972), and *framing*, how it is presented (Entman, 1993). We measure the first as **salience** (rate of a concept's vocabulary), the second as the company a word keeps in embedding space (Hamilton et al., 2016a). Computational work separating them is mainly on modern, high-resource news (Card et al., 2015; Field et al., 2018). For these papers, Schoots (2023b) tracked root-word frequencies, showing how editors and elections shaped identity vocabulary (*-ntsundu*, *-mnyama*). We extend that work with frequency-matched baselines for salience, an embedding-based framing test against permuted and matched nulls, and an audit of what historical spelling costs modern tokenizers, which already charge low-resource languages more (Petrov et al., 2023; Rust et al., 2021). Who builds such technology for African languages, and on whose terms, is itself contested (Bird, 2020). **H1** Salience of political and religious vocabulary differs. **H2** Framing of political concepts differs, Isigidimi's lying closer to religious contexts. **H3** Historical text and its spelling raise tokenizer cost.

Methods

Data. We use the isiXhosa blocks of the archive's human-corrected transcriptions (not spell-checked; orthography and word division are unstandardised; Schoots et al., 2023a, p. 59). The window runs from Imvo's first issue (1 November 1884) to 1888; Isigidimi's 1886 editions are missing from the archive (Schoots et al., 2023a, p. 59). In this window Gqoba edited Isigidimi and Jabavu Imvo (Schoots, 2023b, p. 71), so both had African editors; what differs is ownership. Isigidimi has 286,663 tokens, Imvo 1.31M; per month we draw Imvo pages matching Isigidimi's size, ten times.

Salience. Concepts are stems (Table S1) chosen and checked as in Schoots (2023b), inspecting the most frequent matched forms for false positives: 10 political concepts fixed before testing, four neutral controls, and exploratory religion *tixo*/*kristu* (suggested by an issue-grouped nested-CV classifier trained on the test window, 0.83 balanced accuracy). Rate ratios carry issue-bootstrap CIs and are ranked against 2000 matched sets (random word types of the same combined frequency; cf. Monroe et al., 2008); the 15 tests are uncorrected. Held-out windows (Isigidimi 1876–83, Imvo 1889–94) test era sensitivity; all runs are CPU-only (about three hours).

Framing. We use fastText skip-gram (Bojanowski et al., 2017), more stable than word2vec here (0.83 vs 0.64). Hyperparameters (dim 400, window 1, 20 epochs) were tuned for seed stability (Antoniak & Mimno, 2018) on out-of-window text. A word's *profile shift* is $1 - r$ between its cosine profiles over the 500 most frequent shared words in the two spaces (adapted from Hamilton et al., 2016b); a concept's shift is the mean over its forms' fastText vectors; windows 2 and 5 test sensitivity. The null pools issues from both papers and reassigns them to two token-balanced groups (50 permutations; cf. Dubossarsky et al., 2017); concepts are also ranked against 2000 matched sets. Neighbour overlap (Jaccard) follows Gonen et al. (2020); a directional test compares similarity to religious versus political anchors.

Tokenizers. On modern isiXhosa news (Adelani et al., 2023) we count subwords for XLM-R (Conneau et al., 2020), Serengeti (Adebara et al., 2023) and mBERT for (a) modern text, (b) the same with aspiration stripped and (c) historical text; (a to b) per word, (a to c) per character.

Results

Salience (H1). Imvo uses parliamentary vocabulary 3.3$\times$ as often (matched-set $p = 0.018$) and Isigidimi religious vocabulary four times as often (0.24$\times$, $p = 0.020$); neither survives correc-



Figure 1: Agenda (left) is a clearer signal than framing (right). Left: lmvo/Isigidimi rate ratio (95% CI); filled = $p < 0.05$ uncorrected. Right (markers as left): profile-shift percentile among matched sets; 'too rare' = too few occurrences, 'seed word' = defines the religious anchors, so untestable.




Figure 2: (a) Religious vocabulary (per million tokens) was falling in Isigidimi long before 1884. (b) Parliamentary vocabulary (per million tokens) appears in 1883; light blue: fortnightly issues (Schoots et al., 2023a, p. 59). (c) Subword cost vs modern text: spelling alone (per word) raises it only for Serengeti; historical text (per character) for all.

tion for 15 tests ($p < 0.003$) and nothing else lies beyond the matched sets (Fig. 1, left). Isigidimi's parliamentary drift is 1.8× (CI to 5.0, overlapping the gap); *vote* rises 8.5× within Isigidimi, so it and government are era-driven, not interpreted (Table S3).

Framing (H2). Mean profile shift (0.348) exceeds the permutation null (0.230), a global gap of 0.118, so concepts face matched sets (Fig. 1, right). No single concept is robust: parliament reaches the 96th percentile ($p = 0.045$), as a neutral control (cattle) does. Parliament and vote pooled shift on neighbour overlap (Jaccard) in all five settings (94th–98th percentile, $p = 0.016$–0.061) but on profile only at windows 1–2 (62nd at window 5; Table S2). Political concepts lean towards religious anchors in Isigidimi in all five settings (pooled Δ +0.44 to +0.76; $p < 0.001$ at windows 1–2, surviving correction, $p \leq 0.016$ elsewhere), but without *land* p is 0.010–0.256 and *house* shifts as much. A one-word concept must shift by 0.15 (1.645 matched-set SDs), above the global gap.

Tokenizers (H3). Per word, stripping aspiration raises Serengeti's cost by 2.2% but lowers XLM-R's and mBERT's (-2.2%, -3.4%); per character, historical text costs 12.4%, 4.1% and 1.7% more for Serengeti, XLM-R and mBERT (CIs $\pm 0.5\%$; Fig. 2c).

Discussion

Agenda more than framing (H1, H2). The papers differ clearly in what they printed, as missionary control would predict; whether it also changed how contributors wrote, we cannot show. The religious gap matches the archive's account (Schoots et al., 2023a, p. 57); the parliamentary gap has no such corroboration. Neither is causal: Isigidimi's religious vocabulary fell from 1876, long before lmvo, and rebounded in 1884–85, coinciding with Gqoba's editorship and lmvo's competition; parliamentary vocabulary enters Isigidimi in 1883–84, late in Jabavu's 1881–84 editorship (Schoots, 2023b, p. 71), when it appeared fortnightly (Schoots et al., 2023a, p. 59) and before the 1884 election; editor and election effects cannot be separated. A gap only in editorials would show the editors' voice; one in letters too, different contributor bases (editors' selection or writers' choice, which print cannot separate).

What the embeddings see (H2). Words shift globally, not specifically; joining partly disjunctive forms (*uku ba*) left the gap unchanged (0.118, 0.118). Narrow windows favour grammatical similarity; local context may differ while overall position barely does. The lean rests on *land* (*umhlaba*), also 'earth' or 'world', plausible in religious writing: for a speaker to check.

Responsible NLP (H3). Spelling alone costs only Serengeti, the African-language model, whose vocabulary has twice XLM-R's share of *th*/*kh*/*ph* entries (1.9% vs 0.9%): a one-model hypothesis, inflated if MasakhaNEWS was in its training data. Normalising spelling would erase the orthography the archive preserves and is not reversible (old *t* may be modern *t* or *th*). Shifts describe these editor-filtered papers, not isiXhosa speakers, and cultural readings without speaker review would be extractive (Bird, 2020). The archive's planned machine-learning labelling (Schoots et al., 2023a) risks the same. Limitations: two papers, one window, a missing year, no editor metadata, era-confounded held-out windows, a modern-news domain mismatch, unreviewed stems and glosses (*rulumente*: 'government' here, 'parliament' in Schoots et al., 2023a, p. 62). Whether missionary control changed political language lies below our test's detection floor at this corpus size.

References

Adebara, I., Elmadany, A., Abdul-Mageed, M., & Alcoba Inciarte, A. (2023). SERENGETI: Massively multilingual language models for Africa. In *Findings of the Association for Computational Linguistics: ACL 2023.*

Adelani, D. I., et al. (2023). MasakhaNEWS: News topic classification for African languages. In *Proceedings of IJCNLP-AACL 2023*.

Antoniak, M., & Mimno, D. (2018). Evaluating the stability of embedding-based word similarities. *Transactions of the Association for Computational Linguistics*, *6*, 107–119.

Bird, S. (2020). Decolonising speech and language technology. In *Proceedings of COLING.*

Bojanowski, P., Grave, E., Joulin, A., & Mikolov, T. (2017). Enriching word vectors with subword information. *Transactions of the Association for Computational Linguistics*, *5*, 135–146.

Card, D., Boydstun, A. E., Gross, J. H., Resnik, P., & Smith, N. A. (2015). The media frames corpus: Annotations of frames across issues. In *Proceedings of ACL-IJCNLP.*

Conneau, A., Khandelwal, K., Goyal, N., et al. (2020). Unsupervised cross-lingual representation learning at scale. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics.*

Dubossarsky, H., Weinshall, D., & Grossman, E. (2017). Outta control: Laws of semantic change and inherent biases in word representation models. In *Proceedings of EMNLP.*

Entman, R. M. (1993). Framing: Toward clarification of a fractured paradigm. *Journal of Communication*, *43*(4), 51–58.

Field, A., Kliger, D., Wintner, S., Pan, J., Jurafsky, D., & Tsvetkov, Y. (2018). Framing and agenda-setting in Russian news: A computational analysis of intricate political strategies. In *Proceedings of EMNLP.*

Gonen, H., Jawahar, G., Seddah, D., & Goldberg, Y. (2020). Simple, interpretable and stable method for detecting words with usage change across corpora. In *Proceedings of ACL.*

Hamilton, W. L., Leskovec, J., & Jurafsky, D. (2016a). Diachronic word embeddings reveal statistical laws of semantic change. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics* (pp. 1489–1501).

Hamilton, W. L., Leskovec, J., & Jurafsky, D. (2016b). Cultural shift or linguistic drift? Comparing two computational measures of semantic change. In *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing (EMNLP)* (pp. 2116–2121).

McCombs, M. E., & Shaw, D. L. (1972). The agenda-setting function of mass media. *Public Opinion Quarterly*, *36*(2), 176–187.

Monroe, B. L., Colaresi, M. P., & Quinn, K. M. (2008). Fightin' words: Lexical feature selection and evaluation for identifying the content of political conflict. *Political Analysis*, *16*(4), 372–403.

Petrov, A., La Malfa, E., Torr, P. H. S., & Bibi, A. (2023). Language model tokenizers introduce unfairness between languages. In *Advances in Neural Information Processing Systems.*

Rust, P., Pfeiffer, J., Vulić, I., Ruder, S., & Gurevych, I. (2021). How good is your tokenizer? On the monolingual performance of multilingual language models. In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics.*

Schoots, J. (2023b). Analyzing political formation through historical isiXhosa text analysis: Using frequency analysis to examine emerging African nationalism in South Africa. In *Proceedings of the Fourth Workshop on Resources for African Indigenous Languages (RAIL 2023)* (pp. 65–75).

Schoots, J., Ngwendu, A., De Wet, J., & Muftic, S. (2023a). IsiXhosa intellectual traditions digital archive: Digitizing isiXhosa texts from 1870-1914. In *Proceedings of the Fourth Workshop on Resources for African Indigenous Languages (RAIL 2023)* (pp. 54–64).

Statement on the use of generative AI (Faculty of Science AI Ethics Statement)

Generative AI (Claude, by Anthropic, used through the Claude Code tool) helped to write the analysis code (data preparation, embedding experiments, statistics, figure scripts), to draft and edit the text and LaTeX source, and to fill in the checklist below from the course template. Generative AI was also used to review drafts and suggest revisions; suggested changes were checked against the code outputs and the cited sources before being kept. All numbers in the paper are produced by the submitted code and were read from its output files. The authors take full responsibility for all code and text submitted, including the accuracy of every claim and citation.

NeurIPS Paper Checklist

1. **Claims**

   Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?

   Answer: [Yes]

   Justification: The abstract and introduction state three hypotheses (H1 salience, H2 framing, H3 tokenizer cost) and report what was found, including the negative results (framing is weak and non-specific; the directional lean survives correction at narrow windows but rests on one word). Claims about meaning are scoped as unreviewed by a first-language speaker.

   Guidelines:

   - The answer NA means that the abstract and introduction do not include the claims made in the paper.
   - The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
   - The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
   - It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. **Limitations**

   Question: Does the paper discuss the limitations of the work performed by the authors?

   Answer: [Yes]

   Justification: The Discussion ends with limitations (two newspapers, one window, 1886 Isigidimi editions missing from the archive, era-confounded held-out windows, no editor metadata in the files used, unreviewed stems and glosses; supplement and code add the domain mismatch of the modern news and the unverified Serengeti pretraining overlap) and states the detection floor of the framing test.

   Guidelines:

   - The answer NA means that the paper has no limitation while the answer No means that the paper has limitations, but those are not discussed in the paper.
   - The authors are encouraged to create a separate "Limitations" section in their paper.
   - The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
   - The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
   - The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
   - The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
   - If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
   - While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. **Theory Assumptions and Proofs**

   Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

   Answer: [NA]

   Justification: The paper has no theoretical results.

   Guidelines:

   - The answer NA means that the paper does not include theoretical results.
   - All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
   - All assumptions should be clearly stated or referenced in the statement of any theorems.
   - The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.

- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. **Experimental Result Reproducibility**

   Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

   Answer: [Yes]

   Justification: The Methods give the window, the date-matched subsampling, concept stems, model and hyper-parameter choices, the permutation null, the matched-set tests and the tokenizer conditions. Remaining details (anchor lists, word-joining rules, tokenizer rewrite rules) are in the submitted code and README.txt, which gives the run order; seeds are fixed.

   Guidelines:

   - The answer NA means that the paper does not include experiments.
   - If the paper includes experiments, a No answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
   - If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
   - Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general. releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
   - While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
   (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
   (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
   (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).
   (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. **Open access to data and code**

   Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

   Answer: [Yes]

   Justification: The code is submitted with requirements.txt and README.txt (exact run order). The newspaper texts are the public IsiXhosa Intellectual Traditions archive: the course-provided zip is read by src/01_prepare_data.py and the same texts can be downloaded from the archive DOIs listed in README.txt (Schoots et al., 2023a); the modern text is public (MasakhaNEWS) and README.txt gives the download command.

   Guidelines:

   - The answer NA means that paper does not include experiments requiring code.
   - Please see the NeurIPS code and data submission guidelines (`https://nips.cc/public/guides/CodeSubmissionPolicy`) for more details.
   - While we encourage the release of code and data, we understand that this might not be possible, so "No" is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
   - The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (`https://nips.cc/public/guides/CodeSubmissionPolicy`) for more details.
   - The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
   - The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
   - At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
   - Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. **Experimental Setting/Details**

   Question: Does the paper specify all the training and test details (e.g., data splits, hyperparameters, how they were chosen, type of optimizer, etc.) necessary to understand the results?

   Answer: [Yes]

Justification: Hyper-parameters were chosen on text outside the test window (Isigidimi 1876-83, Imvo 1889-94) by seed stability over four grid rounds (outputs/tuning_grid.csv), the classifier uses issue-grouped nested cross-validation, and the subsampling and permutation procedures are described.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. **Experiment Statistical Significance**

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: [Yes]

Justification: Salience has issue-level bootstrap CIs; framing uses a permutation null (50 permutations) and 2000 frequency-matched word sets; tokenizer changes have bootstrap CIs (within about 0.5%, stated in the Results). The 15 salience tests and the framing tests are uncorrected; the paper says so, states that no salience result survives correction while the directional framing test does at windows 1–2 (but depends on one word), and rests its argument on robustness and corroboration. The held-out comparison is era-confounded and is presented as an era-sensitivity check, with within-paper drift (including vote's large drift) as calibration; the classifier was trained on the test window, so religion is exploratory.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The authors should answer "Yes" if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).
- If error bars are reported in tables or plots, The authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. **Experiments Compute Resources**

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes]

Justification: All experiments ran on CPU only (no GPU) in roughly three hours in total, including tuning rounds and the earlier framing design that was replaced; the Methods state CPU-only and the runtime, and README.txt gives the four-core setup.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. **Code Of Ethics**

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics `https://neurips.cc/public/EthicsGuidelines`?

Answer: [Yes]

Justification: The work uses public-domain historical newspapers and public modern news text, collects no data from people, and flags that interpretation needs first-language-speaker review. To our knowledge it conforms to the Code of Ethics.

Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.

- If the authors answer No, they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. **Broader Impacts**

    Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

    Answer: [Yes]

    Justification: The Discussion covers fairness implications (higher tokenizer cost for historical isiXhosa, worst for the African-language model; consequences for planned machine-learning labelling of the archive) and the risk of over-reading statistical shifts as cultural meaning.

    Guidelines:

    - The answer NA means that there is no societal impact of the work performed.
    - If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.
    - Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
    - The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
    - The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
    - If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. **Safeguards**

    Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pretrained language models, image generators, or scraped datasets)?

    Answer: [NA]

    Justification: No models or datasets with misuse risk are released: the outputs are statistics, word lists and code, and the source texts are public-domain archive material.

    Guidelines:

    - The answer NA means that the paper poses no such risks.
    - Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.
    - Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
    - We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. **Licenses for existing assets**

    Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

    Answer: [Yes]

    Justification: Assets are credited and licences stated: IsiXIT texts (Schoots et al., 2023a; public domain per its authors); MasakhaNEWS (Adelani et al., 2023; AFL-3.0 on its dataset card); XLM-R (MIT) and mBERT (Apache-2.0) per their Hub cards; Serengeti states no licence on its model card and is used only to count tokens; gensim (LGPL) and scikit-learn (BSD) for modelling. Versions are in requirements.txt.

    Guidelines:

    - The answer NA means that the paper does not use existing assets.
    - The authors should cite the original paper that produced the code package or dataset.
    - The authors should state which version of the asset is used and, if possible, include a URL.
    - The name of the license (e.g., CC-BY 4.0) should be included for each asset.
    - For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
    - If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, `paperswithcode.com/datasets` has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.

- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. **New Assets**

    Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

    Answer: [Yes]

    Justification: New assets are the analysis code and derived word lists (anchors, word-joining rules, the speaker-check sheet), documented in README.txt; no new text corpus is released.

    Guidelines:

    - The answer NA means that the paper does not release new assets.
    - Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
    - The paper should discuss whether and how consent was obtained from people whose asset is used.
    - At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. **Crowdsourcing and Research with Human Subjects**

    Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

    Answer: [NA]

    Justification: No crowdsourcing or human-subjects research was conducted. A first-language isiXhosa speaker is to be consulted as an expert adviser to check our interpretations; their judgments are not reported as data.

    Guidelines:

    - The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
    - Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
    - According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. **Institutional Review Board (IRB) Approvals or Equivalent for Research with Human Subjects**

    Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

    Answer: [NA]

    Justification: No human-subjects research was conducted.

    Guidelines:

    - The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
    - Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
    - We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
    - For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

Supplementary material

S1. Concepts, stems and the word forms they match (1 Nov 1884–1888, both papers)

Stems are matched as substrings of surface forms; following Schoots (2023b) we inspected forms for false positives (our first *law* stem also matched *inteto*, speech, and was dropped) but did not hand-filter them, so run-together forms (e.g. *rulumenteningomsebenzi*) and missed variants remain. All stems, forms and glosses await review by a first-language isiXhosa speaker. Political concepts were fixed before testing; religion was suggested by the classifier and is exploratory.

Concept	Type	Stems	Most frequent matched forms (count; number of distinct forms)
parliament	political	palamente	palamente (1754), ipalamente (47), palamenteni (22), epalamente (14), bapalamente (1), nepalamente (1), yepalamente (1); 11 forms
vote	political	voti	ivoti (301), voti (217), evotini (136), abavoti (98), ngevoti (55), levoti (22), nevoti (22); 115 forms
government	political	rulumente	rulumente (1882), rulumenteni (7), urulumente (5), serulumente (1), rulumenteningomsebenzi (1), zikarulumente (1), rulumenteayiko (1); 8 forms
rule	political	mbuso	zombuso (169), umbuso (76), mbuso (60), yombuso (42), kombuso (37), lombuso (28), kulombuso (23); 43 forms
law	political	mteto	umteto (724), lomteto (475), mteto (406), ngomteto (167), ngumteto (94), komteto (76), nomteto (76); 82 forms
rights	political	lungelo	amalungelo (315), ilungelo (288), lungelo (113), nelungelo (54), namalungelo (50), lilungelo (39), elilungelo (37); 115 forms
country	political	lizwe	lizwe (646), ilizwe (292), kwelilizwe (201), elilizwe (101), elizwe (96), belilizwe (76), yelilizwe (52); 78 forms
land	political	mhlaba	umhlaba (836), mhlaba (208), lomhlaba (156), nomhlaba (105), komhlaba (99), somhlaba (95), yomhlaba (94); 135 forms
freedom	political	kululek	inkululeko (27), kukululekile (24), ukululekile (13), ngenkululeko (10), abakululekileyo (8), nkululeko (8), nenkululeko (7); 92 forms
humanity	political	buntu	ubuntu (45), yobuntu (14), nobuntu (8), sobuntu (8), buntu (7), lobuntu (7), zobuntu (6); 29 forms
time	neutral	xesha	ixesha (787), ngexesha (364), xesha (298), amaxesha (243), lixesha (191), ngamaxesha (149), zamaxesha (114); 207 forms
house	neutral	ndlu	indlu (719), izindlu (328), kwindlu (276), ndlu (234), yendlu (227), ngendlu (133), nendlu (130); 193 forms
rain	neutral	mvula	imvula (267), mvula (31), yemvula (23), ezimvula (17), lemvula (16), yimvula (14), zimvula (10); 45 forms
cattle	neutral	nkomo	inkomo (555), zenkomo (258), nkomo (193), yenkomo (93), nenkomo (75), ngenkomo (35), lenkomo (33); 79 forms
religion	exploratory	tixo, kristu	tixo (684), kristu (207), makristu (7), kristukazi (7), mkristu (3), amakristu (2), lobukristu (1); 16 forms

S2. Secondary framing tests across settings

Percentile of the observed shift among 2000 frequency-matched word sets, and one-sided p (uncorrected). P+V = *palamente* + *voti*; P+V+R adds *rulumente* (uncertain meaning). Directional Δ: Isigidimi minus Imvo, religious minus political similarity, political concepts, two-sided p against matched sets.

Setting	P+V profile	P+V Jaccard	P+V+R profile	P+V+R Jaccard	Δ	Δ p	p w/o land
window 1 (tuned)	92 (p=0.083)	96 (p=0.039)	92 (p=0.077)	99 (p=0.007)	+0.68	$<$0.001	0.010
window 1, forms joined	99 (p=0.010)	95 (p=0.053)	100 (p=0.001)	100 (p=0.002)	+0.44	0.016	0.088
window 2	86 (p=0.139)	94 (p=0.061)	90 (p=0.096)	99 (p=0.010)	+0.76	$<$0.001	0.045
window 2, forms joined	91 (p=0.094)	98 (p=0.023)	99 (p=0.011)	100 (p=0.002)	+0.58	0.009	0.064
window 5	62 (p=0.382)	98 (p=0.016)	81 (p=0.189)	100 (p=0.002)	+0.66	0.015	0.256

S3. Era drift: does a concept's rate move across eras within one paper?

Per-million-token rates and ratios (later/earlier, or Imvo/Isigidimi) with issue-bootstrap 95% CIs.

Concept	Comparison	First	Second	Ratio (95% CI)
parliament	Isigidimi: later / earlier era	214	394	1.84 (0.96–4.98)
parliament	Imvo: later / earlier era	1320	758	0.57 (0.50–0.66)
parliament	Imvo 1889-94 / Isigidimi 1876-83 (held-out)	214	758	3.54 (1.98–9.58)
government	Isigidimi: later / earlier era	1667	1088	0.65 (0.50–0.85)
government	Imvo: later / earlier era	1210	452	0.37 (0.31–0.45)
government	Imvo 1889-94 / Isigidimi 1876-83 (held-out)	1667	452	0.27 (0.22–0.34)
vote	Isigidimi: later / earlier era	72	614	8.55 (3.51–18.94)
vote	Imvo: later / earlier era	799	921	1.15 (0.88–1.51)
vote	Imvo 1889-94 / Isigidimi 1876-83 (held-out)	72	921	12.82 (7.85–25.92)
religion	Isigidimi: later / earlier era	2466	1556	0.63 (0.46–0.84)
religion	Imvo: later / earlier era	362	547	1.51 (1.15–2.03)
religion	Imvo 1889-94 / Isigidimi 1876-83 (held-out)	2466	547	0.22 (0.18–0.28)