STADIO 1: Data Request for Streaming Churn Prediction

Purpose. To predict which STADIO 1 TV subscribers are likely to cancel or not renew, early enough for a retention action to change the outcome. This request lists the data needed from ten sources. Please supply as much detail as possible; more granular data lets us find problems early.

General requirements (apply to all tables)

• **Population:** ALL subscribers who held a STADIO 1 TV subscription at any point in the last 3 years, including those who have already cancelled. Excluding cancelled subscribers would make prediction impossible.
• **Format:** one CSV file per table, UTF-8, comma-separated, with a header row using the column names below. Please include a short data dictionary if any column differs from this request.
• **Timestamps:** all date-times in UTC, in yyyy-MM-dd HH:mm:ss format (the pack notes timestamps are currently inconsistent across time zones). Please also supply the local time zone where it is requested.
• **Money:** integer amounts in the smallest currency unit (cents), with the currency code in a separate column.
• **Privacy:** please pseudonymise all identifiers (replace with a consistent hashed or random ID). Do NOT send names, email addresses, phone numbers, card details or precise addresses. Only fans whose consent covers analytical use should be included.
• **Missing values:** leave blank; do not use placeholders such as 0, -1 or 'N/A'. Please tell us how often each source is refreshed.

Table 1: Subscriptions (one row per subscription period)

Source: Streaming (STADIO 1 TV), 3 years. This table defines the churn label.

Column name	Data type	Example	Additional information
subscriber_id	String, identifier	S00482913	Pseudonymised ID, consistent across all tables (see Table 10).
subscription_id	String, identifier	SUB-2025-0093321	Unique per subscription period. One subscriber may have several.
plan_type	String, categorical	Monthly	Monthly, Annual, Seasonal, Trial, or other plan names in use. Please list all plan types.
plan_price	Numeric, integer	1499	Price charged per billing period, in cents.
currency	String, categorical	USD	ISO 4217 currency code.
start_datetime	String, datetime	2025-03-02 14:05:11	UTC. When the subscription period began.
end_datetime	String, datetime	2026-03-02 14:05:11	UTC. When the period ended or is due to end. Blank if open-ended.
status	String, categorical	Cancelled	Active, Cancelled, Expired, Payment failed, Paused.
cancellation_datetime	String, datetime	2026-01-15 09:12:40	UTC. When the fan asked to cancel (may differ from end_datetime). Blank if not cancelled.
cancellation_type	String, categorical	Voluntary	Voluntary, Payment failure, Non-renewal, Other. Needed to define churn precisely.
cancellation_reason	String, categorical	Too expensive	Reason selected in the cancel flow, if captured. Please list the possible values.
acquisition_channel	String, categorical	App upsell	How the fan subscribed, e.g. App upsell, Website, Partner bundle, Email offer.
discount_amount	Numeric, integer	500	Discount applied per billing period, in cents. 0 if none.
promo_code	String, categorical	PREMIERE25	Promotion or offer code used at sign-up. Blank if none.
auto_renew	Boolean	TRUE	Whether auto-renewal was on at the end of the period.

Table 2: Billing and payments (one row per payment attempt)

Source: Streaming (STADIO 1 TV). Separates payment failure (involuntary churn) from voluntary churn.

Column name	Data type	Example	Additional information
payment_id	String, identifier	PAY-889012	Unique payment attempt ID.
subscription_id	String, identifier	SUB-2025-0093321	Links to Table 1.
payment_datetime	String, datetime	2025-04-02 00:01:12	UTC.
amount	Numeric, integer	1499	Amount attempted, in cents.
payment_status	String, categorical	Failed	Success, Failed, Refunded, Chargeback.
failure_reason	String, categorical	Card expired	Reason for failure, if available. Blank if successful.
payment_method_type	String, categorical	Card	Card, Wallet, Bank transfer, Carrier billing, Other. No card numbers, please.

Table 3: Viewing sessions (one row per viewing session)

Source: Streaming (STADIO 1 TV), 3 years. Core engagement data.

Column name	Data type	Example	Additional information
session_id	String, identifier	VS-77120334	Unique session ID.
subscriber_id	String, identifier	S00482913	Links to Table 1.
session_start_datetime	String, datetime	2026-05-24 13:58:02	UTC.
session_duration	Numeric, integer	5400	Seconds actively viewed.
event_id	String, identifier	2026-R08	Grand Prix the content relates to (see Table 4). Blank for non-race content.
content_type	String, categorical	Race	Practice, Qualifying, Sprint, Race, Replay, Highlights, Documentary, Other.
live_or_on_demand	String, categorical	Live	Live or On demand.
percent_watched	Numeric, float	82.5	Share of the content watched, 0 to 100.
device_type	String, categorical	Smart TV	Smart TV, Mobile, Tablet, Web, Console, Other.
viewing_country	String, categorical	ZA	ISO 3166-1 alpha-2 country code where the session took place.
local_timezone	String, categorical	Africa/Johannesburg	IANA time zone name.

Table 4: Race calendar and race characteristics (one row per event)

Source: Race telemetry and timing (8 years available; we need at least the same 3 years as streaming). Used to explain engagement swings.

Column name	Data type	Example	Additional information
event_id	String, identifier	2026-R08	Unique per Grand Prix.
event_name	String	Monaco Grand Prix	Official event name.
event_date	String, date	2026-05-24	Race day, yyyy-MM-dd.
host_country	String, categorical	MC	ISO 3166-1 alpha-2.
race_start_datetime	String, datetime	2026-05-24 13:00:00	UTC.
overtakes	Numeric, integer	34	Total on-track overtakes in the race.
lead_changes	Numeric, integer	3	Number of times the race lead changed.
safety_car_count	Numeric, integer	1	Safety car or red flag periods.
winning_margin	Numeric, float	4.812	Gap between first and second in seconds.
championship_gap	Numeric, integer	12	Points gap between 1st and 2nd in the drivers' championship before the race.
weather_condition	String, categorical	Dry	Dry, Wet, Mixed.
rule_change_flag	Boolean	FALSE	TRUE if a major rule change applied that season or race (see Table 8 for reactions).

Table 5: App and fantasy activity (one row per activity event)

Source: App and fantasy, 4 years. Please supply event-level data, or daily counts per user and activity type if event-level is not possible.

Column name	Data type	Example	Additional information
app_user_id	String, identifier	A5510298	Pseudonymised app ID; mapped to subscriber_id in Table 10.
activity_datetime	String, datetime	2026-05-23 18:31:09	UTC.
activity_type	String, categorical	Prediction	Login, Prediction, Follow, Notification open, Clip view, Fantasy team change, Other.
event_id	String, identifier	2026-R08	Related Grand Prix, if any.
driver_or_team	String, categorical	Team 4	Driver or team followed or predicted, if relevant.
fantasy_points	Numeric, integer	236	Fantasy points earned. Blank if not a fantasy action.
platform	String, categorical	iOS	iOS, Android, Web.
app_version	String	8.2.1	Version at time of activity.
registration_date	String, date	2023-03-14	Date the app account was created.
notification_setting	String, categorical	All on	All on, Some on, All off. State at the extraction date.

Table 6: Ticketing and hospitality (one row per ticket purchase)

Source: Ticketing and hospitality, 5 years.

Column name	Data type	Example	Additional information
ticket_id	String, identifier	TK-4400129	Unique ticket ID.
customer_id	String, identifier	T3201188	Pseudonymised ticketing ID; mapped to subscriber_id in Table 10.
event_id	String, identifier	2026-R08	Grand Prix attended.
purchase_datetime	String, datetime	2026-02-11 10:22:45	UTC.
ticket_category	String, categorical	Grandstand	General admission, Grandstand, Hospitality, VIP, Other.
price_paid	Numeric, integer	145000	In cents.
resold_flag	Boolean	FALSE	TRUE if the ticket was resold or transferred.
attended_flag	Boolean	TRUE	TRUE if the ticket was scanned at the venue. FALSE = no-show.

Table 7: Email and marketing (one row per email sent)

Source: Email and marketing, 3 years. Please include retention and renewal campaigns.

Column name	Data type	Example	Additional information
send_id	String, identifier	EM-99120045	Unique send ID.

Column name	Data type	Example	Additional information
subscriber_id	String, identifier	S00482913	Links to Table 1, via Table 10 where needed.
campaign_id	String, identifier	CMP-2026-041	Campaign the email belongs to.
campaign_type	String, categorical	Renewal reminder	Renewal reminder, Retention offer, Promotion, Newsletter, Race preview, Other.
send_datetime	String, datetime	2026-02-20 08:00:00	UTC.
opened	Boolean	TRUE	Whether the email was opened.
clicked	Boolean	FALSE	Whether a link was clicked.
offer_type	String, categorical	Discount	Type of offer included, if any. Blank if none.
offer_taken	Boolean	FALSE	Whether the offer was redeemed.
unsubscribed	Boolean	FALSE	Whether the fan unsubscribed from marketing after this email.

Table 8: Social and comment data (one row per post or comment)

Source: Social and comment data, 3 years. Optional and lower priority, needed only if fans can be linked to it; otherwise please supply event-level sentiment totals.

Column name	Data type	Example	Additional information
post_id	String, identifier	SP-20993311	Unique ID.
author_id	String, identifier	U8821345	Pseudonymised. Only if the author can be linked to a subscriber; otherwise leave blank.
post_datetime	String, datetime	2026-05-24 15:40:22	UTC.
platform	String, categorical	App comments	App comments, X, Instagram, YouTube, Other.
text	String, free text	Great race, but the new rules...	Post text with usernames removed.
event_id	String, identifier	2026-R08	Related Grand Prix or rule-change event.
sample_flag	Boolean	TRUE	TRUE if the data was sampled rather than complete, and the sampling rate if known.

Table 9: Fan profile and merchandise (one row per fan; merchandise as a second file)

Sources: Streaming and app registration, and Merchandise and licensing, 4 years. **9a: fan profile** and **9b: merchandise purchases**.

Column name	Data type	Example	Additional information
subscriber_id	String, identifier	S00482913	Pseudonymised.
country	String, categorical	ZA	ISO 3166-1 alpha-2 country of residence.
age_band	String, categorical	25-34	Under 18, 18-24, 25-34, 35-44, 45-54, 55+ (bands only, not date of birth).
preferred_language	String, categorical	en	ISO 639-1 code.
favourite_team	String, categorical	Team 4	If the fan has chosen one in the app. Blank if not.

Column name	Data type	Example	Additional information
marketing_consent	Boolean	TRUE	Whether the fan consented to marketing emails.
merch_purchase_datetime (9b)	String, datetime	2025-11-30 19:05:00	UTC. One row per purchase, with subscriber_id.
merch_category (9b)	String, categorical	Team apparel	Apparel, Accessories, Collectibles, Other.
merch_amount (9b)	Numeric, integer	65000	In cents.

Table 10: Identity mapping (one row per fan)

Needed because the same fan can appear under different identities across the app, streaming and ticketing systems. Please do not send emails or names; a pseudonymised match is enough.

Column name	Data type	Example	Additional information
master_fan_id	String, identifier	F00019331	One ID per real person across all systems.
subscriber_id	String, identifier	S00482913	Streaming ID. Blank if the fan is not a subscriber.
app_user_id	String, identifier	A5510298	App and fantasy ID. Blank if none.
ticketing_customer_id	String, identifier	T3201188	Ticketing ID. Blank if none.
email_hash	String, identifier	9f2c...e1	Salted hash of the email address, used only to match records. Please tell us the hashing method.
match_method	String, categorical	Deterministic email	Deterministic email, Phone, Probabilistic, Manual.
match_confidence	Numeric, float	0.98	Between 0 and 1. Use 1 for exact matches.

Questions we would like answered with the data

- How does STADIO 1 define churn in the reported 19% and 26% figures (voluntary cancellation, non-renewal, failed payment)?
- Are there known gaps, system migrations or changes to plan structure or pricing during the last 3 years?
- Which retention actions were taken in this period, and on which subscribers (so they are not mistaken for natural behaviour)?
- What proportion of subscribers can be matched across the app, streaming and ticketing systems?