






Microphone Array & LED Array



MIC_DATA should have a same length



Seeed Studio

TITLE: Respeaker Microphone Array v1.0

Design: fuhua.chen


Check:

Date: ?????


Vision: v1.0

Sheet: 1/1

Clock Sync



Microphone Clock Control



Synchronized Clock

Seeed Studio

TITLE: Respeaker Microphone Array v1.0

CC-BY-SA

Design: fuhua.chen


Check:

Date: ?????

Vision: v1.0

Sheet: 1/1

xCore Peripheral / Power Up Control



Seeed Studio

TITLE: Respeaker Microphone Array v1.0

CC-BY-SA

Design: fuhua.chen


Check:

Date: ?????

Vision: v1.0

Sheet: 1/1

xCore







Seeed Studio

TITLE: Respeaker Microphone Array v1.0

CC-BY-SA	Design: fuhua.chen	Check:
Date: ?????	Vision: v1.0	Sheet: 1/1

Power/Interface



CC-BY-SA

Seeed Studio

TITLE: Respeaker Microphone Array v1.0

Design: fuhua.chen

Check:

Date: ?????

Vision: v1.0

Sheet: 1/1

Seed Studio

TITLE: Respeaker Microphone Array v1.0

CC-BY-SA

Design: fuhua.chen

Check:

Date: ????

Vision: v1.0

Sheet: 1/1