

229 49th Street
Brooklyn, NY 11220-1708
Tel. (718) 788-3840
Fax. (718) 788-3871

Fermina M. Mazzella, MD

Laboratory Director CLIA No: 33D1057336



Phys: MEDRITE URGENT CARE- PASSAIC Patient: MONTERO DE MEJIA, JOHANNA

154 MAIN AVE DOB: 12/01/1989 Age: 31Y Gender: F
PASSAIC, NJ 07055 Phone: (973) 979-2431 Fasting: U

(973) 437-3333 Spec#

THORNTON, KAREN MD

Accession: 2108202962 Coll. Date: 08/20/21 Recv. Date: 08/20/21 Print. Date: 08/21/21 Chart#: 330394 Coll. Time: 10:39 Recv. Time: 21:52 Print. Time: 06:15

First reported on: 08/21/2021 06:13 Final report date: 08/21/2 21 06:13

Test Name In Range Out of Range Reference Units

COVID-19

2019 NOVEL CORONAVIRUS (COVID-19) RNA, QL RT-PCR
SARS-COV-2
Not Detected
Not Detected

Testing was performed using the Cobas 6800/8800 SARS-CoV-2 test using a Nasopharyngeal/ Pharyngeal swab. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.