

Future-Proof LAN Infrastructure Design for a Small House


1. Ethernet Cabling Standards Summary

Based on current standards, the following recommendations are made for a future-proof residential network installation:

- **Cable Category:** Cat6a is the recommended cable type. It supports data rates up to 10 Gbps over the maximum 100-meter (328-foot) distance, providing ample bandwidth for current and future applications.
- **Maximum Length:** The maximum length for a single Ethernet cable run, including patch cables at both ends, is 100 meters (328 feet). This is defined by the IEEE 802.3 standard and applies to all modern cable categories.
- **Power over Ethernet (PoE):** Cat6a cabling fully supports the latest PoE standards, including IEEE 802.3af (PoE), 802.3at (PoE+), and 802.3bt (PoE++). This allows for powering devices like WiFi access points, IP cameras, and smart home hubs directly over the network cable.

2. Network Topology Diagram

The following diagram illustrates the proposed network topology, with a central switch connecting all devices.



3. Cable Length Estimations

The following table details the estimated cable lengths for each network socket. An additional 3 meters has been added to each run to account for vertical distances and service loops.

Room	Socket ID	Cable Type	Estimated Length (m)
Living Room	LR_01	Cat6a	15
Living Room	LR_02	Cat6a	20
Kitchen	KIT_01	Cat6a	10
Kitchen	KIT_02	Cat6a	15
Bedroom 1	BR1_01	Cat6a	12
Bedroom 1	BR1_02	Cat6a	18
Bedroom 2	BR2_01	Cat6a	12
Bedroom 2	BR2_02	Cat6a	18
Office	OFF_01	Cat6a	5
Office	OFF_02	Cat6a	5
WiFi Access Point	WAP_01	Cat6a	10

4. Wiring and Installation Guidelines

Wiring Best Practices

- Structured Cabling:** Run all cables from the individual sockets back to a central location where the patch panel and switch will be located.
- Conduit:** Use electrical conduit (at least 3/4 inch) for runs within walls. This protects the cables and makes future upgrades or replacements much easier.
- Labeling:** Clearly label both ends of every cable with a unique identifier (e.g., LR_01, KIT_02). This is crucial for troubleshooting and maintenance.
- Service Loops:** Leave at least 1 meter (3 feet) of extra cable coiled up at both the wall socket and the patch panel. This "service loop" provides slack for re-termination if needed.
- Testing:** After termination, use a network cable tester to verify that every pin is correctly wired and that the cable can support the desired speed.

Safety and Interference

- **Separation from Power Lines:** To avoid electromagnetic interference (EMI), maintain a minimum distance of 30 cm (12 inches) between network cables and parallel power lines.
- **Crossing Power Lines:** If you must cross a power line, do so at a 90-degree angle to minimize potential interference.
- **Use Shielded Cable (Optional):** In areas with high potential for EMI (e.g., near large appliances or fluorescent lighting), consider using shielded Cat6a cable (F/UTP or S/FTP) for added protection.

5. Patch Panel and Central Hub

- **Patch Panel:** A 24-port Cat6a patch panel is recommended. This provides a professional termination point for all the cable runs and allows for easy changes by simply moving a patch cable.
- **Network Rack:** Install a small (6U or 9U) wall-mounted network rack in the central location (e.g., a utility closet or office) to house the patch panel, switch, modem, and NAS.
- **Patch Cables:** Use short, high-quality Cat6a patch cables to connect the patch panel ports to the switch.

6. Bill of Materials

Item	Quantity	Notes
Cat6a Riser (CMR) Cable	1 box	305m / 1000ft
Cat6a Keystone Jacks	12	For terminating cables at the wall plates
2-Port Wall Plates	6	
24-Port Cat6a Patch Panel	1	For the central termination point
16-Port Gigabit PoE+ Switch	1	Provides power and data to all devices
6U Wall-Mount Network Rack	1	To house the network equipment
Cat6a Patch Cables	1 pack	Assorted lengths (0.5m - 2m)
Cable Management	1 set	Velcro ties or D-rings for organizing cables
RJ45 Crimper & Punch-Down Tool	1 each	Essential for terminating cables
Network Cable Tester	1	For verifying connections