

This is a Title

Summary

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

In Question 1, Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

In Question 2,

In Question 3,

Keywords: keyword 1, keyword 2, keyword 3, keyword 4, keyword 5

Contents

1	Introduction	3
1.1	Background	3
1.2	Restatement of the Problem	3
1.3	Our Work	3
2	Assumptions and Justifications	4
3	Notations	4
4	Data Preprocessing	5
5	Model Building and Solution	6
5.1	Model Establishment and Solution of Question One	6
5.1.1	***Model Establishment	6
5.1.2	***Model Solution	6
5.1.3	Results	6
5.2	Second-level Heading	6
5.2.1	Third-level Heading	6
5.2.2	List Environment	6
5.2.3	Figure	6
5.2.4	Table	6
5.2.5	Formula	7
6	Sensitivity Analysis and Error Analysis	8
6.1	Sensitivity Analysis	8
6.2	Error Analysis for Question 1	8
6.3	Error Analysis for Question 2	8
7	Model Evaluation	8
7.1	Advantages of the Model	8
7.2	Disadvantages of the Model	8
8	Conclusion	8
	References	9
	Report on Use of AI	10

1 Introduction

1.1 Background

1.2 Restatement of the Problem

- 1.
- 2.
- 3.
- 4.
- 5.

1.3 Our Work

2 Assumptions and Justifications

In response to the title of this article, the following hypotheses are proposed:

Assumption 1: This is the first assumption 1.

Assumption 2: This is the second assumption 2.

Assumption 3:

Assumption 4:

Assumption 5:

1.

3 Notations

Symbol	Description	Symbol	Description
T_i	Temperature of small zone	T_j	Temperature of large zone
x	Variable x	y	Variable y

Note: Undefined variables are defined where they first appear.

4 Data Preprocessing

Step 1: good morning...

Step 2: good morning....

- 1.

5 Model Building and Solution

5.1 Model Establishment and Solution of Question One

5.1.1 ***Model Establishment

5.1.2 ***Model Solution

5.1.3 Results

5.2 Second-level Heading

5.2.1 Third-level Heading

5.2.2 List Environment

1.

2.

(a)

(b)

•

•

5.2.3 Figure




Figure 1: Figure Name

TOPS: How to cite, look here: fig. 1

5.2.4 Table

TOPS: How to cite, look here: table 1

Table 1: Table Name	
Welding Zone Center Temperature	Time (s)
30°C	0
150°C	t_1
190°C	t_2

5.2.5 Formula

$\alpha^2 + \beta^2 = \gamma^2$

$\alpha^2 + \beta^2 = \gamma^2$

$\alpha^2 + \beta^2 = \gamma^2$

$\alpha^2 + \beta^2 = \gamma^2$ (1)

$a + b = c$ (2)

TOPS: How to cite, look here: eqs. (1) and (2)

How to cite references, look here: ^[1], ^[2]

6 Sensitivity Analysis and Error Analysis

6.1 Sensitivity Analysis

6.2 Error Analysis for Question 1

6.3 Error Analysis for Question 2

7 Model Evaluation

7.1 Advantages of the Model

- (1)
- (2)
- (3)

7.2 Disadvantages of the Model

- (1)
- (2)
- (3)

8 Conclusion

References

- [1] Forsburg, Susan L. "Eukaryotic MCM proteins: beyond replication initiation." *Microbiology and molecular biology reviews* 68.1 (2004): 109-131.
- [2] Jenkin, M. E., J. C. Young, and A. R. Rickard. "The MCM v3. 3.1 degradation scheme for isoprene." *Atmospheric Chemistry and Physics* 15.20 (2015): 11433-11459.
- [3]
- [4]
- [5]
- [6]
- [7]
- [8]
- [9]
- [10]

Report on Use of AI

1. Bing AI

Query1: write a sort algorithm

Output: Sure, I can help you with that. Here is a simple implementation of the selection sort algorithm in Python:

```
1 def selection_sort(arr):
2     for i in range(len(arr)):
3         min_idx = i
4         for j in range(i + 1, len(arr)):
5             if arr[min_idx] > arr[j]:
6                 min_idx = j
7         arr[i], arr[min_idx] = arr[min_idx], arr[i]
8     return arr
```

This algorithm sorts an array by repeatedly finding the minimum element from the unsorted part of the array and putting it at the beginning. The time complexity of this algorithm is $O(n^2)$.

There are many other sorting algorithms available such as bubble sort, insertion sort, merge sort, quick sort, heap sort, and more. Each of these algorithms has its own advantages and disadvantages. You can learn more about them on [Geeks-forGeeks](#) and [Programiz](#).

I hope this helps!

2. OpenAI Enie (Nov 5, 2023 version, Ernie 4.0)

Query1: <insert the exact wording of any subsequent input into the AI tool>

Output: <insert the complete output from the second query>

3. Github CoPilot (Feb 3, 2024 version)

Query1: <insert the exact wording you input into the AI tool>

Output: <insert the complete output from the AI tool>

4. Google Bard (Feb 2, 2024 version)

Query: <insert the exact wording of your query>

Output: <insert the complete output from the AI tool>

5. Bing AI

Query: write a FFT algorithm

Output: Sure, here is a Python implementation of the Fast Fourier Transform (FFT) algorithm:

```
1 import numpy as np
2
3 def fft(x):
4     n = len(x)
5     if n == 1:
6         return x
7     even = fft(x[0::2])
8     odd = fft(x[1::2])
9     T = [np.exp(-2j * np.pi * k / n) * odd[k] for k in range(n // 2)]
10    return [even[k] + T[k] for k in range(n // 2)] + [even[k] - T[k] for k in range(n // 2)]
```

The FFT is a widely used algorithm for computing the **Discrete Fourier Transform (DFT)** of a sequence. It reduces the number of computations needed from $O(n^2)$ to $O(n \log n)$ 12. The basic idea of the FFT is to apply divide and conquer. We divide the coefficient vector of the polynomial into two vectors, recursively compute the DFT for each of them, and combine the results to compute the DFT of the complete polynomial 3.

I hope this helps!