

Introduction to Networks





Table of Contents



- What's a Network?
- Local Area Network (LAN)
- Common Network Components
- Wide Area Network (WAN)



Table of Contents



- Network Topology
- Physical Network Topologies
 - Bus Topology
 - Star Topology
 - Ring Topology
 - Mesh Topology
 - Tree Topology
 - Hybrid Topology







A **network** is two or more computer systems linked together by some form of the transmission medium that enables them to share information







Provides services like:

- Access to shared files/folders
- Access to printers/scanners
- Email applications
- Database applications
- Web applications
- Voice over IP (VoIP)
- Multimedia conferencing









- Performance → Response time
- Data Sharing
- Backup
- Reliability → No failures!
- Security → Keep data safe!
- Scalability → New systems can be added
- Software and hardware compatibility










A LAN is a **local** network



- Could be as small as two computers or large, with thousands of devices connected
- Usually restricted to spanning a particular geographic location



A company in a single building is considered as LAN







A company consisting of multiple buildings in the same area is considered as LAN










LAN's size and the distance a LAN can span is not restricted

But it's best to split a big LAN into smaller logical zones known as **workgroups** to make administration easier




3 LANs, each has its own workgroup





A LAN with 3 workgroups









- Node —— A point or joint where a connection takes place
 - Can be a computer or device
- **Station** A node on a wireless network

- Printer

PCLaptop

- Router

Server

- Switch
- Smartphone etc.

Some examples of Node



- Host
- Requires IP Address
- Can be a client or server
- Workstation
- Powerful computer designed for technical or scientific applications
- Used by one person at a time





- Server A powerful computer used to store files and run programs centrally
- Client A device that makes request to a server

- Web Server
- Application Server
- Proxy Server
- DNS Server

- Mail Server

- File Server

- Print Server

- Telephony Server

Common types of servers





- **Segment** - Refers to a specific physical region of a network
 - Typical usage is to describe the link between a computer and a switch
 - Another usage is to refer to a region of the network where all the nodes use the same type of transmission media

Backbone •


A fast link between other segments of a network





Transmission Media

- A communication channel between nodes that carries the information from the sender to the receiver
- Data is transmitted through the electromagnetic signals







Cable Properties




Simplex



Half-duplex



Full-duplex







Wide Area Network (WAN)



Wide Area Network (WAN)



A **WAN** is a collection of computers and devices connected by a communications network over a wide geographic area

WANs are commonly connected either through the Internet or special arrangements made with phone companies or other service providers

The Internet is considered the largest WAN in the world






Network Topology







Network topology is the description of the arrangement of **nodes** and **connections** in a network






Network Topology



A **physical topology** details how devices are physically connected

Depends on:

- Office layout
- Troubleshooting techniques
- Cost of installation
- Type of cable used





Network Topology



Logical topology describes the way in which a network transmits information from network/computer to another

It's not the way the network looks or how it is laid out





Bus Topology Ring Topology Tree Topology Star Topology

Mesh Topology


Hybrid Topology







Bus Topology:

Every node is connected in series along a linear path







If backbone fails entire network goes down







Not scalable



Star Topology:

Every node in the network is connected to one central switch









If central switch fails entire network goes down




Performance is up to central switch








Ring Topology:

Every node is connected to each other in a circular format.










- Vulnerable to failure
- The more devices added the more communication delay
- To make changes the network should be shut down





Mesh Topology:

A point-to-point connection where nodes are interconnected














Tree (Hierarchy) Topology:

A network structure that is shaped like a tree with its many

branches









Hard to maintain



If root fails entire network goes down






Hybrid Topology:


A combination of two or more types of physical or logical network topologies working together within the same

network













THANKS! >

Any questions?

You can find me at:

- @Aslan Instructor
- aslan@clarusway.com



