



Türkiye'nin sanatçı odaklı merch pazaryeri

Workflow Reference

Every user-facing flow, screen, and state transition

Audience · Product managers, designers, support, QA

Date · 2026-05-28

Source · docs/WORKFLOWS.md

Contents

Table of Contents

Fan Workflows

Vendor Workflows

Admin Workflows

Cross-cutting: notification matrix

Cross-cutting: permission matrix (vendor)

Table of Contents

1. Fan Workflows

1. Account creation + MFA enrollment
2. Login (existing user)
3. Browse & discover
4. Purchase flow
5. Post-purchase tracking
6. Refund request
7. Social interactions
8. Forum participation
9. NFC tag scan (mobile only)
10. Account management & KVKK

2. Vendor Workflows

1. Vendor application
2. First-time setup after approval
3. Product creation
4. Product editing + variants + inventory
5. Order fulfillment
6. Refund response
7. Payout request
8. Vendor analytics
9. Forum & community management

3. Admin Workflows

1. Vendor approval
2. Product approval
3. Refund approval
4. Order intervention
5. Depot arrival confirmation
6. Payout management
7. Hero banner curation
8. NFC tag generation
9. Push broadcast
10. Maintenance mode
11. Audit log review

Fan Workflows

1.1 Account creation + MFA enrollment

Entry point: `/auth/register` (linked from header "Üye Ol" button, footer, and any protected page redirect)

```
[Visitor]
|
├─ Fills form: email, password, consent checkboxes
|   └─ Terms acceptance (required by 6502 Sayılı Kanun)
|   └─ Privacy/KVKK acceptance (required by KVKK)
|   └─ Marketing consent (optional)
|
▼
[POST /auth/register]
|
├─ Validates email uniqueness
├─ bcrypt hashes password (cost 12)
├─ Creates User row with role=CUSTOMER
├─ Persists consent timestamps
├─ Issues access token (15 min) + refresh token (90 days)
├─ Sets httpOnly refresh cookie
|
▼
[Auto-redirect to /]
|
└─ User is logged in immediately (no email verification step today;
    MFA enrollment is enforced at first sensitive action)
```

Edge cases:

- Existing email → 409 with localized "Bu e-posta zaten kayıtlı" message
- Weak password → frontend pre-validates; backend rejects < 8 chars with mixed case + digit
- Throttle: 10 registrations per minute per IP
- Honeypot field: if filled, request triggers `TRAP_ROUTE_HIT` audit + 200 OK (silent block)

1.2 Login (existing user)

Entry point: `/auth/login`

```

[Visitor]
|
|— Fills: email + password
|— Optional: "Beni hatırla (cihazıma güven)"
|
▼
[POST /auth/login/mfa]
|
|— Verifies email + bcrypt-compares password
|— Checks account lockout state (5 fails / 15min → 1m → 5m → 15m → 1h escalation)
|— Looks up trusted devices for this user
|
|— [Device trusted?]
|   |
|   |— YES → bypass OTP, issue tokens, return user object
|   |
|   |— NO → generate 6-digit OTP, send via email, return { challenge: <opaque-id> }
|
▼ (if OTP path)
[/auth/verify with challenge]
|
|— User enters 6-digit code
|
▼
[POST /auth/login/verify-otp]
|
|— Validates code (5-min TTL, max 5 attempts, 30s resend cooldown)
|— Issues access + refresh tokens
|— Optional: registers TrustedDevice (365 days)
|
▼
[Auto-redirect to original destination OR /]

```

Notifications fired: `LOGIN_SUCCESS` audit log (or `LOGIN_FAILED` with reason).

Resend OTP: Button on `/auth/verify` page; throttled to 5/hour per IP + 30s in-memory cooldown.

Account locked state: Shows time remaining + support contact email.

1.3 Browse & discover

Entry surfaces:

- `/` — home page (hero banner + trending products + featured vendors + new arrivals)
- `/shop` — product catalog with filters
- `/shop/[category]` — category-pre-rendered SSG pages
- `/shop/tag/[tag]` — tag-filtered view
- `/store/[slug]` — vendor storefront with their products + media + events + forum
- `/search` (via header search palette) — Meilisearch or Prisma LIKE

- `/u/[nickname]` — public user profile
- `/rehber/[topic]` — content marketing articles
- `/faq` — frequently asked questions

Browse-page state model:

```
[/shop page state]
{
  page: 1 (URL param)
  pageSize: 12 (URL param)
  category: optional (URL param)
  tag: optional (URL param)
  search: optional (URL param)
  minPrice, maxPrice: optional (URL param)
  sortBy: 'price_asc' | 'price_desc' | 'newest' | 'popular'
}

[State changes trigger]
→ React Query refetch
→ URL params update via Next.js router
→ Browser back/forward respects filter history
```

Result item interactions:

- Click → `/product/[id]` PDP
- Heart icon → add to wishlist (auth required; if not logged in, save intent to localStorage and prompt login)
- Quick-add to cart (variant picker modal opens for products with variants)

1.4 Purchase flow

Trigger: "Sepete Ekle" on PDP, "Sepete Git" anywhere, OR direct visit to `/cart`.

```
[/cart]
|
| - Server-side cart loaded via GET /cart (persistent across devices)
| - Line items: thumbnail + title + variant + qty selector + price + remove
| - Subtotal + shipping placeholder + total preview
|
| ▼ "Ödeme'ye Geç" button
|
[/checkout]
|
| - Step 1: Shipping address
|   - Pre-fills from user profile if present
|   - Address book (saved addresses) – optional pick-from-list
|   - Required: ad/soyad, telefon, adres satırı 1, ilçe, şehir, posta kodu
|
| - Step 2: Payment method selection
|   - Iyzico (credit card with 3DS)
|   - [Future: havale/EFT, BKM Express, Papara]
|
| - Step 3: Review + confirm
|   - Final totals (subtotal + shipping + KDV + grand total)
|   - Cargo carrier preview
|   - Estimated delivery
|   - Terms acceptance checkbox (per-order, for distance-contract law)
|
| ▼ "Siparişi Onayla" button
|
[POST /orders]
|
| - Server validates cart vs current stock (race-safe via updateMany guard)
| - Creates Order row (status=PLACED)
| - Creates OrderItem rows with priceSnapshot
| - Decrements stock atomically
| - Clears cart
| - Triggers 3 emails in parallel (queued via BullMQ):
|   - Customer: ORDER_CONFIRMATION
|   - Admin: NEW_ORDER alert
|   - Each vendor with items in order: VENDOR_NEW_ORDER (per-tenant slice)
| - Sends push notification + in-app notification to customer
|
| ▼
|
[/payment?orderId=xxx]
|
| - Server initiates Iyzico session
| - Iframe loads with 3DS challenge if applicable
| - User completes payment
| - Iyzico POSTs to /payments/iyzico/callback (HMAC-signed)
| - Backend verifies, updates Order to CONFIRMED, fires e-Arşiv invoice
|
| ▼
|
[/order-confirmation/[id]]
|
| - Shows order summary + invoice download link
```

- └ Push notification: "Sipariş onaylandı!"
- └ Vendor receives email; admin sees order in dashboard

Failure modes:

- Stock depletes mid-transaction → 400 "Stok yetersiz: 'Ürün X' — başka bir müşteri az önce son adetleri aldı" → cart updates, user can adjust
- lyzico declines → user returned to /payment with error message + retry option
- Network failure post-payment → idempotency via lyzico conversationId prevents double-charge

1.5 Post-purchase tracking

Entry: `/profile/orders` (list) → `/profile/orders/[id]` (detail)

```
[/profile/orders/[id]] state
{
  order: { id, status, totalAmount, items, shippingAddress, ... }
  shipment: { trackingNumber?, carrier?, events: [] }
  refundShipment: { returnBarcode?, status?, events: [] }
  invoice: { url? }
}

[Polling]
→ Every 5 min, calls GET /kargo/track/:trackingNumber
→ Updates carrier events array
→ Re-renders timeline

[Timeline component] shows:
PLACED → CONFIRMED → SHIPPED → IN_TRANSIT (events) → DELIVERED
(Each step has timestamp + actor — system or vendor or admin)
```

Actions available per state:

Order state	Customer actions
PLACED	Cancel (within 1 hour, if not yet CONFIRMED)
CONFIRMED	(None — wait for shipment)
SHIPPED	View tracking events, contact vendor via DM
DELIVERED	Leave review, request refund (within 14 days per 6502 Sayılı Kanun)
REFUND_REQUESTED	View VH-RET barcode, see return shipment status
REFUNDED	View refund confirmation, original payment refunded
CANCELLED	(Terminal — no actions)

1.6 Refund request

```

[/profile/orders/[id]]
|
├─ Click "İade Talep Et" button (visible only if status=DELIVERED + within 14 days)
|
▼
[Refund modal opens]
|
├─ Reason dropdown: Ürün hatalı / Bedenle uyumsuz / Beklediğim gibi değildi / Yanlış ürün geldi
├─ Free-text reason field (max 1000 chars, required)
├─ Optional: photo upload (future enhancement)
|
▼ "Talep Gönder" button
|
[PATCH /orders/my/:id/request-refund]
|
├─ Validates: status=DELIVERED, within 14d, reason non-empty
├─ Updates order: status=REFUND_REQUESTED, refundReason, refundRequestedAt
├─ Generates VH-RET-XXXXXXX barcode (8 hex chars)
├─ Creates ReturnShipment row (status=INITIATED, carrier=aras)
├─ Triggers:
|   - Email customer: REFUND_REQUESTED with barcode + Aras branch instructions
|   - Email customer: RETURN_BARCODE (separate email with printable barcode)
|   - Email each vendor in order: VENDOR_REFUND_REQUEST (informational)
|   - Push: "İade talebin alındı – kargo kodun hazır"
|   - In-app: notification with barcode
|   - Audit log: REFUND_REQUESTED
|
▼
[Order detail page updates]
|
├─ Banner: "İade talebin değerlendiriliyor"
├─ Return barcode displayed (printable)
├─ "Aras Kargo şubesine bırak" instructions
├─ Status timeline shows: INITIATED → DROPPED_OFF → IN_TRANSIT → ARRIVED_AT_DEPOT → COMPLETED

```

Customer follow-through:

1. Prints barcode → drops package at any Aras branch
2. Aras scans → ReturnShipment status updates to IN_TRANSIT (via kargo webhook if integrated; manual today)
3. Aras delivers to platform warehouse → admin confirms DEPOT_ARRIVED
4. Customer notified: "Paketin depomuza ulaştı, ekibimiz inceliyor"
5. Admin inspects + approves refund → lyzico refund issued
6. Customer notified: "İaden onaylandı — paran 5-10 iş günü içinde kartına dönecek"
7. ReturnShipment status → COMPLETED, Order status → REFUNDED

1.7 Social interactions

Profile page (`/u/[nickname]`):

- Avatar, display name, bio, follower/following counts
- "Takip Et" button (auth required)
- "Mesaj Gönder" button (opens DM thread)
- Activity feed: reviews left, forum posts, recent purchases (privacy-gated)
- Ghost mode toggle: profile hidden from search + `noindex` meta tag

Follow flow:

- Click "Takip Et" → `POST /follows/:userId`
- Followed user notified (in-app + optional push)
- Appears in their "Takipçiler" list
- Triggers `FOLLOW_CREATED` audit log

DM flow:

- `/profile/messages` shows all conversations
- Click conversation → `/profile/messages/[userId]`
- Compose box at bottom + chronological message history
- New messages trigger push + in-app notification to recipient
- Read receipts via timestamp updates

Profile visitors:

- `/profile/visitors` shows who viewed your profile
- Mutual visibility: you see visitors, they see if you visited them
- Visits are anonymized for users in ghost mode

1.8 Forum participation

Per-vendor forum: Each vendor has optional forum (toggle in admin). Channels → Topics → Replies.

```
[/store/[slug]] → Forum tab
|
▼
[Forum landing] — list of channels (e.g., "Genel", "Konser Anıları", "Ürün İncelemeleri")
|
├─ Click channel → topic list
├─ Click topic → thread view (OP + replies)
├─ Reply box at bottom
├─ Emoji reactions (🔥 ❤️ 🍷 🤖 🏆 🚀) on any post
├─ Report inappropriate content → notifies vendor moderator
```

Vendor moderator (`FORUM_MANAGE` permission):

- Create/edit/delete channels
- Pin / lock topics
- Delete spammy replies
- Configure: posting policy (all / verified-buyers-only / followers-only), moderation mode (post-moderation / pre-moderation)

1.9 NFC tag scan (mobile only)

```

[Mobile app] → Scan tab → tap NFC tag (back-of-phone)
|
▼
[Phone reads NDEF record] → opens vibehub.com.tr/nfc/[tagId]
|
▼
[Server 302 redirect]
|
├─ Looks up tag in NfcTag table
├─ Increments scan count
├─ Logs scan event (with userId if authenticated)
├─ Redirects to tag.destinationUrl (product / vendor / external URL)
|
▼
[User lands at destination]
|
└─ Future: NFC-unlocked content (e.g., signed photo gallery, exclusive forum channel)

```

1.10 Account management & KVKK

`/profile/settings` sections:

Section	Actions
Profile	Change name, avatar, bio, nickname
Password	Change password (requires current + 2x new)
Sessions	List trusted devices + revoke individual or all
Notifications	Toggle email + push categories
Privacy	Ghost mode toggle, visibility settings, marketing consent toggle
Language	TR / EN selector
KVKK	"Verilerimi indir" (data export), "Hesabımı sil" (account deletion)

Account deletion flow:

1. User clicks "Hesabımı sil"
2. Confirmation modal: requires typing nickname or email
3. If active orders (PLACED/CONFIRMED/SHIPPED) exist → blocked with explanation
4. On confirm → `DELETE /auth/account` runs transaction:
 - Orders/Reviews/Forum content → anonymized (customerId/authorId = NULL)
 - DMs, RefreshTokens, TrustedDevices, PageView, PushDevices, Follows, ProfileVisits, Notifications, Cart, Wishlist → purged
 - User row → anonymized (email/name/passwordHash nulled)
 - AuditLog → actorId set to NULL (forensics retained)
5. Browser redirected to / with logout
6. Confirmation email sent to original address

Vendor Workflows

2.1 Vendor application

Entry: `/vendors/apply` (publicly accessible, linked from footer + "Sanatçı mısın?" CTA in vendor sections)

```
[Form fields]
- storeName: Public display name
- slug: URL-friendly identifier (validated against existing tenants)
- email: Contact (also serves as Owner User email)
- artistType: BAND / COMEDIAN / INFLUENCER / ARTIST / OTHER
- bio: short description
- logoUrl: optional (can add post-approval)
- termsAcceptance: required
- contactPhone: optional
|
▼
[POST /vendors/apply]
|
├─ Validates slug uniqueness
├─ Creates Tenant row (status=PENDING)
├─ Creates User row (role=VENDOR_OWNER, tenantId=newTenant.id)
├─ Grants DEFAULT_VENDOR_PERMISSIONS (13 of 15)
├─ ⌚ TODO: Email applicant confirmation
├─ ⌚ TODO: Email admin team
|
▼
[Confirmation page]
└─ "Başvurun alındı! 1-3 iş günü içinde değerlendirip e-posta ile bilgi vereceğiz."
```

2.2 First-time setup after approval

```
[Admin approved vendor]
|
├─ Vendor receives VENDOR_WELCOME email with login link
|
▼
[Vendor logs in at /auth/login]
|
├─ MFA OTP enforced (one-time, then optional trust)
|
▼
[Auto-redirected to /dashboard/vendor]
|
├─ 🕒 FUTURE: 4-step onboarding wizard
|   1. Upload profile photo + banner
|   2. Add first product (name, price, description)
|   3. Upload first product image
|   4. Submit for review
|
└─ Today: bare dashboard; vendor must self-navigate
```

2.3 Product creation

```
[/dashboard/vendor/products] → "+ Yeni Ürün" button
|
▼
[Inline create form]
- title (required, 2-120 chars)
- description (required, 2-5000 chars)
- price (required, > 0, TL)
- currency (default TRY, frozen today)
- tags (comma-separated)
- categoryId (dropdown)
- shippingNote (optional)
|
▼ "Oluştur" button
|
[POST /products]
|
├─ Validates DTO (whitelist + forbidNonWhitelisted)
├─ Creates Product row (status=DRAFT, tenantId from auth context)
├─ Audit logs PRODUCT_CREATED
├─ Returns new product with id
|
▼
[Vendor redirected to /dashboard/vendor/products/[id] editor]
|
└─ See section 2.4 for what's available next
```

2.4 Product editing + variants + inventory

Editor page: `/dashboard/vendor/products/[id]` — comprehensive, gated by `PRODUCT_EDIT` permission.

[Page layout – top to bottom]

Header

- ← Back to products [Status badge: DRAFT]
- Product Title (read-only display)
- [Submit for Review] / [Publish Directly] (if permitted)

Basic Info (gated PRODUCT_EDIT)

Disabled banner if status=LIVE/PENDING_REVIEW:
"Yayındaki ürünü düzenlemek için önce arşivle"

- title (editable)
- description (textarea, editable)
- price (editable)
- currency (read-only – TRY)
- tags (comma-separated)
- category (dropdown)
- shippingNote

[Save Changes] button → PATCH /products/:id

Images (gated PRODUCT_EDIT)

Grid of current images, each with [×] delete button
+ File picker / drag-drop area
Multi-file upload → POST /upload/image per file
Returns { url } → appended to product.images[]
Then PATCH /products/:id with new images array
Drag-to-reorder (optional)

Variants (gated VARIANT_MANAGE)

Table:

SKU	Color	Size	Price	Stock	Threshold	...
t-blk-s	Siyah	S	(varsayılan)	5	2	[🔗][×]
t-blk-m	Siyah	M	55	0 (out)	2	[🔗][×]

+ Add Variant

Add form (inline or modal):

- sku (required)
- attributes: { color, size, ... } (key-value pairs)
- priceOverride (optional – default to product price)
- stockQty
- lowStockThreshold (default 2)

Stock Adjustments (gated INVENTORY_EDIT)

For each variant: current stock + [-1] [+1] buttons
Bulk: input field "+5" / "-3" → PATCH stock endpoint

Danger Zone (gated PRODUCT_DELETE)

[Archive Product] button
Confirmation modal requires typing product title

```
| → PATCH /products/:id/archive → status=ARCHIVED
```

Status transitions:

- **DRAFT** → **PENDING_REVIEW** (vendor clicks "Submit for Review")
- **DRAFT** → **LIVE** (vendor clicks "Publish Directly" — requires **PRODUCT_PUBLISH_DIRECT** opt-in permission)
- **PENDING_REVIEW** → **LIVE** (admin approves)
- **PENDING_REVIEW** → **ARCHIVED** (admin rejects with reason)
- **LIVE** / **PENDING_REVIEW** → **ARCHIVED** (vendor archives)
- **ARCHIVED** → **DRAFT** (vendor reactivates and edits)

2.5 Order fulfillment

```
[/dashboard/vendor/orders]
|
|─ Tabs: PLACED | CONFIRMED | SHIPPED | DELIVERED | REFUND_REQUESTED | All
|─ Per row: order ID short, customer first name, items count, total, status badge
|─ Click row → expand or navigate to detail
|
▼
[Order detail]
|
|─ Customer info (name + address – masked email for privacy)
|─ Items with quantities + variants
|─ Total + commission breakdown
|
|─ Actions (gated ORDER_FULFILL):
|   1. "Onayla" button – order PLACED → CONFIRMED
|      Triggers: customer email ORDER_CONFIRMED, push notification
|
|   2. "Kargoya Ver" button – opens shipment modal
|      Modal fields:
|        - Carrier: Aras / Yurtiçi / Other
|        - Weight (kg) – for shipping cost
|        - Description (e.g., "Beden L tişört")
|        - Receiver address (pre-filled, editable for typo fixes)
|      Submit → POST /kargo/shipments (creates Shipment row + carrier API call)
|        - SUCCESS: order CONFIRMED → SHIPPED, customer notified, tracking emailed
|        - FAILURE: error shown, order stays CONFIRMED, vendor can retry
|
|   3. "Müşteriye Mesaj" – opens DM thread (uses messages module)
```

2.6 Refund response

When a customer requests a refund:

[Vendor receives VENDOR_REFUND_REQUEST email]

- | Subject: "İade talebi – #ABCD1234"
- | Body: customer name + reason + order detail link



[Vendor logs in → /dashboard/vendor/orders → REFUND_REQUESTED tab]

- | See request details
- | Can DM customer for clarification
- | NOTE: Vendor cannot approve/reject. Refund decisions are admin-gated to prevent vendor self-dealing. Vendor's role is informational only. Admin reviews via /dashboard/admin/orders refund alert banner.

2.7 Payout request

[/dashboard/vendor/payouts]

- | Gated PAYOUT_REQUEST permission
- | Lists past payouts with status badges
 - PENDING (awaiting admin)
 - PROCESSING (admin started transfer)
 - PAID (settled)
 - FAILED (admin marked failed with reason)
- | "Ödeme Talep Et" button (top-right)

▼ Click button

[POST /payouts/request]

- | Server computes period: lastPayoutEnd (or tenant.createdAt) → now
- | Validates: at least 1 DELIVERED order item exists in period
 - If zero, returns "Bu döneme ait teslim edilmiş sipariş bulunmuyor"
- | Computes amounts:
 - gross = SUM(orderItem.unitPriceSnapshot * qty) for period
 - fee = gross * tenant.commissionRate
 - net = gross - fee
- | Creates Payout row (status=PENDING)
- | Audit logs PAYOUT_CREATED



[Vendor sees new row in list]

- | "Talebin alındı – admin onayı bekliyor"

2.8 Vendor analytics

`/dashboard/vendor/analytics` — gated `ANALYTICS_VIEW`.

Charts shown:

- Revenue over time (last 30 days, line chart)
- Top-selling products (table, last 30d)
- Order status distribution (pie chart)
- Visitor traffic to store page (last 30d)
- Conversion rate (visitors → orders)
- Refund rate

Data sources: aggregated from Order + OrderItem + PageView tables.

2.9 Forum & community management

Gated `FORUM_MANAGE`.

`/dashboard/vendor/forum` sections:

- Channels: create, edit, delete, reorder
 - Settings: moderation mode, posting policy, visibility (public/followers/private)
 - Recent activity feed: see new topics + replies + reports
-

Admin Workflows

3.1 Vendor approval

```
[/dashboard/admin/vendors]
|
|─ Tab filter: PENDING / ACTIVE / FROZEN / REJECTED / All
|─ Search by name/slug/email
|─ Per row: store name, slug, email, status, applied at, [actions]
|
|▼ Click row → /dashboard/admin/vendors/[id]
|
[Vendor detail]
|
|─ Application info + initial owner email
|─ Status history
|─ Permission matrix (15 permissions toggleable – defaults granted on approve)
|─ Activity feed (orders, products, last login)
|
|─ Actions (typed-confirmation required for destructive):
|   - Approve (PENDING → ACTIVE) → triggers VENDOR_WELCOME email
|   - Reject (PENDING → REJECTED) → captures reason
|   - Freeze (ACTIVE → FROZEN) → temporarily disables vendor (no new orders)
|   - Unfreeze (FROZEN → ACTIVE)
|   - Suspend (rare – for severe policy violation)
|
|─ All actions audit-logged with ADMIN_VENDOR_* events
```

3.2 Product approval

```
[/dashboard/admin/products] → "Pending Review" tab
|
|─ Click product → review modal or detail page
|─ See: title, description, images, variants, vendor info
|
|─ Decision:
|   - Approve → status LIVE, product appears on storefront
|   - Reject → status DRAFT (or ARCHIVED), vendor sees rejection reason
|
|─ Audit log: ADMIN_PRODUCT_PUBLISHED or ADMIN_PRODUCT_UNPUBLISHED
```

3.3 Refund approval

```
[/dashboard/admin/orders]
|
| - Yellow alert banner at top: "X bekleyen iade talebi var"
| - Click banner → filters to status=REFUND_REQUESTED
|
| ▼
[Order row click → opens RefundReviewModal]
|
| - Customer reason displayed
| - Return shipment status (INITIATED / DROPPED_OFF / IN_TRANSIT / ARRIVED)
| - Order detail (items, total, vendor)
|
| - Decision:
|   - Approve refund
|     - Optional restock flag
|     - Triggers: customer email REFUND_APPROVED, push, in-app notif
|     - Iyzico refund call (if real payment integration live)
|     - Order: REFUND_REQUESTED → REFUNDED
|     - Audit: REFUND_APPROVED
|
|   - Reject refund
|     - Required: note explaining why
|     - Customer email REFUND_REJECTED with note
|     - Order: stays REFUND_REQUESTED (customer can appeal or accept)
```

3.4 Order intervention

```
[/dashboard/admin/orders] → click any order
|
| - See all order detail (all vendors, all items)
|
| - Actions:
|   - Cancel order (with restock) – for fraud or vendor-cannot-fulfill cases
|   - Override status (rare – emergency intervention, audit-logs as critical)
|   - View shipment history
|   - Resend customer notification email
```

3.5 Depot arrival confirmation

When a return package arrives at the platform warehouse:

```
[Warehouse staff (or admin acting on warehouse report)]
|
▼
[/dashboard/admin/orders] → REFUND_REQUESTED tab → click order
|
├─ ReturnShipment status visible
├─ "Depoya Ulaştı" button
|
▼
[PATCH /kargo/return/:orderId/arrived]
|
├─ Optional admin note (e.g., "Ürün hasarlı geldi")
├─ Updates ReturnShipment: status=ARRIVED_AT_DEPOT, arrivedAtDepotAt=now
├─ Audit log: DEPOT_ARRIVAL_CONFIRMED
├─ Customer notified: "📦 Paketin depomuza ulaştı"
|
└─ Now admin can proceed with refund approval (3.3) – depot arrival is
    a prerequisite for refund finalization
```

3.6 Payout management

```
[/dashboard/admin/payouts]
|
├─ Tabs: PENDING (vendor requests) | PROCESSING (admin started) | PAID | FAILED | All
├─ Filter by vendor, date range
|
▼ Click row
|
[Payout detail]
|
├─ Vendor, period, gross/fee/net amounts, item count
├─ Source orders (clickable to detail)
|
├─ Actions:
│   └─ Approve → PENDING → PROCESSING (admin commits to paying)
│   └─ Mark Paid → PROCESSING → PAID (after bank transfer)
│   └─ Mark Failed → with reason (e.g., "bank rejected, contact vendor")
│   └─ Delete (only if not yet PAID)
|
└─ All audit-logged as PAYOUT_{status}
```

3.7 Hero banner curation

```
[/dashboard/admin/banners]
|
|— List of banners with thumbnail, sort order, active toggle, expiry
|
|— Create new banner:
|   - Image upload (1920x600 recommended)
|   - Heading, subtitle, description (TR + EN via translations)
|   - Button text + URL
|   - Sort order, active toggle, optional tenantId (artist-specific banner)
|
|— Edit / Toggle active / Delete (with confirmation)
|
|— Audit: ADMIN_BANNER_CREATED / UPDATED / DELETED / TOGGLED
```

3.8 NFC tag generation

```
[/dashboard/admin/nfc-tags]
|
|— Bulk-generate dialog:
|   - Quantity (1-10,000)
|   - Optional: assign to vendor
|   - Optional: pre-set destination URL pattern
|
|— Each tag has unique UID + writable NDEF URL
|
|— Per tag actions:
|   - Assign to product (sets destinationUrl = /product/:id)
|   - Reassign destination
|   - View scan count + last scan
|   - Reset count (for testing)
|   - Revoke (returns 410 Gone on next scan)
|
|— Export CSV of UIDs + destinations for physical labeling
```

3.9 Push broadcast

```
[/dashboard/admin/mobile]
|
|─ Title input (max 65 chars – iOS notification limit)
|─ Body input (max 178 chars)
|
|─ ▼ "Tüm Cihazlara Gönder" button
|
[Typed-confirmation modal]
|
|─ Input: type "GONDER" to confirm
|─ Warning: "Bu mesaj X cihaza gönderilecek. Geri alınamaz."
|
|─ ▼ Confirm
|
[POST /admin/notifications/push-broadcast]
|
|─ Throttled: 5/hour per admin
|─ Sends to all PushDevice records (distinct userId)
|─ Audit-logged: ADMIN_PUSH_BROADCAST with title + body length
```

3.10 Maintenance mode

```
[/dashboard/admin/settings] → "Maintenance Mode" toggle
|
|─ Enabling requires typed-confirmation "MAINTENANCE"
|─ Custom message field (shown to users during downtime)
|
|─ ▼ Toggle ON
|
[POST /admin/settings/maintenance]
|
|─ Sets PlatformSettings.maintenanceMode = true
|─ Audit: PLATFORM_SETTINGS_UPDATE (critical)
|
|─ ▼
|
[Frontend behavior]
|
|─ Middleware checks setting on every request
|─ Non-admin users see /maintenance page with custom message
|─ Admin users still have full dashboard access
|
|─ Disable mode (no typed-confirm needed since it restores service)
```

3.1.1 Audit log review

```
[/dashboard/admin/audit-log]
|
|— Filters: action type, actor, target type, date range, severity
|— Per row: timestamp, actor (with mask for deleted users), action,
|   target, metadata snippet
|
|— Click row → detail modal with full JSON metadata
|
|— Used for: forensic investigation, compliance audits, vendor disputes
```

Daily security digest:

- Cron 08:00 Istanbul time
- Emails all GOD_USER + PLATFORM_ADMIN
- Includes: critical events (account locked, admin reset, settings change), warning events (failed logins, payouts, refunds)
- Subject: "VibeHub güvenlik özeti — {date}"

Cross-cutting: notification matrix

For each event, who gets notified and how:

Event	Customer email	Customer push	Customer in-app	Vendor email	Admin
Registration	—	—	—	—	—
Login failure (5x)	—	—	—	—	(daily)
Password reset request	✓	—	—	—	(daily)
Order placed	✓ ORDER_CONFIRMATION	✓	✓	✓ VENDOR_NEW_ORDER	✓ NEW_
Order CONFIRMED	✓ ORDER_CONFIRMED	✓	✓	—	—
Order SHIPPED	✓ SHIPMENT_NOTIFICATION	✓	✓	—	—
Order DELIVERED	✓ ORDER_DELIVERED	✓	✓	—	—
Refund requested	✓ REFUND_REQUESTED + RETURN_BARCODE	✓	✓	✓ VENDOR_REFUND_REQUEST	(visible queue)
Refund approved	✓ REFUND_APPROVED	✓	✓	—	—
Depot arrival	✓ "paketin ulaştı"	✓	✓	—	—
Vendor approved	—	—	—	✓ VENDOR_WELCOME	—
Vendor rejected	—	—	—	⌚ TODO	—
Vendor applied	—	—	—	⌚ TODO confirmation	⌚ TOD admin
Payout created	—	—	—	(in dashboard)	(in dashb
Payout PAID	—	—	—	⌚ TODO	—
Push broadcast	—	✓	✓	—	—

Legend: ✓ implemented | ⌚ TODO (post-launch follow-up) | — not applicable

Cross-cutting: permission matrix (vendor)

Default (granted on approval): 13 of 15 permissions Opt-in (admin must grant): 2 of 15

Permission	Default?	Gates what
PRODUCT_CREATE	✓	Create new product
PRODUCT_EDIT	✓	Edit existing product (title, price, images, etc.)
PRODUCT_DELETE	✓	Archive product
PRODUCT_SUBMIT	✓	Submit DRAFT for admin review
PRODUCT_PUBLISH_DIRECT	⚠ opt-in	Skip review, publish straight to LIVE
VARIANT_MANAGE	✓	Add/edit/delete variants
INVENTORY_EDIT	✓	Adjust stock per variant
ORDER_VIEW	✓	See incoming orders
ORDER_FULFILL	✓	Mark CONFIRMED → SHIPPED, create shipment
STOREFRONT_EDIT	✓	Edit store profile (logo, banner, bio)
PAYOUT_REQUEST	✓	View own payouts + request new
ANALYTICS_VIEW	✓	View vendor analytics page
MANAGER_INVITE	✓	(Reserved for future — invite VENDOR_MANAGER users)
FORUM_MANAGE	✓	Moderate forum (channels, topics, replies)
MEDIA_MANAGE	⚠ opt-in	Add Spotify/YouTube embeds to storefront

End of WORKFLOWS.md. For business framing, see EXECUTIVE_BRIEF.md. For engineering detail, see ARCHITECTURE.md.