



— Observed data — Selected fit —·— Toy-ensemble mean

— Input histogram
— shifted sigmoid*power*exp + tail (chi2/ndof=1.90)
— shifted sigmoid*power*exp (chi2/ndof=20.85)
— shifted gen-gamma (chi2/ndof=17.17)

HPS 2015 candidate-family overlay




HPS 2015 / shifted sigmoid*power*exp + tail
Scan [20, 130] MeV / N events = 2.145e+07




— Input histogram
— shifted sigmoid*power*exp + tail (chi2/ndof=0.99)
— thresholded gen-gamma (chi2/ndof=3.37)
— shifted sigmoid*power*exp (chi2/ndof=5.57)

HPS 2016 10% candidate-family overlay




HPS 2016 10% / shifted sigmoid*power*exp + tail
Scan [42, 210] MeV / N events = 7.483e+06



— Input histogram
— sigmoid*power*exp + raw expquad (chi2/ndof=1.17)
— thresholded gen-gamma (chi2/ndof=1.07)
— shifted gen-gamma (chi2/ndof=1.19)
— endpoint-aware sigmoid*power*exp (chi2/ndof=3.75)

HPS 2021 1% candidate-family overlay



HPS 2021 1% / sigmoid*power*exp + raw expquad
Scan [50, 250] MeV / N events = 1.229e+07

