

- IdentityCheck configuration directive (IdentityCheck 配置指令), 116
 - magic typing (魔法分类), 126
 - APIs (application programming interfaces) (应用编程接口), 203
 - server extensions (服务器扩展), 205
 - web services (Web 服务器), 205
 - application/* MIME types (application/* MIME 类型), 540 ~ 557
 - application programming interfaces (see APIs) (应用编程接口, 参见 API)
 - application servers (应用服务器), 123, 203
 - ASCII character set (ASCII 字符集), 379
 - asymmetric cryptography (对称加密), 315
 - attacks (攻击), 303 ~ 306
 - batched brute-force attacks (批量暴力型攻击), 305
 - chosen plaintext attacks (选择明文攻击), 305
 - dictionary attacks (词典攻击), 304
 - enumeration (枚举), 313
 - evidence of (证据), 301
 - header tampering (首部篡改), 303
 - hostile proxies (恶意代理), 304
 - man-in-the-middle attacks (中间人攻击), 304
 - replay attacks (重放攻击), 284, 303
 - preventing (防止), 289
 - audio/* MIME types (audio/* MIME 类型), 557 ~ 559
 - authentication (认证), 277 ~ 280
 - basic (see basic authentication) [基本 (参见基本认证)]
 - challenge/response framework (质询/响应框架), 278
 - digest (see digest authentication) headers [摘要 (参见摘要认证) 首部], 278
 - HTTP, 480
 - multiple authentication schemes (多重认证机制), risks of (认证风险), 303
 - protocols (协议), 278
 - proxy servers (代理服务器), 156
 - server (服务器), using digital certificates (使用数字证书), 321
 - (see also HTTPS) (还请参见 HTTPS)
 - Authentication-Info directives (Authentication-Info 指令), 576
 - Authorization headers (Authorization 首部), 281, 511
 - directives (指令), 575
 - preemptive generation (预先产生), 295
 - automatic expansion of URLs (URL 的自动扩展), 30
- ## B
- bandwidth (带宽)
 - bottlenecks (瓶颈), 161
 - transfer times (传输时间), 162
 - base URLs (基本 URL), 32
 - base-64 encoding (Base-64 编码), 570 ~ 572
 - alphabet (字母表), 571
 - equals sign (=) (等于), 572
 - HTTP, compatibility with (兼容于), 570
 - padding (填充), 572
 - Perl implementation (Perl 实现), 572
 - purpose (目标), 570
 - username/password (用户名/密码), 282
 - bases (基础), 31
 - basic authentication (基本认证), 281 ~ 284
 - example (举例), 281
 - headers (首部), 281, 300
 - insecurity of (不安全), 283, 286
 - protection space (保护空间), 302
 - by proxy servers (通过代理服务器), 283
 - username/password encoding (用户名/密码的编码), 282
 - web server vs. proxy (Web 服务器与代理), 283
 - (see also authentication) (还请参见认证)
 - batched brute-force attacks (批量暴力型攻击), 305