
Auvetric
DATA SOLUTIONS

BRAND GUIDELINES · VERSION 1.0

We connect systems. We engineer intelligence.



GUIDE

Contents

03 The brand

04 Two disciplines

05 Logo

06 Logo variants

07 Clear space & sizing

08 Logo misuse

09 Colour

10 Colour in use

11 Typography

12 Graphic language

13 Composition rules

14 Voice & tone

15 Messaging

16 Claims policy

17 Social applications

18 Asset specifications

19 Maintaining the system

The brand

Auvetric Data Solutions is a two-partner technology consultancy in Windhoek, Namibia. Jakes9NA engineers the systems: software, industrial IoT, ERP integrations and the infrastructure underneath. Alex makes sure the data those systems produce is accurate, reconciled and useful: Power BI, data quality and governance. Most consultancies do one or the other. We do both, so the system that captures the data and the report that depends on it are designed together.

PRIMARY LINE

We connect systems.
We engineer intelligence.

SHORT LINE

ENGINEERING × DATA × INTELLIGENCE

NAME

Always **Auvetric Data Solutions** in full on first use; **Auvetric** thereafter. Never "AUVETRIC", "Auvetric DS" or "ADS".

Two disciplines. One connected solution.

ENGINEERING · ELECTRIC BLUE

Jakes9NA

Builds and connects the systems: software, ERP integration, industrial IoT, edge devices and infrastructure. Physical and technical subjects take the blue accent.

DATA · CYAN

Alex

Makes the information trustworthy and useful: Power BI, reconciliation, master-data quality and governance. Analytical subjects take the cyan accent.

TOGETHER · WHITE NODE

Auvetric

Where both meet, use both colours converging on a white node. This is the brand's central idea and its signature graphic.

Both partners always get equal visual prominence. When one discipline leads a piece of content, it takes that colour; joint content uses the convergence treatment.

The logo



One mark, used as supplied

The symbol is a folded-ribbon **A** whose strands become circuit traces ending in three terminals: physical engineering turning into data. The wordmark is **Auvetric** with **DATA SOLUTIONS** tracked beneath.

All variants in this kit are cut and recoloured from the owner-supplied master file. Never redraw, retype or re-space the logo. Never rebuild the wordmark in a font.

MASTER FILE

`public/brand/auvetric-logo-original.png`

VARIANTS

`brand-kit/logos/ (12 files, see MANIFEST.json)`

Logo variants



HORIZONTAL · DARK BACKGROUNDS (PRIMARY)



HORIZONTAL · LIGHT BACKGROUNDS




STACKED · DARK



MONO WHITE · PHOTOS & SINGLE COLOUR



MONO NAVY · SINGLE COLOUR ON LIGHT



SYMBOL AVATAR · ALL PROFILES

Clear space & minimum size



Clear space = X

X is half the height of the logo symbol. Keep at least X clear on every side: no text, edges or other graphics inside it.

Minimum sizes

ASSET	DIGITAL	PRINT
Horizontal lockup	140 px wide	35 mm wide
Stacked logo	90 px wide	22 mm wide
Symbol only	24 px wide	8 mm wide

Below the stacked minimum, use the horizontal lockup. Below the horizontal minimum, use the symbol on its own.

Logo misuse



✕ DON'T STRETCH OR SQUASH



✕ DON'T ROTATE



✕ DON'T RECOLOUR



✕ DON'T ADD EFFECTS



✕ DON'T FADE OR LOWER CONTRAST



✕ DON'T PLACE ON BUSY BACKGROUNDS

Also never: outline the logo, change the type, separate the wordmark from DATA SOLUTIONS, or put the light-background version on a dark ground.

Colour palette

Electric Blue
ENGINEERING · PRIMARY ACTIONS

HEX #0069F5
RGB 0, 105, 245
CMYK 100 57 0 4*

Signal Cyan
DATA · HIGHLIGHTS

HEX #00D4EA
RGB 0, 212, 234
CMYK 100 9 0 8*

Void Navy
PRIMARY BACKGROUND

HEX #050B18
RGB 5, 11, 24
CMYK 79 54 0 91*

Base Navy
SECONDARY BACKGROUND

HEX #091326
RGB 9, 19, 38
CMYK 76 50 0 85*

Panel Navy
CARDS & PANELS

HEX #101E34
RGB 16, 30, 52
CMYK 69 42 0 80*


Ink White
PRIMARY TEXT

HEX #F3F7FF
RGB 243, 247, 255
CMYK 5 3 0 0*

*CMYK values are direct conversions for reference only. Ask the printer to match the HEX values using their own colour profile, and approve a proof before a full print run.

Colour in use

Proportion



Void Navy 60% · Panels 20% · Ink text 10% · Electric Blue 5% · Signal Cyan 5%

The brand is dark and calm. Navy carries most of every layout; blue and cyan are signals, not floods. Never fill large areas with saturated blue or cyan behind text.

Text contrast

Body text on navy uses Ink White (18.3:1) or Muted (8.8:1). Coloured text uses the light text tints, never the pure fills. White on Electric Blue buttons is 4.84:1, which passes WCAG AA for normal text.

Support & status colours

Light Blue (text)	#77B5FF	7.8:1 on panel
Light Cyan (text)	#5AE7F2	11.3:1 on panel
Muted text	#9DAFC8	7.5:1 on panel
Success	#49D7B1	9.3:1 on panel
Warning	#F0B35A	9.0:1 on panel
Error / alarm	#F16B77	5.7:1 on panel

Status colours are for meaning only: green means verified or passing, amber means warning or needs review, pink-red means error or alarm. Never use pink-red decoratively.

Typography

DISPLAY · SPACE GROTESK 600

Aa Bb 0123

Headlines, statements, numbers. Tight tracking (−0.03 em), line height 1.0–1.1. Sentence case.

BODY · INTER 400 / 500 / 600

Aa Bb 0123

Paragraphs, UI and documents. 16–20 px on screen, line height 1.5–1.6.

TECHNICAL · JETBRAINS MONO 500

Aa 0123

Labels, data, code and measurements only. Uppercase with wide tracking for labels.

H1 · 56-80

Systems

H2 · 36-48

Data quality

BODY · 17


Reliable data and connected technology.

LABEL · 12

ENGINEERING × DATA

All three fonts are free (SIL Open Font License). Font files are in brand-kit/fonts/. In Microsoft Office, if the brand fonts aren't installed, fall back to Segoe UI for display and body, and Consolas for technical labels.

Graphic language



THE CONVERGENCE NODE

Convergence node. Blue engineering paths from the left and cyan data paths from the right meet at a white node with crossed orbits and a tick ring. The brand's signature, used on every banner.

Circuit terminals. Paths begin at ring terminals, taken from the three circuit ends in the logo.

Engineering grid. A faint 7% grid, faded at the edges with a radial mask.

Glows. Soft blue glow upper left, cyan lower right. Atmosphere, never a halo around text.

Data packets. Small dots on paths. Static in print, animated on the website.

No stock photography of handshakes, glowing brains or generic servers. When photography is needed, use real work: equipment, sites, dashboards on screen and the partners themselves.

Composition rules

1 · Text and motif never overlap

On wide formats the convergence node takes the right side. On portrait formats it takes a band at the bottom. Text keeps its own zone.

2 · Respect platform overlays

Profile pictures cover the lower left of covers. Stories and TikTok cover the top 260 px and bottom 340 px. Keep text clear of these zones.

3 · One message per graphic

A mono label, a headline in Space Grotesk, and at most a line or list beneath. If it needs a paragraph, it belongs in the caption.

4 · Left-aligned, generous space

Text aligns left on an 8% margin. Space above a heading is always larger than below it.

5 · Second line in Muted

Two-part headlines set the first line in Ink White and the second in Muted, as in "We connect systems. / We engineer intelligence."

6 · Label demos honestly

Anything simulated says "synthetic" or "demo". Concepts are labelled as concepts.

Voice & tone

Plain over impressive. Say what the system does and what problem it removes. 'Captures every fuel dispense, even offline' beats 'next-generation intelligent fuel platform'.

Specific over general. Name the technology, the data, the failure mode. Specifics are our proof because we don't publish client names.

Calm and precise. Confident, never loud. No exclamation marks in professional copy. No 'revolutionary', 'cutting-edge', 'world-class', 'seamless'.

Honest about status. Prototype is prototype. Concept is concept. We never invent clients, results, testimonials, certifications or years of experience.

Two voices, one brand. Engineering content can use the blue accent; data content the cyan. Joint content uses both. All of it sounds like the same company.

WRITE LIKE THIS

"We capture every fuel dispense at the pump, even when the site is offline, and reconcile it against the ERP every night."

NOT LIKE THIS

"Our cutting-edge, AI-powered platform delivers seamless, world-class fuel intelligence!"

Words to avoid: revolutionary, cutting-edge, world-class, seamless, best-in-class, guarantee, synergy, leverage (as a verb), unlock.

Messaging

25 WORDS

Auvetric Data Solutions connects operational systems and makes their data trustworthy: custom software, industrial IoT, Power BI, data quality and automation, from Windhoek, Namibia.

50 WORDS

Auvetric Data Solutions is a technology consultancy in Windhoek, Namibia. We build custom software, connect industrial equipment and ERP systems, and turn the resulting data into reporting people can trust. One partner engineers the systems; the other is a data and BI specialist. We work with clients locally, regionally and remotely.

ELEVATOR PITCH (SPOKEN)

You know the problem: the equipment logs one number, the ERP says another, and the monthly report nobody quite trusts sits on top of both. We fix that end to end. I build and connect the systems; my partner makes sure the data coming out of them is right and turns it into reporting you can act on.

FOUR PRACTICES

01 Engineering & Development

02 Data & Business Intelligence

03 Automation & Intelligent Systems

04 Technology Consultancy & Integration

Full copy for every platform: brand-kit/content/. Source of truth: content/source.py.

Claims policy

We may say

- ✓ Partner skills and technologies listed on the website (each partner's own).
- ✓ Alex: approximately four years of business operations and retail experience, including participation in an enterprise retail system conversion within a major Namibian FMCG environment (employer not named).
- ✓ Interactive demonstrations on the website, described as synthetic simulations.
- ✓ Project types the partners have worked on, described without client names, figures or confidential detail.

We never publish


- ✕ Client names, logos or testimonials without written permission.
- ✕ Percentages, savings, ROI or performance figures that have not been measured and approved.
- ✕ Certifications, awards, degrees or 'years of experience' not confirmed by the partner concerned.
- ✕ Employer-owned systems presented as Auvetric work.
- ✕ Growth areas (SQL, Python/Pandas, advanced DAX, Power Apps, Copilot Studio) presented as established specialisations.
- ✕ Prices, guarantees or delivery times not agreed by both partners.

Credibility is the brand. A specific, honest description of how we work beats any unverifiable claim. Both partners approve anything that mentions the other partner's work.


Social applications · covers



FACEBOOK-COVER-1702X630.PNG



LINKEDIN-COMPANY-COVER-1512X256.PNG



X-HEADER-1500X500.PNG



UPWORK-AGENCY-BANNER-3200X320.PNG

Social applications · posts & covers

Auvetric
DATA SOLUTIONS

INTRODUCING

We connect systems. We engineer intelligence.

Auvetric Data Solutions is a Windhoek-based technology consultancy. One partner builds and connects the systems; the other makes sure the data they produce can be trusted.



AUVETRIC DATA SOLUTIONS · WINDHOEK, NAMIBIA

INSTAGRAM · 1080X1350

Auvetric
DATA SOLUTIONS

TWO DISCIPLINES · ONE SOLUTION

Engineering meets data.

01 Jakes9NA — systems engineering, IoT, ERP integration, infrastructure

02 Alex — enterprise data, Power BI, reconciliation, governance

03 Together — systems that run, and numbers you can trust



AUVETRIC DATA SOLUTIONS · WINDHOEK, NAMIBIA

INSTAGRAM · 1080X1350

Auvetric
DATA SOLUTIONS

DATA & BI PRINCIPLE

A dashboard is only as trustworthy as the data underneath it.

Start with where the information comes from, who owns it and how it can go wrong — then report on it.

— ALEX, DATA & BI



AUVETRIC DATA SOLUTIONS · WINDHOEK, NAMIBIA

INSTAGRAM · 1080X1350

Auvetric
DATA SOLUTIONS

ENGINEERING · EPISODE 01

From sensor to dashboard in 8 steps.



TIKTOK · 1080X1920

Asset specifications

PLATFORM	ASSET	PIXELS
facebook	Page profile picture	720x720
facebook	Page cover photo	1702x630
linkedin	Company Page logo	400x400
linkedin	Company Page cover	1512x256
linkedin	Jakes9NA personal profile background	1584x396
linkedin	Alex personal profile background	1584x396
x	Profile photo	400x400
x	Header	1500x500
youtube	Channel picture	800x800
youtube	Channel banner	2560x1440
instagram	Profile picture	720x720
tiktok	Profile photo	720x720

PLATFORM	ASSET	PIXELS
upwork	Agency profile photo (logo)	500x500
upwork	Agency profile banner	3200x320
fiverr	Seller profile picture (business/team account)	720x720
github	GitHub organisation/profile avatar	500x500
github	Repository social preview	1280x640
whatsapp	WhatsApp Business profile photo	640x640
email	Email signature banner	1200x240
Instagram feed posts (6)		1080x1350
Instagram stories (2)		1080x1920
TikTok video covers (4)		1080x1920
Upwork project covers (4)		2000x1500
Fiverr gig images (4)		1280x769

All 39 files with platform rules and placement notes: social/MANIFEST.json. Specs were checked against platform help pages in October 2026. Platforms change them, so re-check before major updates.

Maintaining the system

Edit copy

Change text in content/source.py or content/launch_calendar.py, then run

```
python tools/build_content.py
```

It refuses to build if a field exceeds its platform limit or uses banned claims.

Rebuild graphics

All banners and posts are generated from tools/catalogue.py with the brand tokens:

```
python tools/catalogue.py
```

Every file is rendered at its exact platform size.

When auvetric.com goes live

Change WEBSITE in content/source.py, rebuild the content, then update the link on every profile. The graphics contain no URL, so they don't need to change.

Before publishing

Fill the {PLACEHOLDERS}: email, phone, prices and delivery times. Both partners approve the launch calendar. Claim the same handle on every platform on the same day.

Auvetric
DATA SOLUTIONS



We connect systems. We engineer intelligence.

WINDHOEK, NAMIBIA · AUVETRIC.COM (COMING SOON)