


SCCS2026 予選 参加者配布用資料

Booth1
whiskey

VPN接続設定

- アドレス : 133.42.49.151
- 事前共有キー : sccs2026-DmJYjc
- ユーザ名 : booth1[1-5](例 : booth11)
- パスワード : sccs2026-DmJYjc

論理構成図



 Internet

 Firewall

 VPN

 Router


 L3 Switch

 L2 Switch

Icons : © 2025 Interop Tokyo ShowNet NOC Team / CC BY 4.0

<https://github.com/interop-tokyo-shownet/shownet-icons>

Booth-1 (com1.local)



SCCS 2026 Booth Networking and System

v601 : 10.1.31.0/24
v701 : 10.1.21.0/24(10.1.1.0/24)
v801 : 10.1.11.0/24
(.xxx) : last octet on each segment

Victor's well-known Service:

- Mail: smtp, imap
- WWW Company Page
<http://www.com1.local/>
- Members chat board
- Terminals: ssh.telnet
- ISC DHCP

Bravo's well-known Service:

- DNS: BIND
- Mail: smtp, imap > (user)@service.com1.local
- WWW hosting User's Page (100 users)
 - login -- http://com1.local/
 - user -- http:// (user).com1.local/
- PHP, CGI, DB
- Hosting user's membership board
- Maintenance: ssh

Domain: com1.local

機器パスワード

- Cat3560, ASAのvty → sh1Ra8mA
- Cat3560, ASAのenable → KCom10sT
- Victor, Bravoのmanage → sh1Ra8mA
- Victor, Bravoのroot → KCom10sT
- RTX1210, RTX1200のmanage → sh1Ra8mA
- RTX1210, RTX1200のadmin → KCom10sT
- NP2000-24T4X-1のmanage → sh1Ra8mA
- NP2000-24T4X-1のenable → KCom10sT
- Mysqlの管理権限
 - ユーザ名：mysql
 - パスワード：yoursql
- 上記項目は**変更しない**
- 上記アカウントを使用した**攻撃はない**
- ASAはCat3560からtelnetを用いて接続する

ISC DHCP, syslog

- VictorでDHCPが稼働
 - 10.1.11.0/24のセグメントを管理
 - 配布IPは10.1.11.50~99
 - ログの場所
 - /var/log/messages
- syslogの収集
 - victor : /var/log/rsyslog/

WordPress

<http://www.com1.local/wp-admin/>

- ユーザ名 : admin
- パスワード : Cm0re

メール (RainLoop)

<http://www.com1.local/rain>

- メールアドレス : manage@com1.local
- パスワード : sh1Ra8mA

トラブルチケット

- Pukiwiki上で作成し、提出してください
- http://133.42.49.140/trouble_ticket_137/index.php
 - ユーザ名 : whiskey
 - パスワード : E5mA9cF3

CIC2026 DNS Relationship

