5-1. 테이블 간 관계 맺기 - 조인1 (내부조인, 외부조인)

홍형경 chariehong@gmail.com 2021.06


### 1. 조인 (Join)

- RDBMS 특징 : 중복 데이터 저장 회피 목적으로 데이터 성격에 따라 테이블 분리 (예, 사원 테이블, 부서 테이블, ... )
- 한 테이블만 읽어서는 필요한 정보가 부족
- · employees 테이블에는 부서번호(department\_id) 컬럼만 있어 부서명을 알 수 없음
- · 부서명을 가져오려면 departments 테이블과 연결 필요
- · 이런 테이블 간 연결 작업을 조인(Join)이라 함

## 1. 조인 (Join)

- 테이블 간 연결(조인)을 위해서는 연결고리 역할을 하는 컬럼이 필요
- . 조인에 참여하는 테이블 간 같은 값을 가진 컬럼 → 조인 컬럼 (예, employees와 departments 테이블 조인 컬럼 : department\_id )
- 각 테이블의 조인 컬럼 명이 같을 필요는 없으나 동일하게 만드는 것이 좋음
- · 조인 컬럼은 한 개 이상으로 구성될 수 있고, 뷰(View)도 조인 가능
- 조인 방식에 따라 크게 내부조인, 외부조인 으로 구분

### 1. 조인 (Join)




- 301번 홍길동이 속한 부서의 이름을 알려면 사원 테이블만 조회해서는 알 수 없음
- · 사원 테이블의 dept\_id와 부서 테이블의 dept\_id를 연결해 부서 테이블의 부서명을 가져올 수 있음

### 2. 내부 조인 (Inner Join)

- . 가장 기본적인 조인 방식
- · 조인 참여 테이블 간 조인 컬럼 값이 같은 건을 가져옴
- · WHERE 절에서 각 테이블의 조인 컬럼과 연산자를 사용해 조건 명시 → 조인 조건
- · 일반적으로 조인 조건에 동등 연산자(=) 사용 → 조인 컬럼 값이 같은 건이 조회됨 (예, where a.seq\_id = b.seq\_id)
- · 조인 조건을 만족한 데이터만 조회됨

### 2. 내부 조인 (Inner Join)




조인 조건 WHERE a.dept\_id = b.dept\_id

### 2. 내부 조인 (Inner Join)

. 사용 예

- · FROM 절에 조인에 참여할 테이블 명시 (콤마로 구분)
- · 각 테이블에 Alias를 주는 것이 좋음
- · 모든 컬럼은 테이블명.컬럼명 혹은 테이블 alias명.컬럼명 형태로 사용
- · WHERE 절에서는 조인 조건과 일반 조건 함께 사용
- . 조인 조건을 만족하는 데이터만 조회됨

SELECT a.employee\_id, a.first\_name, a.last\_name, a.department\_id, b.department\_name FROM employees a, departments b WHERE a.department\_id = b.department\_id ORDER BY a.employee\_id;



SELECT a.employee\_id, a.first\_name, a.last\_name, a.department\_id, b.department\_name


FROM employees a, departments b WHERE a.department\_id = b.department\_id ORDER BY a.employee\_id;

※ 178번 사원이 빠져 있음

	⊕ FIRST_NAME	⊕ DEPARTMENT_ID	DEPARTMENT_NAME     ■
-	Steven		Executive
101	Neena	90	Executive
102	Lex	90	Executive
103	Alexander	60	IT
104	Bruce	60	IT
105	David	60	IT
106	Valli	60	IT
107	Diana	60	IT
108	Nancy	100	Finance

	₱ FIRST_NAME	LAST_NAME		DEPARTMENT_NAME
169	Harrison	Bloom	80	Sales
170	Tayler	Fox	80	Sales
171	William	Smith	80	Sales
172	Elizabeth	Bates	80	Sales
173	Sundita	Kumar	80	Sales
174	Ellen	Abel	80	Sales
175	Alyssa	Hutton	80	Sales
176	Jonathon	Taylor	80	Sales
177	Jack	Livingston	80	Sales
179	Charles	Johnson	80	Sales
180	Winston	Taulor	50	Shinning

```
SELECT a.employee_id,
    a.first_name, a.last_name,
    a.department_id
 FROM employees a
  WHERE a.department_id IS NULL
  ORDER BY a.employee_id;
```



- → 사번이 178번인 Kimberely Grant는 department\_id 값이 NULL 이어서 조회가 되지 않음
- → WHERE a.department\_id = b.department\_id 조건 불만족

SELECT a.employee\_id, a.first\_name || ' ' || a.last\_name emp\_names,

job\_id, b.job\_title

FROM employees a,


jobs b

WHERE a.job\_id = b.job\_id

ORDER BY 1;

ORA-00918: 열의 정의가 애매합니다 00918, 00000 - "column ambiguously defined" \*Cause: \*Action: 2행, 8열에서 오류 발생

→ job\_id 컬럼은 두 테이블 모두 존재, 어느 테이블의 job\_id를 가져올 것인지 명시해야 함



SELECT a.employee\_id, a.first\_name || ' ' || a.last\_name emp\_names,

a.job\_id, b.job\_id, b.job\_title

FROM employees a,

jobs b

WHERE a.job\_id = b.job\_id

**ORDER BY 1**;

	EMP_NAMES			
100	Steven King	AD_PRES	AD_PRES	President
101	Neena Kochhar	AD_VP	AD_VP	Administration Vice President
102	Lex De Haan	AD_VP	AD_VP	Administration Vice President
103	Alexander Hunold	IT_PROG	IT_PROG	Programmer
104	Bruce Ernst	IT_PROG	IT_PROG	Programmer
105	David Austin	IT_PROG	IT_PROG	Programmer
106	Valli Pataballa	IT_PROG	IT_PROG	Programmer
107	Diana Lorentz	IT_PROG	IT_PROG	Programmer
108	Nancy Greenberg	FI_MGR	FI_MGR	Finance Manager
109	Daniel Faviet	FI_ACCOUNT	FI_ACCOUNT	Accountant
110	John Chen	FI_ACCOUNT	FI_ACCOUNT	Accountant

EMPLOYEES	
EMPLOYEE_ID	
FIRST_NAME	
LAST_NAME	
EMAIL	
PHONE_NUMBER	
HIRE_DATE	
JOB_ID	
SALARY	
COMMISSION_PCT	
MANAGER_ID	
DEPARTMENT_ID	
	EMPLOYEE_ID  FIRST_NAME  LAST_NAME  EMAIL  PHONE_NUMBER  HIRE_DATE  JOB_ID  SALARY  COMMISSION_PCT  MANAGER_ID

**JOBS** JOB ID JOB\_TITLE MIN\_SALARY MAX\_SALARY

SELECT a.employee\_id, a.first\_name || ' ' || a.last\_name emp\_names,

a.job\_id, b.job\_id, job\_title

FROM employees a,

jobs b

WHERE a.job\_id = b.job\_id

**ORDER BY 1**;

		<b>∜</b> JOB_ID		JOB_TITLE
100	Steven King	AD_PRES	AD_PRES	President
101	Neena Kochhar	AD_VP	AD_VP	Administration Vice President
102	Lex De Haan	AD_VP	AD_VP	Administration Vice President
103	Alexander Hunold	IT_PROG	IT_PROG	Programmer
104	Bruce Ernst	IT_PROG	IT_PROG	Programmer
105	David Austin	IT_PROG	IT_PROG	Programmer
106	Valli Pataballa	IT_PROG	IT_PROG	Programmer
107	Diana Lorentz	IT_PROG	IT_PROG	Programmer
108	Nancy Greenberg	FI_MGR	FI_MGR	Finance Manager


→ job\_title은 jobs 테이블에만 존재, 별칭이 없어도 오류 없으나 붙여 주는 것이 좋다

```
SELECT a.employee_id, a.first_name || ' ' || a.last_name emp_names,
          b.job_title,
         c.department_id ,c.department_name
                                                                             EMPLOYEES
                                                                                                  DEPARTMENTS
 FROM employees a,
                                                                          EMPLOYEE_ID
                                                                                                DEPARTMENT_ID
    jobs b,
                                                                          FIRST NAME
                                                                                                DEPARTMENT NAME
                                                                          LAST_NAME
                                                                                                MANAGER_ID
    departments c
                                                                          EMAIL
                                                                                                LOCATION ID
WHERE a.job_id
                       = b.job_id
                                                                          PHONE NUMBER
                                                           JOBS
                                                                          HIRE_DATE
  AND a.department_id = c.department_id ₄...
                                                       -YOB-ID
                                                                          JOB ID
ORDER BY 1;
                                                       JOB_TITLE
                                                                          SALARY
                                                       MIN SALARY
                                                                          COMMISSION PCT
                                                       MAX SALARY
                                                                          MANAGER ID
                                                                          DEPARTMENT_ID
```

**ORDER BY 1**;

```
SELECT a.employee_id, a.first_name || ' ' || a.last_name emp_names,
        b.job_title,
        c.department_id ,c.department_name
 FROM employees a,
    jobs b,
   departments c
                    = b.job_id
WHERE a.job_id
 AND a.department_id = c.department_id
```

	∳ JOB_TITLE	DEPARTMENT_ID
100 Steven King	President	90 Executive
101 Neena Kochhar	Administration Vice President	90 Executive
102 Lex De Haan	Administration Vice President	90 Executive
103 Alexander Hunold	Programmer	60 IT
104 Bruce Ernst	Programmer	60 IT
105 David Austin	Programmer	60 IT
106 Valli Pataballa	Programmer	60 IT
107 Diana Lorentz	Programmer	60 IT
108 Nancy Greenberg	Finance Manager	100 Finance
		1



SELECT a.employee\_id,

```
a.first_name || ' ' || a.last_name emp_names,
       b.job_title, c.department_name,
       d.location_id, d.street_address, d.city, d.state_province
FROM employees a,
   jobs b,
   departments c,
   locations d
WHERE a.job_id
                    = b.job_id
 AND a.department_id = c.department_id
 AND c.location_id = d.location_id
ORDER BY 1;
```

	<b>\$JOB_TITLE</b>	DEPARTMENT_NAME ⟨	LOCATION LID # STREET LADDRESS	<b>∜</b> CITY	\$TATE_PROVINCE
100 Steven King	President	Executive	1700 2004 Charade Rd	Seattle	Washington
101 Neena Kochhar	Administration Vice President	Executive	1700 2004 Charade Rd	Seattle	Washington
102 Lex De Haan	Administration Vice President	Executive	1700 2004 Charade Rd	Seattle	Washington
103 Alexander Hunold	Programmer	IT	1400 2014 Jabberwocky Rd	Southlake	Texas
104 Bruce Ernst	Programmer	IT	1400 2014 Jabberwocky Rd	Southlake	Texas
105 David Austin	Programmer	IT	1400 2014 Jabberwocky Rd	Southlake	Texas
106 Valli Pataballa	Programmer	IT	1400 2014 Jabberwocky Rd	Southlake	Texas
107 Diana Lorentz	Programmer	IT	1400 2014 Jabberwocky Rd	Southlake	Texas
108 Nancy Greenberg	Finance Manager	Finance	1700 2004 Charade Rd	Seattle	Washington
109 Daniel Faviet	Accountant	Finance	1700 2004 Charade Rd	Seattle	Washington
110 John Chen	Accountant	Finance	1700 2004 Charade Rd	Seattle	Washington
111 Ismael Sciarra	Accountant	Finance	1700 2004 Charade Rd	Seattle	Washington

```
EMPLOYEE ID
SELECT a.employee_id
                                                                                                                 DEPARTMENTS
                                                                                 FIRST NAME
                                                                                                               DEPARTMENT ID
   ,a.first_name || ' ' || a.last_name emp_names
                                                                                 LAST NAME
                                                                                                               DEPARTMENT NAME
   ,b.job_title ,c.department_name
                                                                                 EMAIL
                                                                                                               MANAGER ID
                                                                                 PHONE_NUMBER
   ,d.street_address, d.city
                                                                                                               LOCATION_ID
                                                                   JOBS
                                                                                 HIRE DATE
   ,e.country name
                                                                                 JOB ID
                                                              JOB ID
 FROM employees a,
                                                              JOB TITLE
                                                                                 SALARY
                                                              MIN SALARY
                                                                                 COMMISSION PCT
   jobs b,
                                                              MAX_SALARY
                                                                                 MANAGER ID
    departments c,
                                                                                 DEPARTMENT ID
                                                                                                                  LOCATIONS
   locations d,
                                                                                                               LOCATION_ID
   countries e
                                                                                                               STREET ADDRESS
                                                                                                               POSTAL CODE
WHERE a.job_id
                     = b.job_id
                                                                                                               CITY
 AND a.department_id = c.department_id
                                                                                       COUNTRIES
                                                                                                               STATE PROVINCE
 AND c.location id = d.location id
                                                                                   COUNTRY ID.....
                                                                                                               COUNTRY_ID
                                                                                   COUNTRY NAME
 AND d.country_id = e.country_id
                                                                                   REGION ID
ORDER BY 1;
```


**EMPLOYEES** 

```
SELECT a.employee_id
   ,a.first_name || ' ' || a.last_name emp_names
   ,b.job_title ,c.department_name
   ,d.street_address, d.city
   ,e.country_name
 FROM employees a,
   jobs b,
   departments c,
   locations d,
   countries e
WHERE a.job_id
                    = b.job_id
 AND a.department_id = c.department_id
 AND c.location_id = d.location_id
 AND d.country_id = e.country_id
ORDER BY 1;
```

DEMPLOYEE_ID	∯ JOB_TITLE	DEPARTMENT_NAME	♦ STREET_ADDRESS	∯ CITY	COUNTRY_NAME
100 Steven King	President	Executive	2004 Charade Rd	Seattle	United States of America
101 Neena Kochhar	Administration Vice President	Executive	2004 Charade Rd	Seattle	United States of America
102 Lex De Haan	Administration Vice President	Executive	2004 Charade Rd	Seattle	United States of America
103 Alexander Hunold	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America
104 Bruce Ernst	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America
105 David Austin	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America
106 Valli Pataballa	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America
107 Diana Lorentz	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America
108 Nancy Greenberg	Finance Manager	Finance	2004 Charade Rd	Seattle	United States of America
109 Daniel Faviet	Accountant	Finance	2004 Charade Rd	Seattle	United States of America
110 John Chen	Accountant	Finance	2004 Charade Rd	Seattle	United States of America
111 Ismael Sciarra	Accountant	Finance	2004 Charade Rd	Seattle	United States of America

#### regions 테이블과 조인해 대륙명을 가져오는 쿼리 작성

```
SELECT a.employee_id
   ,a.first_name || ' ' || a.last_name emp_names
   ,b.job title ,c.department name
   ,d.street_address, d.city
   ,e.country name ,f.region name
 FROM employees a,
   jobs b,
   departments c,
   locations d,
   countries e,
   regions f
WHERE a.job_id
                   = b.job_id
 AND a.department_id = c.department_id
 AND c.location id = d.location id
 AND d.country_id = e.country_id
                                4.....
 AND e.region_id
                  = f.region id
ORDER BY 1;
```



**REGION NAME** 

#### 방금 전 쿼리를 기준으로 regions 테이블과 조인해 대륙명을 가져오는 쿼리 작성해 보세요

SELECT a.employee\_id

,a.first\_name || ' ' || a.last\_name emp\_names ,b.job\_title ,c.department\_name ,d.street\_address, d.city ,e.country\_name ,f.region\_name FROM employees a, jobs b,

departments c,

locations d,

countries e,

regions f

WHERE a.job\_id = b.job\_id

AND a.department\_id = c.department\_id

AND c.location\_id = d.location\_id

AND d.country\_id = e.country\_id

AND e.region\_id = f.region\_id

ORDER BY 1;

5	∯ EMPLOYEE.ID   ∯ EMP_NAMES	∯ JOB_TITLE	♦ DEPARTMENT_NAME	♦ STREET_ADDRESS	∯CITY	<sup>™</sup> COUNTRY_NAME	∯ REGION_NAME
	100 Steven King	President	Executive	2004 Charade Rd	Seattle	United States of America	Americas
	101 Neena Kochhar	Administration Vic	Executive	2004 Charade Rd	Seattle	United States of America	Americas
	102 Lex De Haan	Administration Vic	Executive	2004 Charade Rd	Seattle	United States of America	Americas
	103 Alexander Hunold	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America	Americas
	104 Bruce Ernst	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America	Americas
	105 David Austin	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America	Americas
	106 Valli Pataballa	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America	Americas
	107 Diana Lorentz	Programmer	IT	2014 Jabberwocky Rd	Southlake	United States of America	Americas
	108 Nancy Greenberg	Finance Manager	Finance	2004 Charade Rd	Seattle	United States of America	Americas
	109 Daniel Faviet	Accountant	Finance	2004 Charade Rd	Seattle	United States of America	Americas
	110 John Chen	Accountant	Finance	2004 Charade Rd	Seattle	United States of America	Americas
	111 Ismael Sciarra	Accountant	Finance	2004 Charade Rd	Seattle	United States of America	Americas
	112 Jose Manuel Urman	Accountant	Finance	2004 Charade Rd	Seattle	United States of America	Americas
	113 Luis Popp	Accountant	Finance	2004 Charade Rd	Seattle	United States of America	Americas
	114 Den Raphaely	Purchasing Manager	Purchasing	2004 Charade Rd	Seattle	United States of America	Americas

```
SELECT a.employee_id,
   a.first_name || ' ' || a.last_name emp_names,
   b.job_title,
   c.department_id ,c.department_name
 FROM employees a,
   jobs b,
   departments c
WHERE a.job_id
                    = b.job_id
 AND a.department_id = c.department_id
 AND c.department_id = 30
ORDER BY 1;
```

	∯ EMPLOYEE.ID		∯ JOB_TITLE		) DEPARTMENTLID	∯ DEPARTMENT_NAME
J	114	Den Raphaely	Purchasing	Manager	30	Purchasing
?	115	Alexander Khoo	Purchasing	Clerk	30	Purchasing
3	116	Shelli Baida	Purchasing	Clerk	30	Purchasing
1	117	Sigal Tobias	Purchasing	Clerk	30	Purchasing
j	118	Guy Himuro	Purchasing	Clerk	30	Purchasing
ì	119	Karen Colmenares	Purchasing	Clerk	30	Purchasing

- · 조인 조건을 만족하는 것은 물론 만족하지 않는 데이터(로우) 까지 포함해 조회
- A, B 두 테이블 기준, 조인조건에 부합하지 않는 상대방 테이블 데이터도 조회됨
  → 조인 조건에 (+)를 붙여야 함
- · 조인조건을 만족하지 않는 a 테이블의 데이터까지 조회 시
  - → WHERE a.department\_id = b.department\_id (+)
- · 조인조건을 만족하지 않는 b 테이블의 데이터까지 조회 시
  - → WHERE a.department\_id(+) = b.department\_id

- 외부조인 시 조인조건에 (+)를 붙이는 것은 오라클 전용 문법임
- · 다른 DBMS에서는 (+) 기호 붙이면 오류 발생

사원 테이블(a)

부서 테이블(b)

emp_id	last_name	 dept_id		dept_id	dept_name	
301	홍길동	10	<b></b>	10	Administration	
302	김유신	20	+	20	Marketing	
303	강감찬	30	<del></del>	30	Purchasing	
304	이성계		<b>←</b> →	40	Human Resources	

조인 조건 WHERE a.dept\_id = b.dept\_id (+)

사원 테이블(a)

부서 테이블(b)

emp_id	emp_name	dept_id		dept_id	dept_name	
301	홍길동	10	<b>←</b>	10	Administration	
302	김유신	20	<b>←</b>	20	Marketing	
303	강감찬	30	<del></del>	30	Purchasing	
304	이성계		<b>←</b> →	40	Human	
					Resources	

조인 조건 WHERE a.dept\_id (+) = b.dept\_id

. 사용 예

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name FROM employees a, departments b WHERE a.department\_id = b.department\_id (+) ORDER BY a.department\_id;



emp_id	a_dept_id	b_dept_id	dept_name
200	10	10	Administration
201	20	20	Marketing
202	20	20	Marketing
178			

Employees 테이블에서 사번이 178번인 사원의 부서번호는 Null

. 사용 예

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name FROM employees a, departments b WHERE a.department\_id(+) = b.department\_id ORDER BY a.department\_id;



emp_id	a_dept_id	b_dept_id	dept_name
200	10	10	Administration
201	20	20	Marketing
202	20	20	Marketing
		120	Treasury
		130	<b>Corporate Tax</b>

부서번호가 120번 이상인 부서는 employees 테이블의 department\_id에 할당된 건이 없음

- (+) 기호를 사용하는 오라클 외부 조인 제약사항

- 조인 컬럼이 여러 개일 경우, 조인조건에서 (+) 기호를 모두 붙여야 제대로 조회됨예) .....

```
where a.col1 = b.col1(+)
and a.col2 = b.col2(+)
```

. . .

- 조인 조건 양쪽에 (+) 기호 붙일 수 없음

SELECT a.employee\_id, a.first\_name || ' ' || a.last\_name emp\_names, b.department\_id, b.department\_name FROM employees a, departments b WHERE a.department\_id = b.department\_id(+) **ORDER BY 1**;

		DEPARTMENT_ID
1	100 Steven King	90 Executive
2	101 Neena Kochhar	90 Executive
3	102 Lex De Haan	90 Executive
4	103 Alexander Hunold	60 IT
Ę	104 Bruce Ernst	60 IT
6	105 David Austin	60 IT
	7 106 Valli Pataballa	60 IT
8	107 Diana Lorentz	60 IT
9	108 Nancy Greenberg	100 Finance
10	109 Daniel Faviet	100 Finance
11	110 John Chen	100 Finance
12	2 111 Ismael Sciarra	100 Finance
13	3 112 Jose Manuel Urman	100 Finance
14	113 Luis Popp	100 Finance

	⊕ EMPLOYEE_ID	⊕ EMP_NAMES	DEPARTMENT_ID	DEPARTMENT_NAME
73	172	Elizabeth Bates	80	Sales
74	173	Sundita Kumar	80	Sales
75	174	Ellen Abel	80	Sales
76	175	Alyssa Hutton	80	Sales
77	176	Jonathon Taylor	80	Sales
78	177	Jack Livingston	80	Sales
79	178	Kimberely Grant	(null)	(null)
80	179	Charles Johnson	80	Sales

**ORDER BY 1**;

SELECT a.employee\_id, a.first\_name || ' ' || a.last\_name emp\_names, b.department\_id, b.department\_name FROM employees a, departments b WHERE a.department\_id(+) = b.department\_id

- ⊕ EMF	PLOYEE_ID   # EMP_NAMES	DEPARTMENT_ID   ⊕ DEPARTMENT_NAME	
1	100 Steven King	90 Executive	
2	101 Neena Kochhar	90 Executive	
3	102 Lex De Haan	90 Executive	
4	103 Alexander Hunold	60 IT	
5	104 Bruce Ernst	60 IT	
6 7	105 David Austin 106 Valli Pataballa	60 IT 60 IT	
8	106 Valli Pataballa 107 Diana Lorentz	60 IT	
9	108 Nancy Greenberg	100 Finance	
0	109 Daniel Faviet	100 Finance	
1	110 John Chen	100 Finance	
2	111 Ismael Sciarra	100 Finance	
3	112 Jose Manuel Urman	100 Finance	
4	113 Luis Popp	100 Finance	
78	177 Jack Livingston	80 Sales	
79	179 Charles Johnson	80 Sales	
IUБ	ZU6 W1111am Gletz	110 Accounting	
107	(null)	180 Construction	
108	(null)	190 Contracting	
109	(null)	200 Operations	
110	(null)	210 IT Support	
111	(null)	220 NOC	
112	(null)	230 IT Helpdesk	
113	(null)	240 Government Sales	
114	(null)	250 Retail Sales	
115	(null)	260 Recruiting	
116	(null)	270 Payroll (Merge)	
117	(null)	300경리부(Merge)	
118	(null)	160 Benefits	
119	(null)	150 Shareholder Services	
120	(null)	140 Control And Credit	
121	(null)	130 Corporate Tax	
122	(null)	120 Treasury	
123	(null)	170 Manufacturing	
123	(IIUII)	170 Manutaccutting	

```
SELECT a.employee_id,
   a.first_name || ' ' || a.last_name emp_names,
   c.department_id, c.department_name,
   d.location_id, d.street_address, d.city
 FROM employees a,
   departments c,
   locations d
WHERE a.department_id = c.department_id(+)
 AND c.location_id = d.location_id
ORDER BY 1;
```

※ 외부조인을 했으므로 178번인 Kimberely Grant가 조회되어야 하지만, 외부조인한 결과 178번의 department\_id는 null. 결국 locations 테이블과 내부조인을 했기 때문에 조회되지 않음

	♦ DEPARTMENT_ID ♦ DEPARTMENT_NAME	
175 Alyssa Hutton	80 Sales	2500 Magdalen Centre, The Oxford Sci-
176 Jonathon Taylor	80 Sales	2500 Magdalen Centre, The Oxford Sci-
177 Jack Livingston	80 Sales	2500 Magdalen Centre, The Oxford Sci
179 Charles Johnson	80 Sales	2500 Magdalen Centre, The Oxford Sci
180 Winston Taylor	50 Shipping	1500 2011 Interiors Blvd
181 Jean Fleaur	50 Shipping	1500 2011 Interiors Blvd

```
SELECT a.employee_id,
   a.first_name || ' ' || a.last_name emp_names,
   c.department_id, c.department_name,
   d.location_id, d.street_address, d.city
 FROM employees a,
   departments c,
   locations d
WHERE a.department_id = c.department_id(+)
 AND c.location_id = d.location_id(+)
ORDER BY 1;
```

※ 178번의 department\_id는 null, departments 테이블도 null 이지만 locations와 외부조인을 했기

때문에 Kimberely Grant가 조회됨

€	EMPLOYEE_ID ∯ EMP_NAMES	DEPARTMENT_ID	ME   \$ LOCATION_ID   \$ STREET_ADDRESS	∯ CITY
76	175 Alyssa Hutton	80 Sales	2500 Magdalen Centre, The	e Oxford Science Park Oxford
77	176 Jonathon Taylor	80 Sales	2500 Magdalen Centre, The	e Oxford Science Park Oxford
78	177 Jack Livingston	80 Sales	2500 Magdalen Centre, The	e Oxford Science Park Oxford
79	178 Kimberely Grant	(null) (null)	(null) (null)	(null)
80	179 Charles Johnson	80 Sales	2500 Magdalen Centre, The	e Oxford Science Park Oxford

#### ※ 외부 조인은 왜 사용할까?

- 테이블 설계가 제대로 되어 있고, 데이터가 정확히 입력되어 있다면 굳이 외부 조인을 사용할 필요가 없음
- . 하지만 현실은 그렇지 않음
  - 테이블 설계를 완벽히 할 수 없음
  - 애초에 제대로 설계했더라도 업무가 변경되면 로직 수정이 필요
  - 설계가 제대로 되어 있더라도, 데이터 입력 시 오류로 인해 잘못된 데이터 입력, 누락 데이터 발생예) 178번 Kimberely Grant는 부서번호가 없음

부서가 없는 사원이 존재할까?

설사 부서 발령이 안되더라도 미발령부서 정보를 부서테이블에 등록하는 것이 정상적

#### 학습정리

- · 조인은 여러 테이블들을 조인조건으로 연결해 데이터를 조회하는 기법이다.
- · 조인은 크게 내부조인과 외부조인으로 나뉜다.
- · 내부조인은 두 테이블간 조인 컬럼을 사용한 조인조건에 맞는 데이터가 조회된다.
- · 외부조인은 내부조인과 동작방식이 같은데, 이에 더해 조인 조건을 만족하지 않는 데이터까지도 조회할 수 있다.

#### 샘플 스키마 설치

- · sample\_schema.sql 파일
- · BRANDS(브랜드), CATEGORIES(카테고리), CUSTOMERS(고객), ORDERS(주문), ORDER\_ITEMS(주문상세), PRODUCTS(제품), STAFFS(직원), STOCKS(재고), STORES(매장), 총 9개 테이블과 데이터 생성

#### 샘플 스키마 ERD

