# 5-2. 테이블 간 관계 맺기 – 조인2 (ANSI조인, Cartesian Product, 셀프조인)

홍형경 <u>chariehong@gmail.com</u> 2020.06

# 1. ANSI 조인 (ANSI Join)

- · ANSI 표준 문법으로 작성한 조인 방법
- · 내부조인, 외부조인을 ANSI 문법에 맞게 작성한 쿼리
- · 내부조인 : INNER JOIN
- 외부조인 : LEFT OUTER JOIN, RIGHT OUTER JOIN, FULL OUTER JOIN
- · FULL OUTER JOIN은 ANSI 문법으로만 구현 가능
- · ANSI 문법은 다른 DBMS에서도 사용 가능 → (+) 기호는 오라클에서만 사용

# 1. ANSI 조인 (ANSI Join)

- · ANSI 조인 문법의 특징
  - 조인 조건 절을 WHERE 절이 아닌 <u>FROM 절</u>에 기술
  - 조인 조건은 <u>ON</u> 다음에 기술
  - 조인 조건이 여러 개이면 AND 연산자 사용해 조건 기술
  - 조인 조건 외에 다른 조건은 WHERE 절에서 기술

## 2. ANSI 내부조인

- 기존문법

SELECT a.employee\_id emp\_id,

a.department\_id a\_dept\_id,

b.department\_id b\_dept\_id,

b.department\_name dept\_name

FROM employees a, departments b

WHERE a.department\_id = b.department\_id

ORDER BY a.department\_id;

- ANSI 문법

SELECT a.employee\_id emp\_id,

a.department\_id a\_dept\_id,

b.department\_id b\_dept\_id,

b.department\_name dept\_name

FROM employees a

INNER JOIN departments b

ON a.department\_id = b.department\_id

ORDER BY a.department id;

\* INNER 생략 가능

## 2. ANSI 내부조인

· ANSI 문법

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name FROM employees a **INNER JOIN** departments b ON a.department\_id = b.department\_id ORDER BY a.employee\_id;

	⊕ EMP_ID		⊕ B_DEPT_ID	DEPT_NAME
1	100	90	90	Executive
2	101	90	90	Executive
3	102	90	90	Executive
4	103	60	60	IT
5	104	60	60	IT
6	105	60	60	IT
7	106	60	60	IT
8	107	60	60	IT
9	108	100	100	Finance
10	109	100	100	Finance
11	110	100	100	Finance
12	111	100	100	Finance
13	112	100	100	Finance
14	113	100	100	Finance

# 3. ANSI 외부조인 – Left outer join

- 기존문법

```
SELECT a.employee_id emp_id,
        a.department_id a_dept_id,
        b.department_id b_dept_id,
        b.department_name dept_name
  FROM employees a, departments b
 WHERE a.department_id = b.department_id(+)
 ORDER BY a.employee_id;
```

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name FROM employees a **LEFT OUTER JOIN departments b ON** a.department\_id = b.department\_id

\* OUTER 생략 가능

ORDER BY a.employee id;

- ANSI 문법

# 3. ANSI 외부조인 – Left outer join

- ANSI 문법

SELECT a.employee\_id emp\_id,
a.department\_id a\_dept\_id,
b.department\_id b\_dept\_id,
b.department\_name dept\_name

FROM employees a

**LEFT OUTER JOIN departments b** 

**ON** a.department\_id = b.department\_id

ORDER BY a.employee\_id;

	⊕ EMP_ID		⊕ B_DEPT_ID	DEPT_NAME
1	100	90	90	Executive
2	101	90	90	Executive
3	102	90	90	Executive
4	103	60	60	IT
5	104	60	60	IT
6	105	60	60	IT
7	106	60	60	IT
8	107	60	60	IT
9	108	100	100	Finance
10	109	100	100	Finance

	⊕ EMP_ID			⊕ DEPT_NAME
76	175	80	80	Sales
77	176	80	80	Sales
78	177	80	80	Sales
79	178	(null)	(null)	(null)
80	179	80	80	Sales
81	180	50	50	Shipping
82	181	50	50	Shippina

# 3. ANSI 외부조인 – Right outer join

```
SELECT a.employee_id emp_id,
        a.department_id a_dept_id,
        b.department_id b_dept_id,
        b.department_name dept_name
  FROM employees a, departments b
 WHERE a.department_id(+) = b.department_id --
 ORDER BY a.employee_id;
```

- 기존문법

```
SELECT a.employee_id emp_id,
        a.department_id a_dept_id,
        b.department_id b_dept_id,
        b.department_name dept_name
  FROM employees a
  RIGHT OUTER JOIN departments b
     ON a.department_id = b.department_id
 ORDER BY a.employee id;
```

\* OUTER 생략 가능

- ANSI 문법

# 3. ANSI 외부조인 – Right outer join

- ANSI 문법

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name

FROM employees a

**RIGHT OUTER JOIN departments b** 

ON a.department\_id = b.department\_id

ORDER BY a.employee\_id, b.department\_id;


	⊕ EMP_ID		⊕ B_DEPT_ID	DEPT_NAME
1	100	90	90	Executive
2	101	90	90	Executive
3	102	90	90	Executive
4	103	60	60	IT
5	104	60	60	IT
6	105	60	60	IT
- 7	106	60	60	IT
8	107	60	60	IT

	EMP_ID		⊕ B_DEPT_ID	DEPT_NAME
76	175	80	80	Sales
- 77	176	80	80	Sales
78	177	80	80	Sales
79	179	80	80	Sales
80	180	50	50	Shipping

			T.A.
	⊕ EMP_ID	∜ A_DEPT_ID  ∜ B	_DEPT_ID   ⊕ DEPT_NAME
105	205	110	110 Accounting
106	206	110	110 Accounting
107	(null)	(null)	120 Treasury
108	(null)	(null)	130 Corporate Tax
109	(null)	(null)	140 Control And Credit
110	(null)	(null)	150 Shareholder Services
111	(null)	(null)	160 Benefits
112	(null)	(null)	170 Manufacturing
113	(null)	(null)	180 Construction
114	(null)	(null)	190 Contracting
115	(null)	(null)	200 Operations
116	(null)	(null)	210 IT Support
117	(null)	(null)	220 NOC
118	(null)	(null)	230IT Helpdesk
119	(null)	(null)	240 Government Sales
120	(null)	(null)	250 Retail Sales
121	(nii11)	(nii11)	260 Recruiting

- 기존문법

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name FROM employees a, departments b WHERE a.department\_id(+) = b.department\_id(+) ORDER BY b.department\_id;



- ANSI 문법

SELECT a.employee\_id emp\_id, a.department\_id a\_dept\_id, b.department\_id b\_dept\_id, b.department\_name dept\_name FROM employees a

**FULL OUTER JOIN departments b ON** a.department\_id = b.department\_id ORDER BY a.employee id, b.department\_id;

\* OUTER 생략 가능

. 기존문법

```
SELECT a.employee_id emp_id,
        a.department_id a_dept_id,
        b.department_id b_dept_id,
        b.department_name dept_name
  FROM employees a, departments b
 WHERE a.department_id(+) = b.department_id(+)
 ORDER BY b.department_id;
```

│ORA-01468: outer-join된 테이블은 1개만 지정할 수 있습니다. 01468, 00000 - "a predicate may reference only one outer-joined table" l\*Cause: +Action: 6행, 27열에서 오류 발생

- ANSI 문법

```
SELECT a.employee_id emp_id,
        a.department_id a_dept_id,
        b.department_id b_dept_id,
        b.department_name dept_name
  FROM employees a
  FULL OUTER JOIN departments b
     ON a.department_id = b.department_id
ORDER BY a.employee_id,
           b.department_id;
```

#### FULL OUTER JOIN 결과

emp_id	A_DEPT_ID	B_DEPT_ID	DEPT_NAME
100	90	90	Executive
101	90	90	Executive
102	90	90	Executive
103	60	60	IT
178	(null)	(null)	(null)
179	80	80	Sales
(null)	(null)	120	Treasury
(null)	(null)	130	Corporate Tax

#### FULL OUTER JOIN 결과

	⊕ EMP_ID		⊕ B_DEPT_ID	DEPT_NAME
1	100	90	90	Executive
2	101	90	90	Executive
3	102	90	90	Executive
4	103	60	60	IT
5	104	60	60	IT
6	105	60	60	IT
7	106	60	60	TT

	EMP_ID		⊕ B_DEPT_ID	DEPT_NAME
76	175	80	80	Sales
77	176	80	80	Sales
78	177	80	80	Sales
79	178	(null)	(null)	(null)
80	179	80	80	Sales
	400			· · ·

<u> </u>	MP_ID 0	A_DEPT_ID	B_DEPT_ID DEPT_NAME
106	205	110	110 Accounting
107	206	110	110 Accounting
108	(null)	(null)	120 Treasury
109	(null)	(null)	130 Corporate Tax
110	(null)	(null)	140 Control And Credit
111	(null)	(null)	150 Shareholder Services
112	(null)	(null)	160 Benefits
113	(null)	(null)	170 Manufacturing
114	(null)	(null)	180 Construction
115	(null)	(null)	190 Contracting
116	(null)	(null)	200 Operations
117	(null)	(null)	210 IT Support
118	(null)	(null)	220 NOC
119	(null)	(null)	230 IT Helpdesk
120	(null)	(null)	240 Government Sales
121	(null)	(null)	250 Retail Sales
122	(null)	(null)	260 Recruiting

```
SELECT a.employee_id,
    a.first_name || ' ' || a.last_name emp_names,
    a.job_id, b.job_id, b.job_title
 FROM employees a
```

**INNER JOIN** jobs b ON a.job\_id = b.job\_id ORDER BY 1;

⊕ EMPLO\	ÆELID   ⊕ EMP_NAMES	∯ JOB_ID	∯ JOI	B_ID_1	
1	100 Steven King	AD_PRES	AD_	PRES	President
2	101 Neena Kochhar	AD_VP	AD_	VP	Administration Vice President
3	102 Lex De Haan	AD_VP	AD_	VP	Administration Vice President
4	103 Alexander Hunold	IT_PROG	IT_	PROG	Programmer
5	104 Bruce Ernst	IT_PROG	IT_	PROG	Programmer
6	105 David Austin	IT_PROG	IT_	PROG	Programmer
7	106 Valli Pataballa	IT_PROG	IT_	PROG	Programmer
8	107 Diana Lorentz	IT_PROG	IT_	PROG	Programmer
9	108 Nancy Greenberg	FI_MGR	FI_	MGR	Finance Manager
10	109 Daniel Faviet	FI_ACCOUNT	FI_	ACCOUNT	Accountant
11	110 John Chen	FI ACCOUNT	FI	ACCOUNT	Accountant

```
SELECT a.employee_id,
    a.first_name || ' ' || a.last_name emp_names,
   b.job_title
   ,c.department_id ,c.department_name
 FROM employees a
INNER JOIN jobs b
                  = b.job_id
   ON a.job_id
INNER JOIN departments c
  ON a.department_id = c.department_id
ORDER BY 1;
```

		∯ JOB_TITLE	DEPARTMENT_ID
1	100 Steven King	President	90 Executive
2	101 Neena Kochhar	Administration Vice President	90 Executive
3	102 Lex De Haan	Administration Vice President	90 Executive
4	103 Alexander Hunold	Programmer	60 IT
5	104 Bruce Ernst	Programmer	60 IT
6	105 David Austin	Programmer	60 IT
7	106 Valli Pataballa	Programmer	60 IT
8	107 Diana Lorentz	Programmer	60 IT
9	108 Nancy Greenberg	Finance Manager	100 Finance
10	109 Daniel Faviet	Accountant	100 Finance
11	110 John Chen	Accountant	100 Finance

```
SELECT a.employee_id,
   a.first_name || ' ' || a.last_name emp_names,
   a.job_id, b.job_id, b.job_title
   ,c.department_id ,c.department_name
 FROM employees a
 INNER JOIN jobs b
  ON a.job_id = b.job_id
INNER JOIN departments c
  ON a.department_id = c.department_id
WHERE b.job_id = 'SH_CLERK'
ORDER BY 1;
```

⊕ EMPLOYEE_ID   ⊕ EMP_NAMES			BLID	Y		) JOB_TITLE		T	DEPARTMENT_NAME     DEPARTMENT_NAME
1	180 Winston Taylor	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
2	181 Jean Fleaur	_	_	_	_	Shipping			Shipping
3	182 Martha Sullivan	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
4	183 Girard Geoni	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
5	184 Nandita Sarchand	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
6	185 Alexis Bull	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
7	186 Julia Dellinger	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
8	187 Anthony Cabrio	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
9	188 Kelly Chung	SH	CLERK	SH	CLERK	Shipping	Clerk	50	Shipping
	400 - 10 -111					-1 1			-1 1

<sup>\*</sup> ANSI 외부조인 시 조인조건 외 추가 조건은 WHERE 절에 기술

SELECT a.employee\_id, a.first\_name || ' ' || a.last\_name emp\_names, c.department\_id, c.department\_name, d.location\_id, d.street\_address, d.city FROM employees a **LEFT JOIN** departments c ON a.department\_id = c.department\_id **INNER JOIN locations d ON** c.location id = d.location id ORDER BY 1;

₹.	EMPLUYEEJU   # EMPLNAMES	₹ DEPAKTMENTJU   ₹ DEPAKTMENTJNAME	∯ COCATION JO   § STREET LADURESS   ∯ CITY
73	172 Elizabeth Bates	80 Sales	2500Magdalen Centre, The Oxford Science Park Oxford
74	173 Sundita Kumar	80 Sales	2500Magdalen Centre, The Oxford Science Park Oxford
75	174 Ellen Abel	80 Sales	2500 Magdalen Centre, The Oxford Science Park Oxford
76	175 Alyssa Hutton	80 Sales	2500 Magdalen Centre, The Oxford Science Park Oxford
77	176 Jonathon Taylor	80 Sales	2500Magdalen Centre, The Oxford Science Park Oxford
78	177 Jack Livingston	80 Sales	2500 Magdalen Centre, The Oxford Science Park Oxford
79	179 Charles Johnson	80 Sales	2500Magdalen Centre, The Oxford Science ParkOxford
80	180 Winston Taylor	50 Shipping	1500 2011 Interiors Blvd South San Francisco
81	181 Jean Fleaur	50 Shipping	1500 2011 Interiors Blvd South San Francisco
82	182 Martha Sullivan	50 Shipping	1500 2011 Interiors Blvd South San Francisco
83	183 Girard Geoni	50 Shipping	1500 2011 Interiors Blvd South San Francisco
84	184 Nandita Sarchand	50 Shipping	1500 2011 Interiors Blvd South San Francisco

<sup>\*</sup> LEFT JOIN을 해서 178번 사원이 나와야 하지만, departments와 locations을 내부 조인 했으므로 178번 사원이 조회되지 않음

```
SELECT a.employee_id,
   a.first_name || ' ' || a.last_name emp_names,
   c.department_id, c.department_name,
   d.location_id, d.street_address, d.city
 FROM employees a
 LEFT JOIN departments c
  ON a.department_id = c.department_id
 LEFT JOIN locations d
  ON c.location_id = d.location_id
ORDER BY 1;
```

\$	EMPLOYEEJD   DEMPLAMES	DEPARTMENT.ID	E ♦ LOCATION.JD ♦ STREET.ADDRESS	∯ CITY
76	175 Alyssa Hutton	80 Sales	2500 Magdalen Centre, The Oxford Science Parl	Oxford
77	176 Jonathon Taylor	80 Sales	2500 Magdalen Centre, The Oxford Science Parl	Oxford
78	177 Jack Livingston	80 Sales	2500 Magdalen Centre, The Oxford Science Parl	Oxford
79	178 Kimberely Grant	(null) (null)	(null) (null)	(null)
80	179 Charles Johnson	80 Sales	2500 Magdalen Centre, The Oxford Science Parl	Oxford
81	180Winston Taylor	50 Shipping	15002011 Interiors Blvd	South San Francisco
82	181 Jean Fleaur	50 Shipping	1500 2011 Interiors Blvd	South San Francisco
83	182 Martha Sulliwan	50 Shinning	1500 2011 Interiors Rlwd	South San Francisco

<sup>\*</sup> departments와 locations 간에 외부 조인을 했으므로 178번 사원이 조회됨

## 5. 일반 조인과 ANSI 조인 문법

· 일반 조인을 사용해야 할까? 아니면 ANSI 조인을 써야 할까?

- · 내부 조인
  - 일반 조인 문법 ( WHERE 절에 조인 조건 기술)
  - 가독성 측면에서 좋음
- 외부 조인
  - ANSI 문법 사용
  - (+)는 오라클 고유의 문법 → 다른 DBMS에서 사용 불가
  - ANSI 외부조인 문법이 가독성이 더 좋음
  - FULL OUTER JOIN은 ANSI 문법만 가능

#### 6. Cartesian Product

- 조인 조건이 없는 조인
- · 조인 참여 테이블을 FROM 절에 기술하고 WHERE 절에 조인 조건 기술하지 않음
- · 조인 조건이 없으므로, 두 테이블 기준 모든 조합(경우의 수)의 로우가 조회됨
  - A 테이블(3건), B 테이블(5건) → 3 \* 5 = 15건이 조회됨
- 거의 사용되지 않음
- · ANSI 문법 → CROSS JOIN

#### 6. Cartesian Product

SELECT a.region\_name, b.department\_id, b.department\_name

**FROM** regions a ,departments b **WHERE 1=1**;

**-- 4 \* 24 = 104** 

REGION_N	IAME				DEPARTMENT_NAME
87 Middle	East	and	Africa	90	Executive
88 Middle	East	and	Africa	100	Finance
89 Middle	East	and	Africa	110	Accounting
90 Middle	East	and	Africa	120	Treasury
91 Middle	East	and	Africa	130	Corporate Tax
92 Middle	East	and	Africa	140	Control And Credit
93 Middle	East	and	Africa	150	Shareholder Services
94 Middle	East	and	Africa	160	Benefits
95 Middle	East	and	Africa	170	Manufacturing
96 Middle	East	and	Africa	180	Construction
97 Middle	East	and	Africa	190	Contracting
98 Middle	East	and	Africa	200	Operations
99 Middle	East	and	Africa	210	IT Support
100 Middle	East	and	Africa	220	NOC
101 Middle	East	and	Africa	230	IT Helpdesk
102 Middle	East	and	Africa	240	Government Sales
103 Middle	East	and	Africa	250	Retail Sales
104 Middle	East	and	Africa	260	Recruiting

#### 6. Cartesian Product

- · 조인이라고는 하지만 엄밀히 말하면 조인은 아님
  - → 조인조건이 없으므로...
- 실제 사용되는 경우는 거의 없음
- 만약 이런 조인 결과를 보게 되면 ...
  - → 아, 조인 조건이 누락됐구나!

# 7. 셀프 조인 (Self Join)

- 자기 자신과 조인

. 동일한 테이블 끼리 조인

,employees b

```
SELECT a.employee_id

,a.first_name || ' ' || a.last_name emp_name
,a.manager_id
,b.first_name || ' ' || b.last_name manager_name
FROM employees a
```

employee_id	emp_name	manager_id	manager_name
101	Neena Kochhar	100	Steven King
102	Lex De Hann	100	Steven King
105	David Austin	103	Alexander Hunold

WHERE a.manager\_id = b.employee\_id

ORDER BY 1;

\* manager\_id에 해당하는 사원명을 가져오기 위해 셀프 조인을 했음

# 7. 셀프 조인 (Self Join)

```
SELECT a.employee_id
   ,a.first_name || ' ' || a.last_name emp_name
   ,a.manager_id
   ,b.first_name || ' ' || b.last_name manager_name
FROM employees a
      ,employees b
WHERE a.manager_id = b.employee_id
ORDER BY 1;
```

_		
		MANAGER_ID
1	101 Neena Kochhar	100 Steven King
2	102 Lex De Haan	100 Steven King
3	103 Alexander Hunold	102 Lex De Haan
4	104 Bruce Ernst	103 Alexander Hunold
5	105 David Austin	103 Alexander Hunold
6	106 Valli Pataballa	103 Alexander Hunold
7	107 Diana Lorentz	103 Alexander Hunold
8	108 Nancy Greenberg	101 Neena Kochhar
9	109 Daniel Faviet	108 Nancy Greenberg
10	110 John Chen	108 Nancy Greenberg
11	111 Ismael Sciarra	108 Nancy Greenberg
12	112 Jose Manuel Urman	108 Nancy Greenberg
13	113 Luis Popp	108 Nancy Greenberg
14	114 Den Raphaely	100 Steven King
15	115 Alexander Khoo	114 Den Raphaely
16	116 Shelli Baida	114 Den Raphaely
17	117 Sigal Tobias	114 Den Raphaely
18	118 Guy Himuro	114 Den Raphaely
19	119 Karen Colmenares	114 Den Raphaely
20	120 Matthew Weiss	100 Steven King
21	121 Adam Fripp	100 Steven King

# 7. 셀프 조인 (Self Join)

```
SELECT a.employee_id
   ,a.first_name || ' ' || a.last_name emp_name
   ,a.manager_id
   ,b.first_name || ' ' || b.last_name manager_name
FROM employees a
INNER JOIN employees b
  ON a.manager_id = b.employee_id
ORDER BY 1;
```

⊕ EMPLOYEE_ID   ⊕ EMP_NAME	MANAGER_ID
101 Neena Kochhar	100 Steven King
102 Lex De Haan	100 Steven King
103 Alexander Hunold	102 Lex De Haan
104 Bruce Ernst	103 Alexander Hunold
105 David Austin	103 Alexander Hunold
106 Valli Pataballa	103 Alexander Hunold
107 Diana Lorentz	103 Alexander Hunold
108 Nancy Greenberg	101 Neena Kochhar
109 Daniel Faviet	108 Nancy Greenberg
110 John Chen	108 Nancy Greenberg
111 Ismael Sciarra	108 Nancy Greenberg
112 Jose Manuel Urman	108 Nancy Greenberg
113 Luis Popp	108 Nancy Greenberg
114 Den Raphaely	100 Steven King
115 Alexander Khoo	114 Den Raphaely
116 Shelli Baida	114 Den Raphaely
117 Sigal Tobias	114 Den Raphaely
118 Guy Himuro	114 Den Raphaely
119 Karen Colmenares	114 Den Raphaely
120 Matthew Weiss	100 Steven King
121 Adam Fripp	100 Steven King
	101 Neena Kochhar 102 Lex De Haan 103 Alexander Hunold 104 Bruce Ernst 105 David Austin 106 Valli Pataballa 107 Diana Lorentz 108 Nancy Greenberg 109 Daniel Faviet 110 John Chen 111 Ismael Sciarra 112 Jose Manuel Urman 113 Luis Popp 114 Den Raphaely 115 Alexander Khoo 116 Shelli Baida 117 Sigal Tobias 118 Guy Himuro 119 Karen Colmenares 120 Matthew Weiss

# 학습정리

- · ANSI 조인은 ANSI 문법에 맞게 내부조인과 외부조인을 구현한 쿼리를 말한다.
- · ANSI 외부조인 중 FULL OUTER JOIN은 ANSI 문법으로만 처리할 수 있다.
- · 셀프조인은 동일한 테이블에 대해 자기 자신과의 조인을 말한다.

1. Jobs 테이블에는 min\_salary와 max\_salary란 컬럼이 있는데, 이는 해당 job\_id에 대한 최소와 최대급여 금액을 담고 있습니다. Jobs 테이블과 employees 테이블을 조인하고 사원의 급여가 최소와 최대급여 금액을 벗어난 사원이 있는지 조회하는 쿼리를 작성해 보세요.

2. 아래 외부조인 문장을 실행하면 내부조인을 한 것과 결과가 같습니다. 왜 이런 결과가 나왔는지 설명해보세요.

```
SELECT a.employee_id, a.first_name || ' ' || a.last_name emp_names, b.*
FROM employees a,
    job_history b
WHERE a.employee_id(+) = b.employee_id
ORDER BY 1;
```

3. 실습시간 마지막에 배웠던 셀프조인의 경우 사번이 100번인 Steven King은 조회되지 않습니다. 그 이유는 뭘까요?

4. 실습시간 마지막에 배웠던 셀프조인에서 누락된 사번이 100번인 Steven King 까지 조회되도록 쿼리를 작성해 보세요.