# 8-5. Quiz 정답

홍형경 chariehong@gmail.com 2020.11

1. emp 테이블은 emp\_no 컬럼에 기본 키가 잡혀 있다. 실습시간에 실행했던 아래 쿼리를 또다시 실행하면 어떻게 될까? 그리고 그 이유는 무엇일까?

```
INSERT INTO emp

SELECT emp_seq.NEXTVAL,

first_name || ' ' || last_name,

salary, hire_date

FROM employees

WHERE department_id = 90;
```

정답: 새로운 일련번호로 채번이 되면서 데이터가 입력됨

2. 로또에서 1등중 가장 적은 당첨금이 나온 회차와 번호, 금액 조회

정답:

```
SELECT a.seq_no
   ,a.draw_date
   ,b.win_person_no
   ,b.win_money
   ,a.num1 ,a.num2 ,a.num3
   ,a.num4 ,a.num5 ,a.num6 ,a.bonus
 FROM lotto_master a
      ,lotto_detail b
WHERE a.seq_no = b.seq_no
 AND b.rank_no = 1
 AND b.win_person_no > 0
ORDER BY b.win_money;
```

3. 로또에서 번호가 연속되어 나온 회차와 번호 조회

#### 정답:

```
FROM lotto_master

WHERE num1 + 1 = num2

OR num2 + 1 = num3

OR num3 + 1 = num4

OR num4 + 1 = num5

OR num5 + 1 = num6

ORDER BY 1;
```

4. 각 교통 수단별 사고 발생 대비 사망자 수 비율의 평균은?

#### 정답:

```
SELECT trans_type
    ,ROUND(AVG(death_person_num / total_acct_num * 100),0) death_per
FROM traffic_accident
WHERE total_acct_num > 0
GROUP BY trans_type;
```

## 5. 2017년 미세먼지 평균 상태별 일 수 구하기

정답: SELECT std\_name ,COUNT(\*) FROM ( SELECT b.std\_name a.days ,a.pm10\_avg ,b.pm10\_start ,b.pm10\_end FROM fine dust standard b ,( SELECT TO\_CHAR(a.mea\_date, 'YYYY-MM-DD') days ,ROUND(AVG(a.pm10),0) pm10\_avg FROM fine\_dust a WHERE a.mea\_date < TO\_DATE('2018-01-01', 'YYYY-MM-DD') GROUP BY TO\_CHAR(mea\_date, 'YYYY-MM-DD') ) a WHERE b.org\_name = 'WHO' AND a.pm10\_avg BETWEEN b.pm10\_start AND b.pm10\_end **GROUP BY std\_name**;