Extraction validation report (r4.2 human review package)

Extracted: 2026-11-10T08:08:19+00:00 (UTC). **Source commit:** `fc6a487d287762a5f17ceadaf451f6c990347215`, plus the frozen r4.1 working tree. Its 18-file tracked diff is in `source_uncommitted_diff.patch`; the 22 untracked paths are listed in `source_manifest.json`.

Final status: `READY_WITH_DISCLOSED_GAPS`.

- Every required case and every conversation is complete and verified.
- The gaps in §3 are fields that do **not exist in the original artifacts**. They were not reconstructed.

1. Counts

Item	Count
Priority (Tier 1) cases, complete	**31 / 31**
Hidden calibration cases, complete	**9 / 9**
Complete cases for review	**40**
Incomplete cases	**0**
Turns in the review sheets (designated run)	80
Reserve cases (complete, all 3 runs; restricted)	80
Turns verified against source (40 + 80 cases × 3 runs)	657
Missing artifacts (unavailable in the sources; disclosed)	**4** (see §3)
Replacement cases	0

2. Validation checks

#	Check	Result	Detail
1	31 priority cases present	PASS	31 records; ids equal the Tier 1 list in order
2	9 calibration cases present	PASS	9 records
3	No overlap / no replacement cases	PASS	40 distinct cases, each traced to its earlier ADJ id
4	Reserve package	PASS	80 remaining benchmark cases (complete fixture = 120)
5	Every case has complete conversation evidence (all 3 runs)	PASS	657 turns checked against raw_results and fixture; problems: []
6	Original wording preserved; no fabricated or reconstructed turns	PASS	every designated-run learner and tutor turn appears verbatim in both packages; turn counts equal fixture scripts; misses: []
7	No AI evaluation results in blind packages	PASS	635 evaluator rationale strings searched: 0 found; banned outcome/telemetry terms in case sections: {'A': [], 'B': []}

#	Check	Result	Detail
8	No calibration or selection labels exposed	PASS	searched case sections and introduction for calibration/tier/priority/ADJ/selection terms
9	Anonymisation	PASS	identifier patterns: {'A': [], 'B': []}; original case ids present: []
10	Reviewer A and B receive equivalent evidence	PASS	40 case sections identical as sets; introduction and appendix identical apart from reviewer letter
11	Case order randomised independently	PASS	1/40 cases share the same position in both orders
12	Score sheets match packages	PASS	each CSV lists the 40 anonymous ids in that reviewer's package order; no scores pre-filled
13	Automated comparison complete (restricted)	PASS	40 cases x 3 runs x 2 evaluators; retest available for 26/40
14	Answer keys only in expert material	PASS	acceptable answers appear only in the expert packages under an "expert use only, never shown to learners" label; no learner-facing material is produced
15	Source traceability and baseline integrity	PASS	28 source files hashed; frozen baseline files changed: []

15/15 checks pass. Incomplete fields found by the checks: 0.

One check initially failed and was resolved.

- The first anonymisation pattern `ltb-` matched only the rubric's own name, `ltb-rubric-v2`, in the reviewer introduction and appendix.
- That is not a learner or case identifier, so the check was narrowed to the synthetic identifier forms the harness generates (`ltb-stu-`, `ltb-school-`, `ltb-learner-`, ...).
- It now passes. **No package content was changed** to make it pass.

3. Missing or unavailable artifacts (disclosed; not reconstructed)

Artifact	Scope	Status
CEFR descriptor text	all cases	NOT PRESENT in any original artifact (fixture, rubric draft, transcripts). Only the CEFR level estimate (A1/A2/B1) exists. Not reconstructed.
Stored message timestamps	all turns	The harness raw results do not store message timestamps. Each tutor turn carries the provider attempt start time (startedAt) and latency from provider_attempts.jsonl; learner-message times are not recorded. Turn order is exact (learnerScript order).
Explicit "assessment type" field	all cases	Not a field in the fixture. Package shows the fixture situation type (caseType) and per-turn learner-script targets instead; nothing inferred beyond those labels.
Evaluator test-retest	run 1 only	Partial: 74/120 cases (container restart). Present only for cases in that subset.

4. Method and limits of the checks

- **Fidelity.** Every learner and tutor turn in the restricted JSON files is compared character-for-character with `raw_results.jsonl` (file and line recorded) and with the fixture `learnerScript`.

Every designated-run turn appears verbatim, as a block quote, in both reviewer packages.

- **AI leakage.** The case sections of the blind packages were searched for:
- all 635 evaluator rationale strings longer than 30 characters;
- outcome labels (MEETS / PARTIAL / DOES_NOT_MEET / UNCERTAIN);
- evaluator and model names;
- engine telemetry field names.
- **Calibration secrecy:**
- no "calibration", tier, priority, ADJ or selection-reason text appears in the packages or score sheets;
- the agreement workbook's calibration column is blank until the coordinator fills it after both submissions.
- **Anonymisation.** `EXP-xxxx` ids come from a system random source and are unrelated to the earlier `ADJ-###` numbering. Original case ids, synthetic names, schools, learner ids, emails and run references are absent from the packages.
- **Equivalence.** The 40 case sections are identical as sets across A and B. The introduction and appendix are identical apart from the reviewer letter. The orders are independently shuffled (1/40 positions coincide by chance).
- **Workbook.** The formulas in `reviewer_agreement_template.xlsx` were recalculated in LibreOffice on a separate test copy filled with synthetic test scores, and checked against an independent Python computation of exact agreement, within-one agreement and Cohen's κ (quadratic-weighted for 0–4 criteria, unweighted for categories), for all cases and the calibration subset: **22/22 rows matched**. The delivered template contains no test data and recalculates with 0 error cells.
- **What the checks cannot do.** They cannot judge whether the evidence is *pedagogically* sufficient. That is criterion C9 for the reviewers.

5. Blockers

None for starting independent review. Before review starts, the coordinator must:

1. recruit two qualified EFL educators and collect their independence and conflict-of-interest declarations;
2. give each reviewer **only** their package PDF/MD, their CSV score sheet and nothing else;
3. keep every restricted file (marked in `README.md`) away from reviewers until both score sheets are submitted.

Deliverable hashes: `SHA256SUMS.txt`.