```
mysql> UPDATE CLIENTES SET APELLIDO = 'Carvajal' WHERE APELLIDO = 'Lopez';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

mysql> SELECT * FROM CLIENTES WHERE FECHA_REGISTRO <= '2024-05-14'; Empty set (0.01 sec)

mysql> SELECT * FROM CLIENTES	WHERE YEAR(fecha_regist	tro) = 2024	<u>:</u>	·	
NOMBRE APELLIDO ID	EMAIL	TELEFONO	cantidadCompras	direccion	fecha_registro
Juan Martínez 2156 1 av 12 2024-05-14		5876543	i		
José Carvajal 3486 1 av 180 2024-05-14	jpez@example.com	5557823	I		
María García 4586 1 calle 180 2024-05-14	marcia@example.com	5534567	I		
Ana	ana.ez@example.com	5556789	I		
Carlos Rodríguez 5568 1 calle 82b 2024-05-14	cdriguez@example.com	5345678	I		
Sofía González 6651 1 cra 15 2024-05-14		5501234	I		
Pedro Díaz 8467 1 cra 18 2024-05-14	pe@example.com	5554567	ı		
Miguel Pérez 9768 1 cort 12 2024-05-14	migrez@example.com	5559012	I		
Elena Fernández 10668 1 ave 666 2024-05-14		5551234	I		
Laura Sánchez 45638 2 ave 667 2024-05-14		5589012	I		
++ 10 rows in set (0.01 sec)		+	+	+	++
mysql>					

mysql> select * from ventas;

+	·			!	-
VENTA_ID	CLIENTE_ID	NOMBRE_PRODUCTO	FECHA	CANTIDAD	PRECIO_TOTAL
+	+	+	+	t	++
1	2156	Laptop	2024-05-01	2	1799.98
2	3486	Teléfono	2024-05-02	3	1499.97
3	4586	Tablet	2024-05-03	1	299.99
4	4846	Impresor	2024-05-04	4	799.96
5	5568	Teclado	2024-05-05	2	99.98
6	6651	Mouse	2024-05-06	5	99.95
7	8467	Auricular	2024-05-07	3	239.97
8	9768	Monitor	2024-05-08	1	249.99
9	10668	Router	2024-05-09	2	259.98
10	45638	Cámara	2024-05-10	1	349.99

mysql>|

mysql> DELETE FROM CLIENTES WHERE ID = 5886; Query OK, 1 row affected (0.03 sec) mysql> select * from ventas where fecha between 2024-05-07 and 2024-05-14; Empty set, 2 warnings (0.00 sec)

mysql> select * from ventas where fecha between '2024-05-07' and curdate();

VENTA_ID	CLIENTE_ID	NOMBRE_PRODUCTO	FECHA	CANTIDAD	PRECIO_TOTAL
7 8 9 10	9768 10668	Monitor Router	2024-05-07 2024-05-08 2024-05-09 2024-05-10	3 1 2 1	239.97 249.99 259.98 349.99

4 rows in set (0.00 sec)

```
10 rows in set (0.00 sec)
mysql> SELECT * FROM CLIENTES;
| NOMBRE | APELLIDO | ID
                               EMAIL
                                                       | TELEFONO | cantidadCompras | direccion | fecha_registro
                   z | 2156 | jez@example.com
| 2024-05-14 01:20:02 |
Juan
         Martínez
                                                          5876543
5557823 |
                                                          5534567
                                                          5556789
                                                                                    1 | calle 82 | 2024-05-14 01:20:02 |
                                                          5345678
1 | calle 82b | 2024-05-14 01:20:02 |
| Marí0 | Garcí0 | 5886 | marci0@exa
                      | 5886 | marciO@example.com
                                                          5534567
5501234
                                                          5554567
| Miguel | Pérez
                      | 9768 | migrez@example.com
                                                          5559012 |
 1 | cort 12 | 2024-05-14 01:20:02 |
Elena | Fernández | 10668 | elena@example.com
1 | ave 666 | 2024-05-14 01:20:02 |
                                                          5551234 |
 Laura | Sánchez | 45638 | lnchez@example.com
2 | ave 667 | 2024-05-14 01:20:02 |
                                                          5589012
11 rows in set (0.00 sec)
```

```
mysql> #insertar ventas
mysql> INSERT INTO VENTAS (VENTA_ID, CLIENTE_ID, NOMBRE_PRODUCTO, FECHA , CANTIDAD, PRECIO_TOTAL) VALUES
    -> (1, '2156', 'Laptop', '2024-05-01', 2, 1799.98),
    -> (2, '3486', 'Teléfono', '2024-05-02', 3, 1499.97),
    -> (3, '4586', 'Tablet', '2024-05-03', 1, 299.99),
    -> (4, '4846', 'Impresor', '2024-05-04', 4, 799.96),
    -> (5, '5568', 'Teclado', '2024-05-06', 2, 99.98),
    -> (6, '6651', 'Mouse', '2024-05-06', 5, 99.95),
    -> (7, '8467', 'Auricular', '2024-05-07', 3, 239.97),
    -> (8, '9768', 'Monitor', '2024-05-08', 1, 249.99),
    -> (9, '10668', 'Router', '2024-05-09', 2, 259.98),
    -> (10, '45638', 'Cámara', '2024-05-10', 1, 349.99);
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

mysql> #insertar ventas

•	+				,	
Trigger	Event	Table Timing	Statement Created	Definer	character_set_client collation_connection Database Collation	
+	+-	+	+	+		
N root@localhost actualizar_compras update client set cantidadCompn where id = NEW.CL END AFTER 26	<pre>c - NEW.ca EW.nombre D5-13 23:1 utf8mb4 INSERT tes cas = cant IENTE_ID D24-05-14</pre>	antidad _producto; 11:23.00 ventas tidadCompr 00:35:12.	ONLY_FULL_GROUP_ utf8mb4_0900 begin as + 1 60 ONLY_FULL_GR	_ai_ci utf8mb4_0906 OUP_BY,STRICT_TRANS_TAB	3LES,NO_ZERO_IN_DATE,NO_ZERO_DATE,ERROR_FOR_DIVISION_BY_ZERO,NO_ENGINE_SU	
+ +	-++-	- +	+		.0900_ai_ci 	
2 rows in set (0.01 s	sec)					

mysql> select * from ventas where fecha = curdate();
Empty set (0.01 sec)

mysql> select * from ventas where fecha < curdate();</pre>

+		L		+	Ł
VENTA_ID	CLIENTE_ID	NOMBRE_PRODUCTO	FECHA	CANTIDAD	PRECIO_TOTAL
+	2156 3486 4586 4846 5568	Laptop Teléfono Tablet Impresor Teclado		2 3 1 4 2	1799.98 1499.97 299.99 799.96 99.98
6 7 8 9	6651 8467 9768 10668	Mouse Auricular Monitor Router	2024-05-06 2024-05-07 2024-05-08 2024-05-09	5 3 1 2	99.95 239.97 249.99 259.98
10	45638	Cámara	2024-05-10	1	349.99

10 rows in set (0.00 sec)

mysql>|

mysql> INSERT INTO CLIENTES (NOMBRE, APELLIDO, ID, EMAIL, TELEFONO) VALUES ('MaríO', 'GarcíO', 5886, 'marciO@example.com', 5534567); Query OK, 1 row affected (0.02 sec)

		as where recha be	t		
VENTA_ID	CLIENTE_ID	NOMBRE_PRODUCTO	FECHA	CANTIDAD	PRECIO_TOTAL
7 8 9 10	9768 10668	Auricular Monitor Router Cámara	2024-05-07 2024-05-08 2024-05-09 2024-05-10	•	

4 rows in set (0.00 sec)

```
mysql> SELECT * FROM PRODUCTOS;
  NOMBRE
               PRECIO
                         STOCK
                                  ID_PROVEEDOR
  Auricular
                79.99
                            57
                                           6810
  Cámara
               349.99
                            33
                                           9010
  Impresor
               199.99
                                           3010
                            26
  Laptop
               899.99
                            46
                                           1001
  Monitor
               249.99
                                           7010
                            39
                19.99
                                           5510
  Mouse
                           115
               129.99
  Router
                            23
                                           8010
  Tablet
               299.99
                             73
                                           2010
  Teclado
                49.99
                                           4010
                            78
  Teléfono
               499.99
                             94
                                           1020
10 rows in set (0.00 sec)
mysql>
```

```
mysql> select sum(precio_total) as ingresos_totales from ventas;
+-----+
| ingresos_totales |
+-----+
| 5699.76 |
+-----+
1 row in set (0.01 sec)
```

```
mysql> SELECT NOMBRE FROM CLIENTES WHERE NOMBRE = 'CARLOS';
+-----+
| NOMBRE |
+----+
| Carlos |
+----+
1 row in set (0.00 sec)

mysql> |
```

VENTA_ID	CLIENTE_ID	NOMBRE_PRODUCTO	FECHA	CANTIDAD	PRECIO_TOTAL
1	2156	Laptop	 2024-05-01	2	1799.98
2	3486	Teléfono	2024-05-02	3	1499.97
3	4586	Tablet	2024-05-03	1	299.99
4	4846	Impresor	2024-05-04	4	799.96
5	5568	Teclado	2024-05-05	2	99.98
6	6651	Mouse	2024-05-06	5	99.95
7	8467	Auricular	2024-05-07	3	239.97
8	9768	Monitor	2024-05-08	1	249.99
9	10668	Router	2024-05-09	2	259.98
10	45638	Cámara	2024-05-10	1	349.99

mysql> select * from ventas where fecha between date_sub(curdate(), interval 30 day) and curdate();

Ţ	VENTA_ID	CLIENTE_ID	NOMBRE_PRODUCTO	FECHA	CANTIDAD	PRECIO_TOTAL
- +	1 2 3 4 5 6 7 8 9	2156 3486 4586 4846 5568 6651 8467 9768 10668 45638	Laptop Teléfono Tablet Impresor Teclado Mouse Auricular Monitor Router	2024-05-01 2024-05-02 2024-05-03 2024-05-04 2024-05-05 2024-05-06 2024-05-07 2024-05-08 2024-05-09	2 3 1 4 2 5 3 1	1799.98 1499.97 299.99 799.96 99.98 99.95 239.97 249.99
-1	10	43038	Calliai a	2024 03 10		349.99

10 rows in set (0.00 sec)

```
MySQL 8.0 Command Line Cli X
mysql> SELECT * FROM CLIENTES;
 NOMBRE | APELLIDO
                                                 | TELEFONO | cantidadCo
                   l ID
mpras | direccion | fecha_registro
                      2156 | jez@example.com
 Juan | Martínez |
                                                5876543
   1 | av 12 | 2024-05-14 01:20:02 |
       | Carvajal |
                      3486 | jpez@example.com
                                                   5557823
 José
   1 | av 180 | 2024-05-14 01:20:02 |
 María | García |
                      4586 | marcia@example.com
                                                   5534567
   1 | calle 180 | 2024-05-14 01:20:02 |
     | Hernández | 4846 | ana.ez@example.com
                                                   5556789
   1 | calle 82
               2024-05-14 01:20:02
 Carlos | Rodríguez |
                      5568 | cdriguez@example.com |
                                                   5345678
   1 | calle 82b | 2024-05-14 01:20:02 |
 Sofía | González | 6651 | onzalez@example.com
                                                   5501234
   1 | cra 15
                 2024-05-14 01:20:02
 Pedro Díaz
                  8467 | pe@example.com
                                                   5554567 I
   1 | cra 18
                 | 2024-05-14 01:20:02 |
 Miguel | Pérez
                  9768 | migrez@example.com
                                                   5559012
   1 | cort 12
                 2024-05-14 01:20:02
 Elena | Fernández | 10668 | elena@example.com
                                                   5551234
   1 | ave 666
               2024-05-14 01:20:02
 Laura Sánchez 45638 lnchez@example.com
                                                   5589012 |
   2 ave 667
                 2024-05-14 01:20:02
```