ENCHANTED MEDICAL AESTHETICS

THE GLP-1 BALANCED NUTRITION GUIDE

Natural Strategies for Satiety, Blood Sugar Stability & Metabolic Health



www.enchantedmedicalaesthetics.com

DISCLAIMER

The information contained in this ebook is for educational and informational purposes only and is not intended as medical advice. It is not intended to diagnose, treat, cure, or prevent any disease, nor should it be used as a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of your physician or another qualified healthcare provider with any questions you may have regarding a medical condition.

The nutritional information provided in this ebook is based on current scientific understanding and is subject to change as new research becomes available. The authors and publisher make no representation or warranties concerning the accuracy or completeness of the ebook's contents and specifically disclaim any implied warranties of merchantability or fitness for any particular purpose.

The authors and publisher shall have no liability or responsibility to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this ebook. Any reliance you place on such information is therefore strictly at your own risk.

The opinions expressed in this ebook are those of the authors and do not necessarily reflect the views of the publisher. The publisher does not endorse any specific product or service mentioned in this ebook.

All trademarks, service marks, trade names, logos, and graphics used in this ebook are the property of their respective owners.

WELCOME

I'm Dr. Bridget Martin, a Doctor of Nursing Practice and founder of Enchanted Medical Aesthetics. I focus on helping you build balanced, sustainable eating habits that support appetite regulation and metabolic health. My approach is practical, evidence-informed, and designed to strengthen your body's natural satiety systems.

This guide introduces a food-first approach to supporting GLP-1 function and balanced appetite signaling. Rather than rigid dieting rules or extremes, it focuses on core principles: protein prioritization, fiber-rich whole foods, balanced meal structure, and steady blood sugar support.

Inside, you'll find clear explanations, visual frameworks, and practical strategies to help you build meals that promote fullness, stable energy, and long-term consistency.

Use this guide as a foundation. Apply the principles at your own pace, build steady habits, and create a nutrition pattern that feels realistic, supportive, and sustainable.



Let's connect!

info@enchantedmedicalaesthetics.com

www.enchantedmedicalaesthetics.com

Ormond Beach
(386) 317-1449

DeLand
(386) 463-2660

Text to order
(706) 710-4015

TABLE OF CONTENTS

Introduction to GLP-1 5

GLP-1 & Modern Health 6

How to Naturally Stimulate GLP-1 9

GLP-1 Friendly Foods List 10

Foods That May Suppress GLP-1 Response 11

Core Food Principles & Daily Structure 12

Building GLP-1 Supportive Meals 14

7-Day GLP-1 Support Meal Plan 15

GLP-1 Supportive Recipes 16

Lifestyle Factors That Influence GLP-1 28

Practical Implementation Plan 29

Eating Out Tips 30

Your GLP-1 Questions, Answered 31

Final Notes & Safety Considerations 32

INTRODUCTION TO GLP-1

What Is GLP-1?

GLP-1 (Glucagon-Like Peptide-1) is a hormone released in the gut after you eat. It acts as a messenger between your digestive system and your brain, helping regulate hunger, fullness, and blood sugar levels.

When you consume a balanced meal, GLP-1 signals that nutrients are coming in and helps your body respond appropriately. It plays a key role in:

- Increasing feelings of fullness
- Supporting insulin release
- Slowing digestion
- Reducing appetite naturally

In simple terms, GLP-1 helps your body recognize when it has had enough food, supporting fullness and stable blood sugar.

Why GLP-1 Matters for Appetite & Weight Regulation

Modern eating patterns (fast meals, ultra-processed foods, constant snacking) can disrupt natural satiety signals. When this happens, it becomes harder to feel satisfied, even when calorie intake is sufficient.
GLP-1 helps restore that balance.



A strong GLP-1 response after meals can:

- Reduce overeating
- Minimize cravings between meals
- Support portion awareness
- Promote more stable energy levels

GLP-1 AND BLOOD SUGAR STABILITY

One of GLP-1's most important roles is supporting blood sugar regulation. After a meal, GLP-1 stimulates insulin in a glucose, dependent way, meaning it activates when blood sugar rises and helps the body respond appropriately.

At the same time, GLP-1 slows gastric emptying, or the rate at which food leaves the stomach. This creates a steadier release of glucose into the bloodstream, helping prevent sharp spikes followed by energy crashes.

Stable blood sugar and stable appetite tend to work together. When glucose levels remain steady, cravings and impulsive eating often decrease naturally.

Benefits of a Strong GLP-1 Response

When GLP-1 response is functioning well, the benefits often include:

- ☑ Fewer energy dips throughout the day
- ☑ Reduced "sugar crashes"
- ☑ Greater meal satisfaction
- ☑ More consistent hunger patterns
- ☑ Improved portion awareness and appetite control

Natural Support vs. Medication

GLP-1 medications have gained attention for their ability to enhance satiety and support weight management. These medications work by mimicking or amplifying the action of the GLP-1 hormone, helping regulate appetite and improve blood sugar control.

However, the body naturally produces GLP-1 on its own. Nutrition and lifestyle habits play a meaningful role in how effectively this hormone is released and utilized, influencing satiety, insulin response, and overall metabolic balance.

A food-first approach focuses on strengthening the body's natural signaling system through adequate protein intake, fiber-rich whole foods, gut-supportive nutrition, balanced meal structure, and slower, mindful eating habits.



HOW GLP-1 SUPPORTS METABOLIC BALANCE

Appetite Regulation

GLP-1 enhances communication between the gut and the brain, helping signal fullness after meals. This supports natural portion control and reduces the likelihood of overeating or frequent snacking.

Blood Sugar Control

GLP-1 stimulates insulin release when blood sugar rises, supporting a more balanced post-meal response. It also slows digestion, helping prevent rapid glucose spikes and energy crashes.


Metabolic Efficiency

By improving insulin sensitivity and nutrient signaling, GLP-1 supports more efficient energy use. This contributes to steadier metabolism and reduced metabolic strain over time.

Weight Management Support

Stronger GLP-1 signaling promotes satiety and reduces impulsive hunger patterns. Over time, this can support sustainable weight management without extreme restriction or rigid tracking.

GLP-1 & MODERN HEALTH



GLP-1 and Weight Management

GLP-1 plays a central role in appetite regulation by increasing feelings of fullness after meals. When satiety signals are stronger, it becomes easier to manage portion sizes without relying on constant willpower. Over time, improved appetite regulation can support more sustainable weight management.



GLP-1 and Blood Sugar Stability

GLP-1 helps regulate blood sugar by stimulating insulin release when glucose levels rise after eating. It also slows gastric emptying, allowing for a steadier absorption of nutrients into the bloodstream. This combination supports more stable energy levels and fewer post-meal crashes.



GLP-1 and Cravings Control

Balanced GLP-1 signaling contributes to more consistent hunger patterns throughout the day. When blood sugar remains stable, cravings for quick carbohydrates and sugary foods often decrease naturally. This helps reduce impulsive eating and supports better food choices overall.

GLP-1 medications work by mimicking or enhancing the effects of this hormone to improve appetite and glucose control. However, the body naturally produces GLP-1, and its release can be influenced by dietary and lifestyle habits. A food-first approach focuses on strengthening this natural response in a sustainable way.

HOW TO NATURALLY STIMULATE GLP-1

Protein Intake & GLP-1 Response

Protein is one of the strongest dietary triggers for GLP-1 release. Consuming adequate protein at meals enhances satiety signals and supports more stable post-meal blood sugar levels. Including high-quality protein sources consistently can strengthen the body's natural appetite regulation system.

Fiber & Gut Hormones

Dietary fiber plays a critical role in gut hormone signaling, including GLP-1 production. When fiber is fermented in the colon, it produces short-chain fatty acids that help stimulate GLP-1 release. Higher fiber intake is associated with improved satiety, better glycemic control, and more consistent hunger patterns.

Healthy Fats and Satiety

Healthy fats slow digestion and extend feelings of fullness. When paired with protein and fiber, they support a stronger satiety response. Balanced fat intake also contributes to overall metabolic stability.

Fermented Foods & the Microbiome

The gut microbiome plays a role in GLP-1 regulation. Fermented foods help support microbial diversity and gut health. A balanced microbiome may enhance natural appetite signaling.



Eating Speed & Meal Timing

Eating slowly allows satiety hormones time to activate. Fast eating may delay fullness signals and increase intake. Structured meals, rather than constant grazing, may support better hormonal balance.

GLP-1 FRIENDLY FOODS LIST

Focusing on specific food categories can help naturally stimulate GLP-1 release and support appetite regulation, blood sugar balance, and metabolic stability.

High-Protein Foods

Protein is one of the strongest natural triggers for GLP-1 release and satiety.

- Eggs
- Greek yogurt
- Cottage cheese
- Chicken breast
- Turkey
- Salmon
- Sardines
- Lean beef
- Tofu
- Tempeh



High-Fiber Foods

Fiber supports gut hormone signaling and helps enhance GLP-1 response.

- Leafy greens
- Broccoli
- Brussels sprouts
- Zucchini
- Artichokes
- Chia seeds
- Flaxseeds
- Oats
- Quinoa
- Lentils
- Black beans



Smart Carbohydrates

Carbohydrate quality influences blood sugar response and GLP-1 signaling.

- Whole oats
- Brown rice
- Quinoa
- Buckwheat
- Barley



- Sweet potatoes
- Legumes
- Whole fruit (instead of juice)
- Whole-grain bread

Resistant Starch & Slow-Digesting Carbohydrates

These foods reach the colon undigested and support GLP-1 production through fermentation and short-chain fatty acid formation.

- Cooled potatoes
- Cooled rice
- Cooled pasta
- Green bananas
- Lentils
- Chickpeas
- White beans



Prebiotic & Probiotic Foods

A healthy microbiome plays a role in GLP-1 production and regulation.

- Yogurt with live cultures
- Fermented vegetables
- Kefir
- Sauerkraut
- Kimchi
- Garlic
- Onions
- Leeks
- Asparagus
- Green bananas



Anti-Inflammatory Foods

Lower inflammation may support improved insulin sensitivity.

- Extra virgin olive oil
- Salmon
- Mackerel
- Berries
- Leafy greens
- Turmeric
- Ginger
- Walnuts
- Almonds
- Avocado



FOODS THAT MAY SUPPRESS GLP-1 RESPONSE

Some foods support GLP-1 release, while others weaken satiety signals and blood sugar control. Highly processed, rapidly absorbed carbohydrates can interfere with natural fullness cues.

Refined Carbohydrates

Highly refined grains digest quickly and can cause rapid glucose spikes followed by energy crashes.

- White rice (large portions without protein/fiber)
- Crackers made with refined flour
- White bread & white pasta
- Pastries
- Bagels
- Sugary breakfast cereals
- Pizza made with refined crust



Added & Liquid Sugars

Liquid sugars are absorbed quickly and bypass many satiety mechanisms. They provide calories without triggering strong fullness signals.

Examples include:

- Candy and desserts high in added sugar
- Soda and soft drinks
- Sweetened coffee drinks
- Energy drinks
- Sweetened teas



Ultra-Processed Foods

Highly processed foods are often engineered for hyper-palatability. They tend to be low in fiber and protein, limiting natural GLP-1 stimulation.

- Chips
- Packaged snack cakes
- Sugary breakfast cereals
- Processed snack bars
- Deep-fried fast foods



Excessive Alcohol

Alcohol can impair blood sugar regulation and disrupt appetite signaling. It may increase cravings, reduce inhibition, and weaken mindful eating awareness.

- Frequent high-volume wine intake
- Sweet cocktails
- Beer
- Liqueurs



Frequent spikes in blood sugar, low fiber intake, and rapid digestion may reduce the strength of natural satiety signals. Over time, this can lead to increased hunger, cravings, and inconsistent energy levels.

CORE FOOD PRINCIPLES & DAILY STRUCTURE

GLP-1 supportive eating is built on simple, strategic meal principles that enhance satiety, stabilize blood sugar, and reduce cravings. Rather than focusing on restriction, the goal is to structure meals in a way that naturally strengthens the body's fullness response. When applied consistently, these principles make appetite regulation more intuitive and sustainable.

Core Food Principles

Prioritize Protein First

Protein is the strongest dietary trigger for GLP-1 release. Including a quality protein source at every meal enhances satiety and supports stable post-meal blood sugar.

Build Around Fiber-Rich Foods

Fiber supports gut hormone signaling and slows digestion. Vegetables, legumes, whole grains, and seeds help extend fullness and improve metabolic balance.

Include Healthy Fats Strategically

Healthy fats slow gastric emptying and prolong satiety. Moderate portions of olive oil, nuts, seeds, and avocado enhance meal satisfaction without excess.

Minimize Rapid-Absorbing Carbs

Refined carbohydrates digest quickly and may weaken natural fullness cues. Choosing whole, minimally processed carbohydrates supports steadier energy and stronger appetite regulation.

From Principles to Practice

Supporting GLP-1 is less about perfect ratios and more about consistent structure. When protein, fiber, and balanced nutrients form the foundation of daily meals, hunger patterns become more predictable. The next step is understanding how to visually build a GLP-1 supportive plate.


BUILDING A GLP-1 SUPPORTIVE PLATE

STEP 1: Anchor with Protein

Fill roughly one quarter of your plate with a high-quality protein source. Protein helps trigger GLP-1 release and supports stronger fullness signals after meals. Examples include eggs, Greek yogurt, chicken, salmon, tofu, or legumes.

STEP 2: Add Fiber-Rich Vegetables

Fill at least half your plate with non-starchy vegetables. These provide volume, fiber, and support satiety hormone activation. Examples: leafy greens, broccoli, cauliflower, zucchini, peppers, tomatoes, cucumbers.



STEP 3: Choose Smart Carbohydrates

Add a moderate portion of minimally processed whole-food carbohydrates. Pairing carbohydrates with protein and fiber helps improve blood sugar stability. Examples: quinoa, lentils, oats, sweet potatoes, brown rice.

STEP 4: Finish with Healthy Fats

Include a moderate amount of healthy fats either within the meal or drizzled on top. This helps extend fullness and enhance nutrient absorption. Examples: olive oil, avocado, nuts, seeds..

Real-Life Implementation

Build your plate visually rather than focusing on exact measurements. Adjust portions based on hunger, activity level, and goals. Over time, this balanced structure strengthens natural appetite regulation.



Do This

- Anchor every meal with protein
- Pair carbohydrates with fiber and fat
- Eat slowly to allow satiety signals to activate
- Structure meals instead of constant grazing
- Focus on whole, minimally processed foods
- Adjust portions based on hunger cues
- Prioritize balanced meals over calorie counting

Avoid This

- Building meals around refined carbohydrates
- Skipping protein at meals
- Drinking calories from sugary beverages
- Constant snacking without structured meals
- Overloading plates with multiple heavy components
- Treating the plate formula as a rigid rule
- Relying on ultra-processed convenience foods

A gentle reminder

This framework is meant to guide, not restrict. Balanced meals do not need to be perfectly divided to be effective. Consistent, strategic choices made daily create long-term metabolic stability and stronger GLP-1 signaling.

7-DAY GLP-1 BALANCED MEAL PLAN

	BREAKFAST	LUNCH	DINNER
DAY 1	Protein-Rich Greek Yogurt Bowl	Avocado Chickpeas Chicken & Veggie Bowl	Baked Salmon with Roasted Zucchini & Peppers
DAY 2	Spinach & Tomato Omelet with Whole-Grain Toast	Turkey Brown Rice & Broccoli	Baked Salmon with Roasted Zucchini & Peppers
DAY 3	Savory Cottage Cheese Bowl	Chicken Meatballs with Mashed Cauliflower	Sesame Chicken with Asparagus
DAY 4	Vegetable & Feta Fritatta	Chicken Meatballs with Mashed Cauliflower	Lemon Herb Grilled Chicken with Quinoa & Roasted Broccoli
DAY 5	Vegetable & Feta Fritatta	Avocado Chickpeas Chicken & Veggie Bowl	Lemon Herb Grilled Chicken with Quinoa & Roasted Broccoli
DAY 6	Protein-Rich Greek Yogurt Bowl	Avocado Chickpeas Chicken & Veggie Bowl	High-Protein Tuna & Fiber Bean Salad
DAY 7	Chia Protein Pudding with Greek Yogurt	Turkey Brown Rice & Broccoli	Sesame Chicken with Asparagus

RECIPE SECTION

This recipe section is designed to translate GLP-1 principles into practical, satisfying meals you can prepare with ease. Each recipe is built around protein, fiber, and balanced macronutrients to support satiety, stable blood sugar, and consistent energy. Rather than restrictive dieting, these meals focus on strategic food combinations that work with your body's natural appetite signals.





PROTEIN-RICH GREEK YOGURT BOWL

A high-protein, fiber-rich yogurt bowl designed to support satiety, stable blood sugar, and balanced appetite regulation throughout the morning.

1 serving

Prep Time: 5 mins | Cook time: 0 mins

NUTRITION FACTS (PER SERVING)

Calories	310 kcal
Protein	26g
Carbohydrates	22g
Fiber	9g
Total Fats	12g

Ingredients

- 1 cup (200 g) plain Greek yogurt (2% or full-fat for better satiety)
- 1 tbsp chia seeds
- 1/2 cup (75 g) mixed berries (strawberries, raspberries, blueberries)
- 1 tbsp chopped almonds or walnuts
- 1 tbsp low-sugar granola (optional)
- Fresh mint, for topping (optional)

Instructions

1. In a bowl, stir chia seeds into the Greek yogurt until evenly combined.
2. Let sit 5-10 minutes to slightly thicken.
3. Top with berries and chopped nuts.
4. Add a small sprinkle of granola if using and serve immediately.

Tips

- For improved texture and digestion, let the chia seeds soak in the yogurt for 10-15 minutes or overnight.
- Choose full-fat or 2% Greek yogurt for stronger satiety support.



SPINACH & TOMATO OMELET WITH WHOLE-GRAIN TOAST

A protein-forward omelet made with whole eggs and egg whites, paired with fiber-rich vegetables and whole-grain toast to support satiety and steady morning energy.

1 serving

Prep Time: 5 mins | Cook time: 10 mins

NUTRITION FACTS (PER SERVING)

Calories	360 kcal
Protein	28g
Carbohydrates	26g
Fiber	6g
Total Fats	16g

Ingredients

- 2 large eggs
- 2 large egg whites
- 1 cup (30 g) fresh spinach
- 1/3 cup (60 g) cherry tomatoes, halved
- 1 tsp extra virgin olive oil
- Salt and black pepper, to taste
- 1 slice whole-grain bread, toasted
- Optional: 1 tbsp crumbled feta cheese

Tips

- For stronger satiety, cook the eggs gently over medium-low heat to maintain texture and improve fullness.
- Choose a high-fiber whole-grain bread (at least 3 g fiber per slice) to support steadier blood sugar.

Instructions

1. Heat olive oil in a non-stick skillet over medium heat.
2. Add spinach and cook 1-2 minutes until wilted.
3. In a bowl, whisk eggs and egg whites with salt and pepper. Pour over spinach.
4. Add cherry tomatoes (and feta if using) evenly over the omelet.
5. Cook until set, fold gently, and remove from heat.
6. Serve with whole-grain toast.



SAVORY COTTAGE CHEESE BOWL

A high-protein, fiber-rich savory bowl designed to support satiety, stable blood sugar, and balanced appetite regulation throughout the morning.

1 serving

Prep Time: 5 mins | Cook time: 0 mins

NUTRITION FACTS (PER SERVING)

Calories	340 kcal
Protein	32g
Carbohydrates	14g
Fiber	4g
Total Fats	18g

Ingredients

- 3/4 cup (170 g) full-fat cottage cheese
- 1 large egg
- 1 large egg white
- 1/2 cup (60 g) cherry tomatoes, sliced
- 1/2 cup (60 g) cucumber, sliced
- 2 tbsp yellow bell pepper, diced
- 1 tsp olive oil
- Pinch sea salt and black pepper
- Sprinkle sesame seeds or everything seasoning (optional)

Tips

- For stronger satiety, use full-fat cottage cheese to slow digestion and extend fullness.
- Add extra leafy greens like arugula or spinach to increase volume without raising carbs.

Instructions

1. Bring a small pot of water to a gentle boil. Add the egg and cook 6-7 minutes for a jammy center (or longer if preferred).
2. While the egg cooks, place cottage cheese in a bowl and season lightly with salt and pepper.
3. Arrange tomatoes, cucumber, and bell pepper over the cottage cheese.
4. Peel and slice the egg in half, placing on top.
5. Drizzle with olive oil and finish with sesame seeds or seasoning.



VEGETABLE & FETA FRITATTA

A protein-forward vegetable frittata made with whole eggs, egg whites, low-fat feta, and fiber-rich vegetables to support satiety and stable blood sugar.

2 servings

Prep Time: 10 mins | Cook time: 18 mins

NUTRITION FACTS (PER SERVING)

Calories	320 kcal
Protein	26g
Carbohydrates	8g
Fiber	2g
Total Fats	16g

Ingredients


- 4 large eggs
- 4 large egg whites
- 1 cup (150 g) cherry tomatoes, halved
- 1/4 cup (40 g) red onion, thinly sliced
- 2 cups fresh spinach
- 1/4 cup (60 g) low-fat feta cheese, crumbled
- 2 tsp olive oil
- Salt and black pepper, to taste
- 1/2 tsp dried oregano or fresh basil

Instructions

1. Preheat oven to 375°F (190°C).
2. Heat olive oil in an oven-safe skillet over medium heat.
3. Add red onion and cook 2 minutes until slightly softened.
4. Add spinach and cook until wilted.
5. In a bowl, whisk eggs and egg whites with salt and pepper.
6. Pour egg mixture into the skillet and evenly distribute tomatoes.
7. Sprinkle feta over the top.
8. Cook 2-3 minutes until edges set, then transfer to oven.
9. Bake 8-10 minutes until center is firm.
10. Cool slightly, slice into 2 portions, and serve.

Tips

- For stronger satiety, cook the frittata over medium-low heat to keep the texture tender and protein more satisfying.
- Add extra non-starchy vegetables like zucchini, mushrooms, or bell peppers to increase volume without significantly increasing carbs.



AVOCADO CHICKPEAS CHICKEN & VEGGIE BOWL

A balanced, protein-forward bowl with grilled chicken, fiber-rich chickpeas, fresh vegetables, and healthy fats to support satiety and steady energy.

1 serving

Prep Time: 10 mins | Cook time: 12 mins

NUTRITION FACTS (PER SERVING)

Calories	470 kcal
Protein	36g
Carbohydrates	30g
Fiber	9g
Total Fats	22g

Ingredients

- 4 oz (115 g) grilled chicken breast
- 1/3 cup (60 g) canned chickpeas, drained and rinsed
- 1/4 avocado, sliced
- 1 cup (30 g) fresh spinach
- 1/2 cup (75 g) cherry tomatoes, halved
- 1/2 cup (60 g) cucumber, sliced
- 1 tsp olive oil
- Juice of 1/4 lemon
- Salt and black pepper, to taste
- sesame seeds or dried oregano (optional)

Instructions

1. Season chicken with salt and pepper and grill or pan-sear 5-6 minutes per side until internal temperature reaches 165°F (74°C). Let rest and slice.
2. In a bowl, arrange spinach, tomatoes, cucumber, and chickpeas.
3. Add sliced chicken and avocado on top.
4. Drizzle with olive oil and lemon juice.
5. Finish with seasoning or sesame seeds and serve immediately.

Tips

- For stronger satiety, slightly warm the chickpeas in a pan with a pinch of paprika or cumin before adding to the bowl to enhance flavor and satisfaction.



TURKEY BROWN RICE & BROCCOLI

A protein-forward, fiber-rich bowl thoughtfully designed to support satiety, steady blood sugar, and balanced appetite regulation throughout the day.

1 serving

Prep Time: 15 mins | Cook time: 25 mins

NUTRITION FACTS (PER SERVING)

Calories	430 kcal
Protein	40g
Carbohydrates	32g
Fiber	5g
Total Fats	12g

Ingredients

- 5 oz (140 g) lean turkey breast cutlet
- 1/3 cup (60 g) cooked brown rice
- 1 1/2 cups (150 g) broccoli florets
- 1 tsp olive oil
- 1/4 tsp paprika
- 1/4 tsp dried rosemary or thyme
- Salt and black pepper, to taste
- Lemon wedge (optional)

Tips

- For stronger satiety, slightly warm the chickpeas in a pan with a pinch of paprika or cumin before adding to the bowl to enhance flavor and satisfaction.

Instructions

1. Cook brown rice according to package directions. Measure 1/3 cup cooked for serving.
2. Season turkey with paprika, rosemary, salt, and pepper.
3. Heat olive oil in a skillet over medium heat and cook turkey 4–5 minutes per side until internal temperature reaches 165°F (74°C). Rest and slice.
4. Steam or roast broccoli until tender-crisp (about 8–12 minutes).
5. Assemble bowl with rice, broccoli, and sliced turkey. Finish with a squeeze of lemon if desired.



CHICKEN MEATBALLS WITH MASHED CAULIFLOWER

Protein-rich chicken meatballs served with creamy mashed cauliflower for a lower-carb, GLP-1 supportive comfort meal that promotes fullness and stable energy.

2 servings

Prep Time: 10 mins | Cook time: 25 mins

NUTRITION FACTS (PER SERVING)

Calories	381 kcal
Protein	38g
Carbohydrates	12g
Fiber	4g
Total Fats	19g

Ingredients

Chicken Meatballs


- 12 oz (340 g) lean ground chicken
- 1 egg
- 1/4 cup (25 g) almond flour
- 2 tbsp finely chopped parsley
- 1 clove garlic, minced
- 1/2 tsp dried oregano
- Salt and black pepper, to taste
- 1 tsp olive oil (for cooking)

Mashed Cauliflower

- 4 cups (400 g) cauliflower florets
- 1 tbsp olive oil
- 2 tbsp Greek yogurt (for creaminess, optional but recommended)
- Salt and black pepper, to taste

Instructions

1. Preheat oven to 400°F (200°C).
2. In a bowl, combine ground chicken, egg, almond flour, parsley, garlic, oregano, salt, and pepper. Mix gently.
3. Form into 8 equal meatballs (4 per serving).
4. Place on a lined baking sheet, lightly brush with olive oil, and bake 18-22 minutes.
5. While meatballs bake, steam cauliflower 10-12 minutes until very tender.
6. Drain well and blend with olive oil, Greek yogurt, salt, and pepper until smooth.



BAKED SALMON WITH ROASTED ZUCCHINI & PEPPERS

Oven-baked salmon served with roasted zucchini and bell peppers, finished with olive oil and lemon. A balanced dinner rich in protein and wholesome ingredients.

2 servings

Prep Time: 10 mins | Cook time: 20 mins

NUTRITION FACTS (PER SERVING)

Calories	390 kcal
Protein	34g
Carbohydrates	10g
Fiber	4g
Total Fats	25g

Ingredients

- 2 salmon fillets (about 5-6 oz / 140-170 g each)
- 2 cups (300 g) zucchini, sliced
- 1 cup (150 g) bell peppers, sliced
- 1 tsp olive oil
- 2 cloves garlic, minced
- Juice of 1/2 lemon
- 1/2 tsp dried oregano
- Salt and black pepper, to taste
- Fresh parsley or dill, for garnish (optional)

Tips

- Add cherry tomatoes to the roasting pan for extra flavor.
- Serve with a side of quinoa or whole-grain bread for a complete plate.
- For crispier vegetables, broil for the final 2-3 minutes.

Instructions

1. Preheat oven to 400°F (200°C).
2. Place zucchini and bell peppers on a baking sheet. Drizzle with half of the olive oil, season with salt, pepper, and oregano, and toss to coat.
3. Push vegetables to one side of the pan and place salmon fillets on the other side.
4. Drizzle salmon with remaining olive oil, garlic, lemon juice, salt, and pepper.
5. Bake for 15-18 minutes, until salmon flakes easily with a fork and vegetables are tender.
6. Garnish with fresh herbs before serving.



LEMON HERB GRILLED CHICKEN WITH QUINOA & ROASTED BROCCOLI

Grilled chicken thigh served with a light quinoa salad and roasted broccoli for a balanced, protein-focused dinner.

2 servings

Prep Time: 15 mins | Cook time: 25 mins

NUTRITION FACTS (PER SERVING)

Calories	360 kcal
Protein	30g
Carbohydrates	23g
Fiber	6g
Total Fats	15g

Ingredients

Chicken

- 2 boneless, skinless chicken thighs
- 2 tsp olive oil
- Juice of 1/2 lemon
- 2 cloves garlic, minced
- 1 tsp dried oregano
- Salt and black pepper, to taste

Quinoa Salad

- 1/4 cup (45 g) dry quinoa
- 1/2 cup (80 g) cucumber, diced
- 1/2 cup (80 g) cherry tomatoes, halved
- 2 tbsp red onion, thinly sliced
- 1 tsp olive oil
- Squeeze of lemon

Roasted Broccoli

- 2 cups (200 g) broccoli florets
- Salt and pepper

Instructions

1. Rinse quinoa and cook in 1/2 cup (120 ml) water. Bring to a boil, reduce to simmer, cover, and cook 12-15 minutes. Fluff and cool slightly.
2. Toss cooked quinoa with cucumber, tomatoes, red onion, olive oil, and lemon.
3. Preheat oven to 400°F (200°C). Season broccoli with salt, and pepper and roast 18-20 minutes until lightly crisped.
4. Season chicken with olive oil, lemon, garlic, oregano, salt, and pepper. Grill or pan-sear 5-7 minutes per side until internal temperature reaches 165°F (74°C).
5. Divide evenly into 2 plates and serve.



SESAME CHICKEN WITH ASPARAGUS

A protein-forward sesame chicken dish with fiber-rich asparagus to support satiety, steady energy, and balanced appetite regulation.

1 serving

Prep Time: 15 mins | Cook time: 35 mins

NUTRITION FACTS (PER SERVING)

Calories	385 kcal
Protein	42g
Carbohydrates	9g
Fiber	3g
Total Fats	20g

Ingredients

- 5 oz (140 g) boneless, skinless chicken breast, cubed
- 1 1/2 cups (150 g) asparagus, trimmed
- 1 tsp olive oil
- 1/2 tsp sesame oil
- 1/2 tsp sesame seeds
- 1 tsp low-sodium tamari or soy sauce
- 1/4 tsp paprika
- Salt and black pepper, to taste
- Fresh cilantro or parsley (optional)

Tips

- For even stronger satiety, slice the chicken into larger chunks rather than small cubes to slow eating pace and improve fullness cues.
- Cook asparagus just until tender-crisp to preserve fiber structure and improve texture and satisfaction.

Instructions

1. Heat olive oil in a skillet over medium heat.
2. Season chicken with paprika, salt, and pepper. Add to skillet and cook 5-6 minutes, turning until golden and internal temperature reaches 165°F (74°C).
3. Add asparagus to the pan and sauté 4-5 minutes until tender-crisp.
4. Drizzle sesame oil and tamari over the chicken and asparagus. Toss to coat.
5. Sprinkle with sesame seeds and fresh herbs before serving.



HIGH-PROTEIN TUNA & FIBER BEAN SALAD

A protein-rich, fiber-dense salad designed to promote satiety, steady blood sugar levels, and balanced evening appetite control for sustained energy.

1 serving

Prep Time: 10 mins | Cook time: 0 mins

NUTRITION FACTS (PER SERVING)

Calories	380 kcal
Protein	35g
Carbohydrates	28g
Fiber	9g
Total Fats	13g

Ingredients

- 1 can (100–120 g drained) tuna in water
- 1/3 cup (60 g) cooked white beans, drained and rinsed
- 1 cup chopped romaine or green leaf lettuce
- 1/2 cup (75 g) cherry tomatoes, halved
- 1/2 cup (60 g) cucumber, sliced
- 1/4 cup (40 g) yellow or red bell pepper, diced
- 1 tsp extra virgin olive oil
- 1–2 tsp fresh lemon juice
- Salt and black pepper, to taste

Tips

- For lower carbs, reduce beans to 1/4 cup.
- For higher satiety, add 1 tbsp pumpkin seeds or extra leafy greens.

Instructions

1. In a large bowl, arrange lettuce as the base.
2. Top with tuna (flaked), white beans, tomatoes, cucumber, and bell pepper.
3. Drizzle with olive oil and lemon juice.
4. Season lightly with salt and black pepper.
5. Toss gently before serving or keep layered for presentation.

LIFESTYLE FACTORS THAT INFLUENCE GLP-1



GLP-1 thrives in conditions of balance. When the body is well-rested, regularly active, and not chronically stressed, satiety signals become clearer and blood sugar regulation improves. Small daily habits, practiced consistently, often have a greater long-term impact than extreme dietary changes.

While food plays a major role in GLP-1 release, lifestyle habits also significantly influence how effectively this hormone functions. GLP-1 is part of a broader metabolic signaling system that responds to sleep, stress, movement, and daily rhythm.

When the body is chronically stressed, under-rested, or metabolically overloaded, appetite regulation becomes less predictable. Satiety cues may weaken, cravings can intensify, and blood sugar fluctuations may become more frequent. Supporting GLP-1 naturally requires creating an internal environment that feels stable, well-rested, physically active, and consistently regulated.

Key Lifestyle Influencers of GLP-1

- Sleep Quality - Inadequate sleep disrupts appetite hormones and increases cravings.
- Stress Levels - Chronic stress may blunt satiety signaling and increase emotional eating.
- Physical Activity - Regular movement improves insulin sensitivity and gut hormone balance.
- Meal Timing Consistency - Irregular eating patterns can destabilize hunger cues.
- Eating Pace - Slower eating allows satiety hormones time to activate effectively.

When nutrition and lifestyle work together, satiety signaling becomes clearer, more reliable, and easier to sustain long term.



PRACTICAL IMPLEMENTATION PLAN

Prioritize Protein at Every Meal
Include a quality protein source (20–30 g) at each meal to strengthen satiety signaling. Protein anchors the plate and helps reduce post-meal cravings.

Build Fiber Into Daily Intake
Add vegetables, legumes, whole grains, or seeds to at least two meals per day. Fiber slows digestion and enhances fullness.

Structure Balanced Plates
Build meals around protein, fiber-rich vegetables, smart carbohydrates, and moderate healthy fats. Balanced plates support steadier GLP-1 response.

Stabilize Meal Timing
Prioritize 7–9 hours of quality sleep to protect appetite hormone balance. Poor sleep can increase cravings and reduce satiety sensitivity.

Support Recovery and Sleep
Aim for 7–9 hours of quality sleep to protect appetite hormone balance. Poor sleep can increase cravings.

Move Daily
Incorporate strength training or post-meal walks to improve insulin sensitivity. Consistent movement supports natural GLP-1 function.

EATING OUT TIPS

Eating out while supporting natural GLP-1 function is manageable with simple, intentional choices. Focus on meals that prioritize protein, fiber, and blood sugar stability while limiting highly processed and rapidly absorbed foods.

1. Anchor Your Meal with Protein

Choose dishes centered around grilled fish, chicken, lean meats, tofu, or legumes. Adequate protein enhances satiety signaling and helps regulate post-meal blood sugar.

2. Add Fiber-Rich Vegetables

Build your plate around vegetables whenever possible. Ask for extra greens or swap refined sides for salads or steamed vegetables to improve fullness and digestion.

3. Choose Smart Carbohydrates

If including carbohydrates, opt for whole-food options like beans, quinoa, or brown rice when available. Avoid large portions of refined breads, fries, or heavily processed grains that may spike blood sugar.

4. Keep Fats Balanced

Healthy fats like olive oil, avocado, or nuts can support satiety, but portion awareness matters. Avoid heavily fried or cream-based dishes that may slow digestion excessively.



Smart Ordering Rule

If menu descriptions include terms like crispy, battered, sweet, glazed, creamy, or loaded, the dish is likely higher in refined carbohydrates or excess fats. When in doubt, ask for sauces on the side, simplify the preparation, and prioritize grilled or baked options.

YOUR GLP-1 QUESTIONS, ANSWERED

Q: What is GLP-1 and why does it matter?

GLP-1 is a gut hormone involved in appetite regulation, blood sugar control, and satiety signaling. It is released after eating and helps slow digestion, stimulate insulin appropriately, and promote fullness.

Q: Can I naturally support GLP-1 without medication?

Yes. Protein intake, fiber-rich foods, balanced meal structure, consistent sleep, and regular movement all influence GLP-1 release. While medications mimic this hormone, lifestyle habits can strengthen the body's own signaling system.

Q: Do I need to count calories to support GLP-1?

Not necessarily. Focusing on protein-forward meals, adequate fiber, and steady meal timing often improves satiety naturally and supports blood sugar stability. When fullness cues are properly supported, appetite regulation becomes more intuitive and easier to maintain.

Q: Are carbohydrates bad for GLP-1?

Carbohydrates are not inherently problematic. Whole-food, fiber-rich carbohydrates such as beans, quinoa, oats, and vegetables support stable blood sugar. Highly refined and rapidly absorbed carbohydrates are more likely to disrupt satiety signaling.

Q: How quickly will I notice changes?

Improvements in energy stability and hunger patterns may occur within weeks when habits are consistent and well-structured over time. Sustainable metabolic support develops gradually through steady, intentional daily practices and long-term routine consistency.

Q: Can stress or poor sleep affect GLP-1 function?

Yes. Inadequate sleep and chronic stress can disrupt appetite hormones and weaken satiety signaling. Prioritizing recovery, stress management, and consistent routines supports clearer hunger cues and more stable metabolic regulation.



FINAL NOTES & SAFETY CONSIDERATIONS

The strategies in this guide are designed to support the body's natural GLP-1 response through balanced nutrition and consistent lifestyle habits. They are not intended to diagnose, treat, or replace personalized medical care. Appetite regulation and metabolic health are influenced by factors such as medical history, medications, hormones, and overall lifestyle.

If you are taking GLP-1-based medications or managing a condition like type 2 diabetes, consult your healthcare provider before making significant dietary changes. Adjustments to carbohydrate intake, meal timing, or physical activity may require monitoring to maintain stable blood sugar levels.

Those who are pregnant, breastfeeding, managing chronic conditions, or with a history of disordered eating should seek individualized guidance before following structured nutrition plans. Sustainable progress should support both physical and mental well-being.

GLP-1 function improves gradually through consistent habits, not extreme restriction. Prioritizing protein, fiber, sleep, stress management, and regular movement creates a strong foundation for long-term appetite regulation and metabolic balance.

THANK YOU

Thank you for trusting Enchanted Medical Aesthetics with your wellness journey. Use this guide as your foundation, apply the principles at your own pace, and bring your questions to your next visit. Our team is here to support you every step of the way.

DR. BRIDGET MARTIN, DNP, APRN, NP-C
Doctor of Nursing Practice

Let's connect!

info@enchantedmedicalaesthetics.com

www.enchantedmedicalaesthetics.com

Ormond Beach
(386) 317-1449

DeLand
(386) 463-2660

Text to order
(706) 710-4015