


PawTag

Street dog and pet health, one scan away.



DESIGN SYSTEM · STYLE GUIDE

PawTag

Collar-tag tracking platform for street dog and pet health — rebuilt from the published Design System artifact.

Brand overview

PawTag is the collar-tag tracking platform behind Sri Lanka's street dog vaccination, sterilization and medical treatment programme, extended to home dogs as a paid collar for owners. The same app and API back three things: the mobile app animal welfare workers and veterinarians use in the field, the web platform clinics and admins use at a desk, and the public scan page anyone reaches by tapping or scanning a dog's collar. Build for a light theme only — no dark theme is defined. This is an Angular + Cordova application compiled for both the mobile app (Android, via Cordova) and the web platform, so every screen must work first as a narrow mobile view and then adapt to a wider desktop one; do not design a desktop-only flow.

Content fundamentals

Write for four roles, and let the interface say which one it's talking to: **animal welfare workers** who register street dogs and log field treatment, **veterinarians** who validate and record clinical care, **pet owners** who bought a home-dog collar, and **community members** who occasionally log a treatment they gave a street dog. Copy is direct and procedural, never cute — this is medical record-keeping for animal welfare, not a consumer pet-social app. Use "animal" as the general term (a record covers street dogs and home dogs alike); use "owner" only for a home dog's registered owner, and "registered by" for the worker who onboarded a street dog. Dates are absolute ("12 Mar 2026"), not relative, on anything medical. A due or overdue vaccination is always stated as a fact plus a date ("Rabies booster due 2 Oct 2026"), never as an alarm ("Overdue!!"). Sentence case throughout, including titles and buttons ("Add medical record", not "Add Medical Record"). No emoji.

Visual foundations

Colour. Three hues, each with one job, on a clean cool-white base — inviting rather than clinical, without turning busy. `accent` (emerald-teal) is the one interactive colour: every primary button, active tab, link and the focus ring is `accent`, filled with `on-accent` text, with `accent-tint` for its soft selected/highlighted state (an active filter chip's rest state, a card's info highlight). `brand` (coral) is the identity colour: it appears on the cover and the sign-in/sign-up header and nowhere else in working UI, so it never competes with `accent` — and because coral is vivid, it carries icons only there (3:1), never body text (4.5:1). `sun` (golden amber) is a third, purely decorative hue for the cover pattern and empty-state illustration, giving the palette warmth and variety without adding a fourth interactive or status meaning — it never appears on a button, tag or link. Status is colour-coded but never colour-only: `success` (up to date), `warning` (due soon) and `danger` (overdue / wound or urgent treatment) always pair with a word, on their matching `-surface` tint, never as a bare dot. `info` marks neutral, non-urgent state (e.g. "Sterilization scheduled"). Screens sit on `surface-50`; cards, the top bar and bottom nav sit on `surface-100` with a `border` hairline — never a shadow — to separate from `surface-50`; reserve `shadow-md` for things that float above the layout (the scan FAB, open sheets).

Type. The system font stack (`type.families.sans`) loads instantly on both Cordova's WebView and the web build with no font file to bundle — do not add a webfont. `display` is for the two auth screens only; every other screen title is `h1`. Use `mono` only for the animal ID / collar code, so it reads unmistakably as a code, not a name.

Spacing. Built on a 4px scale, kept tight by design: screen side margins are `space-4` (16px), not more; card padding is `space-4`; the gap between two related fields is `space-2` — `space-3`; only the gap between unrelated sections opens up to `space-5` — `space-6`. Do not add margin or padding beyond what a token specifies — this system favours density over air, matching a field tool used on a phone in a shelter or clinic.

Radius. `radius-md` (10px) is the default for buttons, inputs and list rows; `radius-lg` (16px) is reserved for cards, sheets and the phone-frame screen edge; `radius-full` is for avatars, the FAB and pill chips only — never for a rectangular button.

Layout — mobile-first, responsive. Design every screen at a 375–430px mobile width first: single column, a fixed top bar, a fixed five-item bottom nav for signed-in app screens, content scrolling between them. Grow it to the web/desktop width by widening the content column to a centred `max-width: 640px` for single-record screens (profile, add/edit, medical record) and to a `max-width: 960px` two- or three-column grid for list and admin screens (medical records list, add animal) — the bottom nav becomes a left-hand rail or is replaced by the top bar's own navigation at that width. Never redesign the information architecture between breakpoints, only its column count.

States. Every interactive element (button, input, list row, chip, tab) has a visible `:hover / :active` state using `surface-200` or `accent-strong`, and a `focus-ring` (3px `focus-ring`, 2px offset) on keyboard/switch focus — required for animal welfare workers using the web platform on a shared clinic desktop. Disabled controls use `ink-faint` text on `surface-200` with no border.

Iconography

Use a single-weight line icon set (Material Symbols Outlined or Lucide — pick one and use it everywhere) at 20px in body contexts and 24px in the top bar and bottom nav. Icons are always `currentColor`, so they inherit `ink`, `ink-muted`, `accent` or a status colour from their container — never a hard-coded fill. The NFC and QR/barcode icons are the two glyphs unique to this product (scan entry point); use the platform-standard NFC "waves" glyph and a simple QR-square glyph, both filled `accent` on `accent`-tinted circles when idle, `on-accent` on solid `accent` while actively scanning.

Tokens · Colour

surface-50 #F5F9F7 App / screen background — a clean, faintly cool-green white.	surface-100 #FFFFFF Cards, sheets, top bar, bottom nav, inputs' container.
surface-200 #EAF1EE Input fill, chip fill, subtle hover/pressed state, skeletons.	surface-raised #FFFFFF Elevated surfaces (modals, FAB, dropdown menus) — pair with shadow-md.
border #DEE9E4 Hairline dividers, input borders, card borders, list separators.	border-strong #C4D5CD Focus-adjacent borders, active input border, table headers.
ink #132420 Primary text and icons on surface-50/100/200.	ink-muted #57685F Secondary text — captions, helper text, timestamps, labels.
ink-faint #93A69D Placeholder text, disabled text, inactive tab icons.	brand #D9503C PawTag identity colour — wordmark, cover, onboarding header, the collar-tag glyph. Not for body UI; icons on it only, never text (3:1, not 4.5:1).
brand-tint #FFE3D9 Warm identity surface behind the brand mark; pair with ink text.	sun #F2A33D Decorative third hue for the cover, empty states and illustration only — golden accent, never for text, status or interactive fills.
sun-tint #FDEACB Soft surface behind a sun-coloured decorative mark.	accent #0B8073 Primary actions — filled buttons, active tab, links, focus ring, scan/NFC highlight. A fresh emerald-teal, the one interactive colour.
accent-strong #08655B Pressed/hover state of accent-filled buttons and active elements.	accent-tint #DFF3EE Soft accent surface — selected chip background, info highlight on a card, the scan target ring.
on-accent #FFFFFF Text and icons on accent-filled surfaces.	on-brand #FFFFFF Icons only on brand-filled surfaces (cover, splash) — never body text.
success #0C7A4E Vaccination up to date, sterilization verified — text, icon, tag text on success-surface.	success-surface #DEF3E7 Fill behind success tags and banners.
warning #A66300 Vaccination due soon, pending verification — text, icon, tag text on warning-surface.	warning-surface #FBECD2 Fill behind warning tags and banners.
danger #C4342A Overdue vaccination, wound/urgent treatment, destructive actions — text, icon, tag text on danger-surface.	danger-surface #FAE3E0 Fill behind danger tags and banners.
info #2E6FCC Neutral status, sterilization scheduled, informational banners — text/icon on info-surface.	info-surface #E1ECFB Fill behind info tags and banners.
focus-ring	

#0B8073

3px focus outline on every interactive element, offset 2px, on any surface.

Tokens · Type

STYLE	SIZE / LINE-HEIGHT	SAMPLE	USAGE
Display & headings · sans			
display	26px / 32px, weight 700	Animal record 4F2A-9C31	Auth screen titles, splash headline.
h1	20px / 26px, weight 700	Animal record 4F2A-9C31	Screen titles in the top bar area and page headers.
h2	17px / 23px, weight 600	Animal record 4F2A-9C31	Section headings — 'Vaccinations', 'Recent treatments'.
h3	15px / 20px, weight 600	Animal record 4F2A-9C31	Card titles, list-item titles, animal name.
Body · sans			
body	15px / 22px, weight 400	Animal record 4F2A-9C31	Default body copy, form values, descriptions.
body-strong	15px / 22px, weight 600	Animal record 4F2A-9C31	Emphasis inside body copy — field values, owner name.
label	13px / 18px, weight 600	Animal record 4F2A-9C31	Form field labels, button labels, tab labels. Letter-spacing 0.01em.
caption	12px / 16px, weight 400	Animal record 4F2A-9C31	Timestamps, helper text, due-date captions, tag text.
micro	11px / 14px, weight 600	Animal record 4F2A-9C31	Bottom-nav labels, badge counts, overline eyebrows. Uppercase, letter-spacing 0.04em.
Code · mono			
mono	14px / 20px, weight 500	Animal record 4F2A-9C31	Animal ID / collar tag code — always an 8-character code formatted xxxx-xxxx (e.g. 4F2A-9C31) — and any other QR/NFC payload shown as text.

Tokens · Spacing

TOKEN	VALUE	SCALE	USAGE
space-1	4px		Icon-to-label gap, tight chip padding.
space-2	8px		Gap between a label and its field, stacked caption spacing.
space-3	12px		Inner padding of compact controls — chips, small buttons, list-item gap.
space-4	16px		Screen side margins, card padding, gap between stacked fields.
space-5	20px		Gap between grouped sections within a screen.
space-6	24px		Gap between major sections, top bar height padding.
space-8	32px		Top-of-screen breathing room on auth screens, empty-state padding.

Tokens · Radius

radius-sm · 6px	radius-md · 10px	radius-lg · 16px	radius-full · 999px
Chips, tags, small badges.	Buttons, inputs, list-item rows.	Cards, sheets, modals, the phone-frame screen.	Avatars, FAB, pill-shaped filter chips, status dots.

Tokens · Shadow


shadow-sm	shadow-md
Top bar and bottom nav resting elevation, list-item on hover.	FAB, floating scan button, open sheets and dropdown menus.

Button

The five button styles PawTag uses, in order of how often they should appear. Every button is `radius-md`, full-width by default (`pt-btn`) or auto-width for a toolbar (`pt-btn-pt-btn-sm`).

- **Primary** (`pt-btn-primary`, `accent` fill, `on-accent` text) — exactly one per screen: the single action that moves a record forward (Register animal, Save changes, Add medical record). - **Secondary** (`pt-btn-secondary`, `surface-100` fill, `border-strong` outline) — the paired lower-emphasis action next to a primary (Cancel, Filter). - **Danger** (`pt-btn-danger`, `danger` outline and text on `surface-100`) — only for destructive actions (Delete record, Remove animal), always beside a secondary "Cancel", never as the only button. - **Ghost** (`pt-btn-ghost`, text-only `accent`) — the lowest-emphasis action (Skip for now, a text link inside a form). - **Small** (`pt-btn-sm`) — for inline toolbar actions (list filters, a compact "Add" in a top bar), never for a screen's primary action.

Disabled state removes all colour to `surface-200` / `ink-faint` and drops the border — never keep a coloured disabled button. Every button shows `focus-ring` on keyboard focus; touch targets stay at the 44px default height even where the label is short.



Input

Text field, select and textarea share one shape: `radius-md` , 44px tall (textarea grows), `surface-200` fill at rest so a field always reads as "empty container" against the white `surface-100` cards it sits in, and `surface-100` fill once focused. A `pt-label` (the `label` type style) sits above every field — never inside it as the only cue — because placeholder text (`ink-faint`) disappears once typing starts and welfare workers fill these forms in bright outdoor light.

Error state (`pt-field-error`) turns the border `danger` and adds one line of `pt-help pt-help-error` below explaining what to fix, in plain language tied to the field ("Enter a valid Sri Lankan mobile number," not "Invalid input"). Non-error helper text uses `pt-help` in `ink-muted` and explains consequence, not format, where useful ("Visible to veterinarians reviewing this record"). Every field keeps its 44px height and `radius-md` even in an error state — only the border and helper text change.

Animal name

Kalu

Animal type

Dog

Contact number

07X XXX XXXX

Enter a valid Sri Lankan mobile number.


Medical note

Cleaned and dressed a wound on the left hind leg.

Visible to veterinarians reviewing this record.


Card

`pt-card` is the one container PawTag uses for a grouped, self-contained fact — a vaccination summary, an animal's headline stats, a single medical record preview. `surface-100` on `surface-50`, a `border` hairline (never a shadow — shadows are reserved for floating elements like the scan FAB), `radius-lg`, `space-4` padding on every side. Stack multiple cards with `space-3` between them (the `pt-card + pt-card` rule handles this automatically) — do not add extra margin. A card's top row is usually a `pt-row` pairing a title with a status tag; keep it to one primary fact per card rather than nesting unrelated data.



Badge

Two related shapes, not interchangeable. `pt-tag` is a status word — `success` "Up to date", `warning` "Due soon", `danger` "Overdue", `info` "Scheduled", `neutral` "Draft" — always a full word on its tinted `-surface`, never a bare dot, since colour alone never carries medical status here. `pt-chip` is a filter or record-type selector — pill-shaped, `border-strong` outline at rest, filled `accent` with `on-accent` text when `is-active` — used for the record-type filter row on the medical records list and the record-type picker when adding a record (Vaccination, Wound treatment, Sterilization, Other). Wrap a row of chips that must fit one line (a filter bar) in `pt-chip-row`, not a plain flex container — it enables horizontal scrolling with a hidden scrollbar and bleeds to the screen edges; a row that should wrap instead (the record-type picker in Add medical record) stays a plain `flex-wrap` row.




Avatar

`pt-avatar` shows an animal's or a person's initials on `brand-tint` with `brand` text — the only place `brand` appears as a text colour, kept to this one small area so the identity colour stays distinct from the `accent` used everywhere else. `pt-avatar-lg` (72px) is for a profile screen's header; `pt-avatar-md` (44px) is for list rows and the user-profile summary. When no photo or initials are available (a new user before their name is set), fall back to the person icon on `surface-200` / `ink-muted` rather than an empty circle.



ListItem

One row of the medical records list: a 40px `pt-list-icon` tinted by record type (success-tinted syringe for vaccination, danger-tinted bandage for wound treatment, info-tinted pill for other medical treatment), a title naming the record and a meta line of date plus who logged it, and a trailing chevron. Rows sit inside a single `pt-card` with no padding of its own so the card's `border` frames the whole list, and each row's own `border` hairline separates it from the next (the last row's is removed automatically). Tapping anywhere on the row opens the full record; do not add a separate "view" button.



TopBar

Fixed to the top of every screen except the two auth screens and the cover-style scan landing. `surface-100` on a `border` hairline with `shadow-sm`, `space-4` padding, 24px icons. Left slot is a back chevron (or nothing on the five bottom-nav root screens); centre is the `h1`-weight title (an animal's name, "Medical records", "Edit animal"); right slot holds at most one contextual action (edit, filter, add) — a second action goes into an overflow, never two icons side by side. Keep it to this one row; do not add a subtitle row except where a screen genuinely needs a secondary line (`pt-topbar-sub`), such as the scan screen's instructional text.



BottomNav

The five root destinations for a signed-in user on mobile: Home, Animals, Scan, Records, Profile — fixed, `surface-100` on a `border` hairline with `shadow-sm`, always visible except inside a full-screen form (Add/Edit animal, Add medical record) where it is replaced by the top bar's back action. The active tab is `accent` (`is-active`); inactive tabs are `ink-faint`, never `ink-muted`, so the active item reads unambiguously against four quiet siblings. Scan sits in the centre as the most frequent field action, but is a normal tab here — the floating `pt-fab` is a secondary shortcut to it from Home, not a replacement. On the web/desktop width, replace this row with a left-hand rail using the same five items in the same order; never drop a destination when switching layouts.



SignIn

The only screen besides Sign up that uses `brand / brand-tint` for anything beyond the cover — the header block sets the tone before the user is inside the working app, where `accent` takes back over as the one interactive colour (see the "Sign in" button and the "Scan a collar instead" secondary path). Email and password are the primary path; "Scan a collar instead" is for a community member who found a dog and only needs the scan flow, not a full account — it goes straight to Scan, skipping sign-in. Keep the form to exactly these two fields; do not add a remember-me control on a shared field device.



Welcome back

Sign in to PawTag

Email or contact number

Password

Forgot password?

Sign in

or

 Scan a collar instead

Don't have an account? [Sign up](#)

SignUp

Self-serve sign-up is for pet owners (home-dog collar buyers) and community members only — the subtitle says so directly, because animal welfare workers and veterinarians need verified credentials and are provisioned by an admin instead (see Add animal for the admin surface this leads to). Fields stay in the order a person fills them naturally: identity, then contact, then password. The terms checkbox defaults unchecked in a real build; it is shown checked here only to preview the row's layout. "Create account" stays disabled (`pt-btn` disabled state) until every required field and the terms checkbox are valid.



Create your account

For pet owners and community members. Animal welfare workers and vets are added by an admin.

Full name

As on your ID

Email

you@example.com

Contact number

07X XXX XXXX

Password

At least 8 characters

Use a mix of letters and numbers.

☒


I agree to the Terms of Service and Privacy Policy.

Create account

Already have an account? [Sign in](#)

AnimalProfile

The record a QR/NFC scan resolves to. Header pairs a `pt-avatar-lg` with the name, who registered it (or "Owner" for a home dog) and the collar's `mono` animal ID — the one place the raw ID is shown, since everywhere else the animal is referred to by name. The identity card is a two-column key/value grid, not prose, so a worker can scan it in seconds. Vaccinations get their own card per entry with a status tag (`success` / `warning` / `danger` per the due-date rule in `tokens.json`) — this is the one place on the profile where status colour is load-bearing, so never collapse it to a single "vaccinated: yes/no" line. "Recent medical note" shows only the latest entry with a "View all" link into the full Medical records list (see that screen) — do not duplicate the full history here. The edit-pencil icon in the top bar is only shown to a signed-in worker or vet with edit rights; a public scan view (see Scan screens) omits it.



AddAnimal

Restricted to animal welfare workers and admins (the `pt-tag pt-tag-info` "Admin" marker in the top bar, not a colour-only cue). Shown here at the web width because registering a street dog and pairing its collar happens at a desk or a pilot-distribution event, in the two-column `pt-content-narrow` (640px) layout the whole system uses for single-record forms; the identical field set also has to work stacked single-column on the mobile app for a worker registering a dog in the field, so never introduce a field on one platform that the other lacks. Fields are grouped in three sections by a `pt-divider`, not by cards, since this is one continuous form, not several summaries: identity, an optional owner block (a street dog leaves it blank — a home dog's Add-animal flow, reached from a pet owner's account, fills it and skips the "leave blank" hint), and the collar ID, which is normally auto-filled by scanning the new physical collar rather than typed.

Add animal

Admin

Register a new street dog

Animal name

e.g. Rex

Animal type

Dog

Breed

e.g. Mixed / local

Estimated age

e.g. 3 years

Owner (leave blank for a street dog)

Owner name

Optional

Contact number

Optional

Collar

Collar ID

7B1E - 84D2

8 characters, formatted xxxx-xxxx. Scan the new collar's NFC chip or QR code to fill this automatically.

Cancel

Register animal

EditAnimal

Reuses every field from Add animal, pre-filled, so a worker or the animal's owner never re-learns a second layout — the only differences are the "Save" text action replacing "Register animal" in the top bar (an edit is a quick correction, not a multi-step commit worth a full-width primary button) and the Collar ID field, which is shown for reference but disabled: a collar is re-paired through a dedicated re-pair flow, never by typing over its ID here. "Remove animal" is a `pt-btn-danger` set apart from the form by a divider, reflecting that only an admin (street dogs) or the owner (home dogs) can reach it, and it always leads to a confirmation before deleting a medical history.

X

Edit Kalu

Save

Animal name

Kalu

Animal type

Dog

Breed

Mixed / local

Age

~3 years

Owner name

Community-managed

Contact number

077 123 4567

Collar ID

4F2A-9C31

Remove animal

MedicalRecordsList

Filters use `pt-chip-row` (not a bare flex row) — it bleeds to the screen edges, hides its scrollbar and, together with `flex:none / white-space:nowrap` on `pt-chip` itself, keeps every chip's label on one line and never lets the row squeeze a chip instead of scrolling past it. Sort sits above the count line, so the active filter is always visible even after scrolling the list. Each row reuses the `ListItem` component exactly — the icon tint and glyph are driven by record type, not repeated logic per screen. The add-record FAB floats at the bottom-right the same way it does from Home, and opens Add medical record pre-filled for this animal. On the web/desktop width this list becomes a table (Title, Type, Date, Recorded by) inside a `max-width: 960px` column with the filter chips as a toolbar above it — the row content stays identical, only the presentation changes from cards to table rows.

<

Records · Kalu

All

Vaccination

Wound treatment

Sterilization

12 records · sorted by newest

Sort

Rabies vaccination

12 Mar 2026 · Dr. Perera

>

Wound treatment — left hind leg

28 Feb 2026 · Community member

>

Deworming

2 Jan 2026 · A. Fernando

>

Sterilization

4 Jan 2025 · City Vet Clinic

>



AddMedicalRecord

Opens as a full-screen form (top bar swaps its back chevron for a close icon, bottom nav is hidden) reached from an animal's profile or the Scan result — never as a modal over other content, since a worker filling this in the field needs the whole screen. Record type is a `pt-chip` row, not a dropdown, matching the proposal's three named categories (vaccination, sterilization, wound/other treatment) plus "Other" for anything uncategorised; the chosen type is what colours the resulting `pt-tag` everywhere the record is later shown. "Next due date" is optional because only vaccinations and some treatments recur — leave it blank for a one-off wound dressing. The save button sits in a footer pinned above the (hidden) nav area rather than inline in the scroll, so it stays reachable once the form gets long. Image thumbnails use `radius-md` at 72px with a dashed-border add tile in the same size; captured photos come straight from the device camera or gallery, never a URL field.

Add medical record

Record type

Vaccination

Wound treatment

Sterilization

Other

Title

e.g. Rabies vaccination

Date given

18 Sep 2026

Next due date (optional)

Select a date

Description

What was given or done, medication, dosage,
and any follow-up notes

Attach images

Up to 5 photos — of the wound, the vaccine vial label, or the
treatment site.

Save record

ViewMedicalRecord

Read-only detail for one record. The type tag repeats at the top exactly as it appears in the list, so a worker recognises the same record when moving between the two screens. Photos are shown at 100px in a horizontal row (never cropped into a grid that hides part of an image — a wound photo's whole frame matters); tapping one opens it full-screen, not documented as a separate screen here. "Details" closes with who logged it and when — the audit trail the proposal calls for so treatments given by community members are traceable. The edit-pencil action in the top bar is only available to the record's author or a veterinarian, matching the proposal's role-based update rights; a plain viewer (public scan, a pet owner viewing another animal) never sees it.

<

Medical record

Wound treatment

28 Feb 2026

Wound treatment — left hind leg

Cleaned and dressed a laceration on the left hind leg found during a routine check. Applied antiseptic and a light bandage; advised keeping the area dry. No signs of infection at follow-up on 3 Mar.

Photos

Details

Animal

Kalu · 4F2A-9C31

Recorded by


Community member · N. Silva

Logged on

28 Feb 2026, 4:12 pm

ScanMobile

The mobile Scan tab's default state: NFC only, since a phone's NFC reader activates without a camera permission or a viewfinder — the fastest path for a worker who has just picked up a street dog. The pulsing target uses `accent-tint / accent` to distinguish a "waiting to act" state from a status tag. "Enter animal ID manually instead" is the fallback for phones without NFC or a damaged chip; it opens the same manual-entry field used natively on ScanWeb, so the two never diverge. On a successful tap, this screen replaces itself with the matched Animal profile — never a separate "result" screen.



ScanWeb

The web platform's equivalent of the mobile NFC scan, for anyone who reaches PawTag on a desktop browser — a vet at a clinic workstation, or someone who scanned the collar's printed QR code with a phone camera and landed on this page. There is no NFC or camera on a desktop, so the primary input is the printed animal ID (`mono` in the input to match how it reads on the physical tag), not a QR-scanning widget. The content column is capped at `pt-content-narrow` (640px) and centred even though the frame is full web width — a lookup form should never stretch edge to edge. Submitting a valid ID takes the visitor straight to the public Animal profile view (name, vaccination and sterilization status); it does not require sign-in, matching the proposal's "anyone scanning the QR code" requirement.

PawTag

Sign in



Look up a collar

On desktop, type the ID printed on the collar tag instead of scanning its QR code.

e.g. 4F2A-9C31

Find

An 8-character code, formatted xxxx-xxxx, printed below the QR code on every PawTag collar.

UserProfile

The role tag (`pt-tag` `pt-tag-info` "Pet owner" — or "Animal welfare worker," "Veterinarian," "Community member" for the other three roles from the proposal) sits directly under the name, since what a person can do elsewhere in the app (register a street dog, validate a vaccination, add a treatment) depends on it. "My animals" lists every animal tied to this account — a pet owner's home dogs, or a worker's own logged registrations — reusing `Avatar` and a compact `pt-tag` status exactly as the records list does, so status colour means the same thing everywhere in the app. Tapping a row opens that animal's profile; "Add animal" from here is the pet-owner path for a home dog and always includes the owner fields that the admin path leaves optional. Contact details are shown read-only here — editing them is a separate "Edit profile" action reachable from the top-bar pencil, not modelled as its own screen in this system.

Profile

NS

Nadeesha Silva

nadeesha.silva@example.com

Pet owner

Contact number

077 456 1234

Member since

Jan 2026

My animals

Add animal

B

Bruno

Dog · 2A9F-1C77

Up to date

M

Miso

Cat · 2A9F-1C78

Due soon

→ Sign out

HOME

ANIMALS

SCAN

RECORDS

PROFILE